



TRANSACTIONS


25th National Safety Congress

NATIONAL SAFETY COUNCIL, INC.

ATLANTIC CITY, NEW JERSEY
OCTOBER 5 to OCTOBER 9, 1936

Ambassador, Chelsea, Ritz-Carlton Hotels
and Atlantic City Auditorium

Copyright, 1936, National Safety Council, Inc.



THE Transactions of the Twenty-fifth National Safety Council Congress, 1936, are published by the National Safety Council in two volumes. This, the first, contains the general, the special subject, and the Industrial Section sessions. The second volume contains the sessions of the Child Education, Home Safety, Street and Highway Traffic and Vehicle Fleet Sections.

All industrial members of the Council automatically receive Volume I. Volume II is sent to members believed to be interested chiefly in the sessions it covers. Other Council members, however, may obtain it upon request.

Many members have found it worth while to distribute copies of the Transactions to supervisors, foremen, and others in an administrative or supervisory position who may make practical use of them for reference purposes. The following quantity prices are quoted on extra copies: 1 to 10 copies of the large volume, \$1.50 each; 11 copies or more, \$1.25 each; copies of the smaller volume, 50 cents each.

THE Transactions are published as a condensed record of the proceedings at the National Congress. The papers of each session or division of the Congress have been edited carefully to eliminate extraneous matter and to abbreviate the less essential portions because of space limitations. Thus the material herein presented is not a verbatim report of all the speeches presented at the Congress, but rather an abridged version made as compact as possible, yet without injury to the technical aspects of any address. The original manuscripts are on file in the Council's Bureau of Information, where they are available for additional reference. Where illustrations were sent by the speakers to the Council, these also are on file.

The National Safety Council at its Congresses seeks to eliminate from discussion matters which are not pertinent to the aim of the Congress or which are contrary to Council policies. It cannot accept responsibility for the views expressed either in the papers presented or in the discussions based upon the papers.

NATIONAL SAFETY COUNCIL, INC.
20 North Wacker Drive
Chicago

Council Officers and Directors	4
Council Purposes and Policies	9
Annual Meeting of Members	11
Annual Banquet	31
Subject Sessions—	
Exhaust Systems	37
Fire Prevention	53
Industrial Health—American Association of Industrial Physicians and Surgeons	61
Industrial Nursing	69
Industrial Safety Lectures	79
Injured Worker, The	99
Maintaining Interest in Safety	109
Occupational Diseases	117
Safety Belts	127
Safety Equipment	141
Safety Exchange	151
Safety Fundamentals for Beginners	159
Safety Training	171
Aeronautical Section	181
A. S. S. E.—Engineering Section	191
Automotive and Machine Shop Section	197
Cement Section	205
Chemical Section	223
Construction Section	241
Food Section	253
Marine Section	269
Meat Packing, Tanning and Leather Industries Section	287
Metals Section	299
Mining Section	319
Paper and Pulp Section	347
Petroleum Section	361
Power Press Section	395
Public Utilities Section	405
Quarry Section	425
Refrigeration Section	441
Rubber Section	461
Safety Equipment Section	481
Steam Railroad Meeting	489
Textile Section	501

National Safety Council, Inc.

HONORARY MEMBERS

ASSOCIATION OF IRON AND STEEL ELECTRICAL ENGINEERS
ROBERT W. CAMPBELL
ARTHUR W. WILLIAMS
LEW R. PALMER

OFFICERS (1936-1937)

DR. C. H. WATSON, President
D. D. PENNELL, Vice-President for Public Relations
DR. HART E. FISHER, Vice-President for Health
JOHN B. GUSON, Vice-President for Community Safety Councils
HON. HAROLD G. HOFFMAN, Vice-President for Public Safety
ARTHUR S. REGULA, Vice-President for Engineering
A. V. ROHWER, Vice-President for Industrial Safety
R. T. SOLENTEN, Vice-President for Membership
ARTHUR W. WHITNEY, Vice-President for Education
W. E. WORTH, Vice-President for Finance and Treasurer
W. H. CAMERON, Secretary and Managing Director

EXECUTIVE COMMITTEE (1936-1937)

GEORGE J. ADAMS, Paper and Pulp Section
C. M. ALLEN, Metals Section
C. B. AUEL, Past President
J. I. BAXSSON, Past President
C. W. BROEQUIST, Past President
HAROLD S. BETTENCOURT, The American City Magazine
W. H. CAMERON, National Safety Council, Inc.
ROBERT W. CAMPBELL, Past President
ROBERT J. COLLINS, Aetna Casualty & Surety Company
LEWIS A. DEBROS, Past President
C. W. DEMPSEY, Food Section
MAURICE A. DOW, Past President
D. D. FENNELL, Consulting Engineer
DR. HART E. FISHER, Chicago Rapid Transit Company
R. B. FORTUIS, Lehigh Valley Safety Council
C. W. GIBBS, Mining Section
JOHN B. GUSON, Western Electric Company
HARRY GUNBERG, The Pullman Company

OFFICERS AND DIRECTORS, Continued

E. C. HOBBS, JR., Marine Section
HARRY J. KILLEY, Wood Products Section
WALTER G. KING, Past President
WAL. C. KRODOK, Milwaukee Safety Commission
JOHN E. LORC, Past President
THOS. H. MACDONALD, United States Department of Agriculture
E. J. MEHRES, Portland Cement Association
W. J. McVILLER, Chippewa County Safety Council
L. W. MILLARD, Industrial Gloves Corporation
HAROLD L. MINOR, F. I. du Pont de Nemours & Company
E. J. O'BRIEN, JR., Louisville Safety Council
LEW R. PALMER, Past President
C. E. PRATTONE, Past President
ALBERT S. REGULA, Industrial Relations Commission, Inc.
LT. COL. HENRY A. REISINGER, Past President
A. V. ROHWER, DuPont, Missabe & Northern Railway Company
D. I. ROYER, ASSE Engineering Section
GEORGE E. SANDOR, General Electric Company
CHARLES-B. STORT, Past President
CARL L. SMITH, Cleveland Safety Council
C. W. SMITH, Standard Oil Company (Indiana)
WALTER DENT SMITH, Delaware Safety Council
R. T. SOLENTEN, Elliott Service Company
C. P. TOLMAN, Past President
GEORGE G. TRAVER, Chicago Safety Council
ROBERT R. WALLACE, Worcester Safety Council
DR. C. H. WATSON, American Telephone & Telegraph Company
A. W. WHITNEY, National Bureau of Casualty & Surety Underwriters
W. E. WORTH, International Harvester Company
ARTHUR H. YOUNG, Past President

DIRECTORS (1936-1937)

GEORGE J. ADAMS, Paper & Pulp Section
C. M. ALLEN, Metals Section
NATHAN R. ANDERSON, Seattle Traffic & Safety Council
FREDERICK ARCHER, Child Education Section
A. L. ARMSTRONG, Chemical Section
J. I. BAXSSON, Consulting Engineer
JOHN J. BAXSSON, Public Utilities Section
FOREST W. BECK, United States Railway Products, Inc.
C. W. BROEQUIST, Western Electric Co.
DAVID S. BEYER, Liberty Mutual Insurance Co.

OFFICERS AND DIRECTORS, Continued

E. F. BLANK, Jones & Laughlin Steel Corp.
 C. E. DORRSHAGEN, Kenosha Safety Council
 S. D. BOYD, York County Safety Council
 A. W. BRELAND, Petroleum Section
 F. S. BROWN, Standard Accident Insurance Co.
 S. W. BURCHIEL, Automobile Club of Rhode Island
 HAROLD S. BUTTERFIELD, The American City Magazine
 PIERCE D. CALFERN, Baltimore Safety Council
 W. H. CAMDEN, National Safety Council
 ROBERT I. CATES, Actua Casualty & Surety Co.
 M. A. CHASE, Automotive and Machine Shop Section
 H. HAMMAR COHEN, Safety Department, Nashville Chamber of Commerce
 FRANK EMERY COX, Berkeley Traffic Safety Commission
 ROBERT W. CROWTHER, Springfield, Massachusetts Safety Council
 J. E. CULLEN, Bethlehem Steel Co.
 LEWIS A. DUBOIS, Consulting Engineer
 JAY E. DECKER, Mason City, Safety Council
 C. W. DEXTER, Food Section
 JAMES B. DOUGLAS, Philadelphia Gas Works Co.
 DR. LOUIS I. DUBOIS, Metropolitan Life Insurance Co.
 D. D. FENNELL, Consulting Engineer
 DONALD A. FINNEMER, Toledo Safety Council
 DR. HART E. FISHER, Chicago Rapid Transit Co.
 HOWARD B. FORD, Burroughs Wellcome & Co. (U. S. A.) Inc.
 WILLIAM FORTY, Superior, Wisconsin Safety Council
 R. B. FORTUIS, Lehigh Valley Safety Council
 ALEXANDER FOSTER, Jr., Quarry Section
 C. W. GIBBS, Mining Section
 JOHN B. GIBSON, Western Electric Co.
 HARRY GILBERT, The Pullman Co.
 ISADORA HALE, The Atchafalaya, Topeka & Santa Fe Railway Co.
 MAJOR BOLLING H. HENRY, Richmond Safety Council
 D. T. HAMMERTON, U. S. Bureau of Mines
 R. C. HAYES, Vehicle Fleet Section
 G. T. HELLMUTH, Chicago, North Shore & Milwaukee R. R. Co.
 CHAS. E. HILL, New York Central Lines
 HON. HAROLD G. HOFFMAN, Governor of New Jersey
 E. C. HORDEN, Jr., Marine Section
 FREDERICK B. HUNT, Cement Section
 P. G. HUNTER, Power Press Section
 MORRIS E. HUNTER, Eastbay Safety Council
 MAJOR NORMAN A. INGLE, Columbus Safety Council
 EDWIN A. KAYSER, St. Louis Safety Council
 THOMAS P. KINGS, Industrial Commission of Ohio

OFFICERS AND DIRECTORS, Continued

K. T. KELLER, Detroit Industrial Safety Council
 HARRY J. KELLEY, Wood Products Section
 THOS. L. KELLEY, Paterson Safety Council
 J. M. KERRIGAN, Rubber Section
 WM. C. KNORR, Street & Highway Traffic Section
 C. L. LAFONTAINE, Great Northern Railway Co.
 A. H. LAUDER, Madison County Safety Council
 J. E. LORGE, The Delaware & Hudson Railroad Corporation
 W. R. LOYD, Safety Div., Birmingham Chamber of Commerce
 L. T. McARTHUR, Peoria, Illinois Safety Council
 THOS. H. MacDONALD, United States Department of Agriculture
 MILLER McCLINTOCK, Traffic Audit Bureau
 T. H. McKENNEY, Retired
 F. W. MATSON, Minnesota Safety Council
 JAMES R. MAVS, Elizabeth Safety Council
 E. J. MEYER, Portland Cement Association
 W. J. McVILLIE, Chippewa County Safety Council
 I. W. McLEOD, Industrial Gloves Corporation
 E. M. MILLER, Employees Publication Section
 JAMES K. MILLER, Grand Rapids Safety Council
 HAROLD L. MINER, E. T. duPont de Nemours & Co.
 R. B. MOSELEY, Industrial Accident Prevention Association
 ERNEST MURPHY, Albany Safety Council
 E. J. O'BRIEN, Jr., Louisville Safety Council
 GEORGE C. A. OPP, The Detroit Edison Co.
 GEO. OPPENHEIMER, Kansas City Safety Council
 LEW. R. PALMER, The Equitable Life Assurance Society of the United States
 WILSON PALMER, Meat Packing, Tanning & Leather Industries Section
 A. E. PARKER, Transit Section
 DAVID A. PATTON, Newark Safety Council
 MRS. G. M. PELTON, Evanston Safety Council
 CHARLES W. PENDER, Safety Division, Milwaukee Assn. of Commerce
 C. E. PATTISON, American Mutual Liability Insurance Co.
 GEN. GEORGE B. PETERS, United States Engineer Office
 ARTHUR PORTERSON, Hudson County Safety Council
 ALBERT S. REED, Industrial Relations Consultants, Inc.
 LT. COL. HENRY A. RENTON, Lehigh Portland Cement Co.
 A. V. ROHWER, Duluth, Missabe & Northern Railway Co.
 D. L. ROVER, ASSE Engineering Section
 G. E. SANDOZ, General Electric Co.
 HENRY C. SCHAEFER, Fair Safety Council
 KARL G. SCHROEDER, Railway Safety Council

OFFICERS AND DIRECTORS, Continued

HARRY A. SCHULTZ, United States Steel Corp.
 EARL S. SHANATZER, Union Safety Council
 GEN. JOHN H. SHAFERBURN, Massachusetts Safety Council
 DR. L. A. SHOODY, Bethlehem Steel Co.
 ERNEST L. SIMMONS, New Haven Safety Council
 CARL L. SMITH, Cleveland Safety Council
 C. W. SMITH, Standard Oil Co. (Ind.)
 EDWIN C. SMITH, Blackstone Valley Safety Council
 WALTER DEWEY SMITH, Delaware Safety Council
 W. A. SNOW, Construction Section
 R. T. SOLENSTEN, Elliott Service Co.
 P. EARL SPITZER, Contra Costa County Safety Council
 E. C. SPRING, Lansdale, Pa.
 GEORGE R. STEPHENS, Safety Bureau, Buffalo Chamber of Commerce
 ARTHUR M. TOOR, Consulting Marine Engineer
 HAROLD M. TOMMBS, Refrigeration Section
 GEO. G. TRAYER, Chicago Safety Council
 W. W. TRENCIL, Schenectady Safety Council
 W. D. TURNERVILLE, San Antonio Safety Council
 ROBERT R. WALLACE, Worcester Safety Council
 DR. C. H. WATSON, American Telephone & Telegraph Co.
 HARRY M. WEDDER, Retired
 E. T. WHITER, Western Pennsylvania Safety Council
 S. E. WHITING, Liberty Mutual Insurance Co.
 A. W. WHITNEY, National Bureau of Casualty & Surety Underwriters
 T. A. WILLSON, Accident Prevention Equipment Manufacturers' Section
 T. A. WILSON, Textile Section
 W. H. WINANS, Union Carbide & Carbon Corporation
 E. W. WIRTH, Rochester Safety Council
 HARRY WISE, SR., Chattanooga Safety Council
 J. M. WOLTZ, Youngstown Sheet & Tube Co.
 W. W. WOOD, Steam Railroad Section
 W. E. WORTH, International Harvester Co.
 E. J. ZAUST, Safety Bureau, Duluth Chamber of Commerce
 EARL W. ZIMMERMAN, Safety Div. Syracuse Chamber of Commerce
 G. L. ZWICK, St. Joseph Safety Council

Occupational Diseases

ention to statis-
ectly. Get statis-
show you where
causes it.
you can stimulate
it, because deep
man honestly be-
hod as somebody
ow it.
ne meeting is ad-

FRIDAY MORNING SESSION

October 9, 1936

The session was called to order by the
Chairman, Dr. Hart E. Fisher, Vice-Presi-
dent for Health, National Safety Council,

and Chief Surgeon, Chicago Rapid Transit
Co., Chicago, who presided, introducing
the speakers.

The Lesser Known Facts About Common Occupational Diseases

By DR. ROBERT B. HUNT

Medical Advisor, American Mutual Liability Insurance Co., Boston

Probably the leader in the parade of industrial diseases is an acute or chronic inflammation of the skin which we call dermatitis. This disease may present itself in any type of shop, factory or foundry. Any paste, powder, gas or liquid which comes in contact with the employee's skin, even the water supplied by the town in which he lives or works, may be the potential cause of such a skin disturbance.

The wide diversity of causes together with the varying susceptibility of different individuals makes the problem of control difficult.

Much investigation is under way to determine why one person may be susceptible to a certain substance while another is not. It has been proved many times that a poisonous substance formed within the body has been able to prolong the action started by some external influence. A printer developed a marked dermatitis from ink which persisted for two years. Finally food tests were made and showed that he was susceptible to lettuce, which, when removed from his diet cleared the skin. He returned to his usual occupation without a return of symptoms.

The poisoning of allergic substances is usually an accumulative process. It takes time to produce a manifestation of disease, but let any other substance cause the disease, and the irritating food may be of sufficient strength to magnify its action.

All cases of dermatitis cannot be cured by eliminating offending foods, but further investigation along these lines may give us a clue with which to lessen the loss of time from work and the discomfort now produced by industrial dermatitis.

Metals


Lead

The distribution of lead poisoning is quite extensive.

The skin of the body is a protective covering, and as long as it remains intact it does a good job except in the case of tetraethyl lead, which is used in blending gasoline and which is readily absorbed through the skin, having a tendency to create changes in the nervous system. The effect of other forms of lead, through that avenue of entrance, is practically nil, which explains the extremely low poisoning rate in typesetters, painters and others who continually come in contact with metallic lead.

Lead in any form, introduced through the mouth, acts rather slowly when compared with the inhalation of lead dust or fumes. However, no matter what the portal of entry may be, lead is acted upon by the body fluids and so converted that it may eventually be deposited within the bones.

Those bony safe deposit vaults may retain their lead contents for days or for years, and if the exposure is removed, may also free the employee of all signs



symptoms of lead poisoning. But one the surprise of that supposedly person when years later, perhaps using some type of infectious disease or excessive use of alcoholic beverages awakes to find that he suffers chills and pains and paralyzes of an lead poisoning. As the body fluids lead that it may be deposited, so those fluids attempt to de-lead the and too rapid absorption may produce the original disease with all its dire effects.

One can readily see, then, that in some investigation of previous occupations is quite necessary to determine the actual contact with lead. The poisoning of modern lead causes a black of lead suboxide to form on its surface and the heat from the metal dissolves the fine powder into the air. In the process of smelting ores as zinc, copper and silver, mixed lead, we find a rather high lead poisoning rate.

One engaged in the manufacture of wire and cables, batteries, glass, and rubber industries, plumbers and dry cleaners offer their share of poisoning.

Probably the greatest source of lead poisoning may be found among those who paper, scrape, chip or burn lead for the dust and fumes caused by activities are rather rapid in their Such workers may become involved in a few days because the lead dust causes the maximum amount of absorption into the blood in the minimum space of time.

Lead

Lead is a metal widely used as a non for colors, and dusts from its salts may produce lesions of the mucous membranes of the nose, mouth, pharynx and larynx. Lead poisoning may be caused by electrolysis of lead, although chromium poisoning does not cause death, the number of absence from work on account of lead poisoning is considerable. Lead poisoning which it causes is gradually increasing.

nose and mouth. The smaller the dust (the size of smoke particles for example) the greater the speed of absorption by the blood. Fumes from hot metals carry not only poisons but numerous minute dust particles. This explains the incapacities occurring among those engaged in acetylene and electric cutting and welding. When men are so employed over a prolonged period of time, the constant inhalation of fumes and dust might produce symptoms of the metal upon which they work. In the shipbuilding trade, particularly in the construction of metal ships, we find occasional cases of metal-fume fever, "brass chills" and "spelter shakes" from zinc are names applied by the lay people to such diseases. The terrific heat applied to some of our common metals and alloys by acetylene torches produces sufficient fumes to cause a temporary incapacity in 24 hours. Permanent disability from such causes is rare, however.

Diseases Due to Dust

Twenty-five per cent of all workers exposed to high concentrations of inorganic dust are expected to develop changes within their lungs due to that agency. We are at a loss to explain why the other seventy-five per cent are not so affected.

Mining, quarrying, foundry work, grinding, sandblasting, abrasive shop manufacturing, asbestos work, the making of emery and carborundum products and many other occupations offer opportunities for employees to inhale microscopic dust particles and create a foundation for possible future incapacity.

We are interested particularly in those men who work with sandstone, quartz, flint, granite, and sand, because they expose themselves to silica, and the chemical changes between that dust and the body fluids, in the presence of tuberculosis, may and usually do lead to a fatal ending.

It is safe to say, in light of our present knowledge, that the action of other inorganic dusts is much less virulent and incapacitating. That, however, does not follow as a rule.

Although the actions of various dusts differ within the body, the exposure to asbestos fibres, present in the weaving and grinding of dry asbestos material, offers another type of dust which may cause fatalities among workers.

The organic dusts from cotton, silk, wool, tobacco, flour and similar substances are practically harmless. Such dusts rarely reach the lungs but may cause irritation of the windpipe and larger air tubes and result at the most in a mild bronchitis.

The factor which should be borne in mind, particularly when dealing with silicosis and asbestosis, relates to the progression of such disease. When changes occur within the lungs as a result of the presence of such dusts, nature forms scar tissue to heal such lesions but may fail to stop when the job is finished. As a result, the continuation of that healing process may lead to such structural changes within the lungs that partial or total incapacity may follow months or years after the employee has been removed from his dusty occupation.

Benzole-Benzene

Benzol is a distillate of coal tar used extensively in industry. It is an essential ingredient in the manufacture of explosives. It is an excellent solvent for grease, oils and cements, and because of that property it is important in many phases of the rubber and cleaning industries. In the manufacture of shoes benzol may be an ingredient of the dressing applied to the leather and of the cement which fastens the heels and soles. Not only in the shoe trade but in other branches of industry where employees work with gummy, sticky material, the workers soon learn of the solvent and cleansing action of this liquid and use it freely for that purpose upon themselves. The subsequent outbreak of skin afflictions may be the first indication of such unauthorized use.

Benzol is extremely poisonous, entering either through the nose or mouth or absorbed through the skin. It is

hemorrhages are common, it may cause death.

The fumes from benzol are heavier than air and lie near the floor, which is an important point in the engineering problem of ventilation.

The members of the benzene group are absorbed through the skin, and more cases of poisoning are found when men perspire than when their bodies are cool. Probably the answer to that is that the fumes may volatilize as they cool and the powder may settle on the skin. The sweat on the body may dissolve this dust so that it is more readily absorbed through the increased surface blood supply.

Chlorinated Hydrocarbons

This group of petroleum derivatives has been known to science for years but during the past decade its advance into the industrial field has been widely distributed and most important. Led by carbon tetrachloride and its chemically associated members, it has furnished industry with refrigerants for ice chests, excellent solvents for rubber, wax, oil and grease, thinners for lacquers and a very fine household necessity for the removal of spots from clothes. Hospitals have been using it more and more for the removal of adhesive plaster.

Due to the non-flammability of carbon tetrachloride, it is used in fire extinguishers. The rapid evaporation produces fumes which may smother a small blaze, but we must not forget that excessive heat of the actual fire may bring about combustion sufficient to produce such byproducts as hydrochloric acid and phosgene gas. Like its associated member, chloroform, it may produce sleep when inhaled by an individual, and only 1/150 of an ounce in a quart of air is necessary to produce such action. That thought must be remembered when a large quantity of these liquid products is spilled on the floor, perhaps accidentally. Action should be started at once before the liquid gasifies, and employees should be notified to keep their heads up to

one of these elements are capable of doing damage to the liver, and only rarely in a city in Massachusetts one of the motor products caused the death of two employees and a battle to retain among two others.

Carbon Monoxide

Now remember the alkyd. "Where there is smoke, there is fire." We might say that. Where there is fire there is carbon monoxide.

These automobiles and poisonous gas may be in any industry or in any home, but power the ventilation the better the use of producing physical incapacity, once the solvent of the motor car, the exhaust pipe may pour forth as much as 60% of carbon monoxide. We are exposed to that gas, particularly in cold cities. The ordinary passenger liberates about two cubic feet per minute, and one can readily estimate the total damage that may be done if a motor is allowed to run within the walls of a poorly ventilated garage or a room. Fortunately, serious cases of such poisoning are not common among those employed in public garages, but many of the employees are likely to complain of headache and faintness at the end of a work, especially in colder weather. The doors and windows remain closed, the steel industry, where gas is used in heating agency in the blast furnace, must be used to provide ventilation. Within the mines, workers are warned to allow enough time for escape of this

gas, a colorless, odorless and tasteless, quick of action within the body, the manifestation of the very symptom may be too late to save a man from partial or total incapacity or death. Cause the exposed person suffers from motor paralysis, he may be too help himself or even to warn

The skin is a protective covering of the body against infection and is extremely efficient as long as it remains intact, but allow it to be broken or punctured, introduce bacteria, and a battle ensues between the offensive agencies of infection and the defensive powers of the body. The winning of such a struggle may determine the presence or absence of incapacity. Infections are common throughout industry, but two types are particularly prominent - infection resulting from anthrax and infection among meat packers and fishermen.

Many of our fur, hair or wool covered animals may contract anthrax. The germs of this disease defy the ordinary methods of sterilization and may linger on hides, bristles or hairs for long periods of time. Tanners, wool sorters, and hair or bristle workers may introduce the anthrax spore beneath their skin and undergo much physical suffering and sometimes death.

Infections are frequently found among meat and fish packers who those engaged in deep sea fishing. Although death rarely occurs, the loss of fingers, hands and nasty septic wounds are the result.

Punctured wounds, cuts, abrasions, burns and scratches are potential avenues of entrance for bacteria which would seem to be waiting everywhere at all times for such a break in the skin. Early medical treatment might often save later surgical interference, not to mention the accompanying discomfort, incapacity and perhaps the loss of an essential body part.

Summary

I feel that the time has come when an employer must demand of a manufacturer the answers to two questions:

1. How will your product affect my business?

2. How will your product affect the health of my employees?

That employer is entitled to honest answers based upon sufficient chemical and physiological examinations of the questionable product. That manufacturer

upon those who handle it. The incidence of lost time due to illness and injury in industry has been greatly lessened by the many agencies working along lines of safety. When in

health and happiness, then, and not until that idealistic stage has been reached, may vigilance and perseverance to maintain and preserve healthy limb and life be heeded.

Pre-Employment Examination as an Aid to the Control of Industrial Diseases

By DR. W. C. TEMPLER
Medical Director, Corning Glass Works, Corning, N. Y.

We may well ask whether or not physical examination is of any value to the world at large, rather than limit the discussion to the control of industrial diseases. In the conservation of life and health much progress has been made in the eradication or control of such diseases as occur in epidemic form, as well as that type of disease which is not truly epidemic, but occurs in such frequency that general health programs are necessary. Much has been done to control such disabling illnesses as heart disease, arterio-sclerosis, kidney disease and diabetes; and something has been accomplished in the control of morbidity, which tends to, at least, make people happier through good health, even though an increased span of life is not gained.

Physical examination has played a large role in accomplishing these things, because it was through physical examination and physical observations that investigators were led to exert themselves to find a remedy for the cause of such conditions. Small-pox is no longer prevalent, due to such observations, which led to its control by vaccination. Malaria and yellow fever have been brought largely under control, and knowledge is now available in the control of venereal diseases, if the proper physical examination and laboratory methods are used to arrive at a diagnosis. We are all familiar with the results obtained in decreasing the

death rate due to tuberculosis. In fact, in the treatment of all epidemic-type diseases that have so far been eradicated, the examination of patients to determine the severity of symptoms and the improvement has been of foremost value. Knowing that the average span of life has been increased eight years in the last quarter century and assuming that the above mentioned factors have had some bearing on it, could we deny the value of physical examinations for the general population?

If we know that examinations made by insurance companies and their associating examining institutions, the clinics run by the United States Public Health Service, and the great mass of physicians, who all carefully examine their clientele, have been of value in the control of disease, may we not assume that examinations in industry will help control the incidence and extent of industrial disease, particularly when the life expectancy of industrial workers is less than that of the general population?

In fact on April 14, 1936, at the National Conference on Silicosis and Similar Dust Diseases, called by the Secretary of Labor, Dr. R. R. Sayers of the United States Public Health Service said, "Preliminary and periodic physical and routine neurological examination should be made of all employees engaged in industrial processes where there is a potential

The objectives of pre-employment and post-employment examinations are the same, that is, the establishment of a physical standard to which the employee can put on his trade or labor, having no discomfort or ill effect due to industrial exposure to harmful products. Such products and materials are, as we have mentioned, of great number and variety. Attempts have been made to classify workmen as to age, sex, color and nationality. Whether or not any of these classifications are of value, it still remains that the primary effort is to have healthy workmen and the benefit is of as great value to the workman as to the industry. The benefits of individual and community and the benefits of good health to industry are equally important. The employee will be more productive, receive higher wages and be happier. The labor turn-over rate because of poor health is $\frac{1}{2}$ be lowered as well as the costs of insurance. The working personnel will be more efficient and contented, and will desire to be exposed to the overt acts of people who are epileptic, insane or who disregard communicable disease, and will use their endeavors to work safely among hazards they have been taught to respect.

The harmful exposure to each hazard is, of course, different, ranging from a few hours as, for example, an acute poisoning from toxic gases, to that of 15 or 20 years in some of the less toxic dusts; therefore the period before re-examination in each class of employee will be different. However, individuals differ also and it is hard to state a definite period which may be satisfactory for each employee in a single class of hazard. Supervisors can often be of great value in evaluating employees not for physical examination whenever there is a change in appearance or work ability, or when they have been off on account of some illness, such as those self-diagnosed as common cold, laryngitis, cough, sore throat or skin irritation. Such observations should be

must be to the industrial workers, who may be exposed to special hazards, a periodical check-up examinations are necessary in any hazardous work or trade in order to protect the workers as well as the industry; and the benefits to the workers of proper and fair-minded examinations, in all ordinary cases, outweigh the objections.

I have purposely omitted any reference to the economics of pre-employment and periodic re-examination, which applies either to the individual or the industry. However, one of the great public health problems of today is the question of the cost of medical care. If industry assumes some of this cost by periodical examination in connection with the prevention of industrial disease, it relieves the individual of this responsibility and allows more of this responsibility for the care of his family. The benefits to industry, of course, are those of a better personnel and a lower rate of insurance. This rate, due to industrial disease hazards, is in many States very high and the logical conclusion is that the real remedy lies in the prevention of industrial disease by this method, one of which, I believe, is pre-employment and periodical examinations.

If I were asked, "as the engineer part on the subject of occupational disease," my answer would be, "Yes." Obviously, with the exception of those cases brought about through a sudden accidental contact with a poisonous material or a violent disease-producing organism, if the exposure were controlled by engineering technique, then there could be no occupational disease.

The engineer must rely upon the physical director to place individuals capable of working in hazardous occupational conditions where the men are exposed to occupational disease hazards; but the engineer alone is responsible for reducing the concentration of harmful substances and for the control of employees' contact with these using harmful materials.

The distribution of many and new occupational diseases to industrial environment is produced a problem for him. The engineer generally works with materials such as he can see, but the study of industrial disease control may require the dealing of invisible materials. It is a common fault to focus attention upon one defect to such an extent that others of equal importance may thereby be related to obscurity. Today, safety engineers and industrial hygienists are concentrating their attention upon diseases used by the inhalation of dust, but I do not believe the safety engineer is warranted in confining himself to the prevention of diseases caused by dust alone. His consideration should extend to include all hazards produced in any manner that may cause an effect upon a worker. A question of whether a material exists as a gas, a vapor, or a dust is but one of the size and chemical make up.

He must not forget that many such diseases are produced by exposure to rays and gases as well as to dust, and that the control of these industrial diseases is brought about by the application of certain fundamental principles common to all.

While the problem confronting industrial safety engineers varies according to the industry, there are certain fundamentals common to all such problems which provide a workable basis upon which an occupational disease prevention program may be developed. Once these fundamentals are set in motion toward a safe working environment, continuance is much the same whether the engineer is engaged with a large organization or with a small one. The fundamentals follow this sequence:

- (1) An occupational disease inventory is required.
- (2) A plan for correction of the exposures shown by the inventory requires development.

(3) A concentrated attack upon the major exposures first, following through until all are corrected or eliminated.

An inventory of all materials used in a plant will ascertain the average engineer. He will find many items about which he may have little or no knowledge. He may be confronted with items he had not recognized previously, even though he has been associated with the plant perhaps many years. When this inventory is complete, he should card index it, placing against the name of the material the health hazard associated with it both from a material and a process viewpoint. Such a card index should contain the component parts or constituency of compounds.

Process exposures should be studied in conjunction with hazardous materials. Assistance in compiling such data may be obtained in the bulletin "Occupational Hazards and Diagnostic Signs," prepared by Hudson and Vane of the Metropolitan Life Insurance Company, and in a publication of the United States Public Health Service, Public Health Bulletin No. 216, "The Potential Problems of Industrial Hygiene in a Typical Industrial Area in the United States."

In addition the engineer should obtain all available information upon the materials he is required to study. New

engineer's knowledge of their possible effects upon health is slight. Academic research determining the effect of these new materials upon humans is progressing slowly, and serious inquiries may be sustained in industrial application long before the toxicologist is able to determine the properties of the material and the maximum permissible amount to which a worker may be exposed. In seeking this information it is essential the maximum permissible amount of contaminants which may exist in a work place without causing an occupational disease.

Armed with this information, the engineer is in a position to locate properly in the own plant the process and the operation in which the exposure may exist. The engineer should study together with the plant physician the length of employment of exposed individuals and they should jointly determine the normal expectancy or average length of employment for the specific exposure. From such data may be developed a factor of safety, and the maximum allowable period of employment in certain areas may be assigned. Naturally this study should be focused upon the more hazardous locations first, and when these are corrected, attention turned toward minor conditions.

Housing. One of the most important considerations in attempting to control occupational disease is housing. Whenever practical, any hazardous manufacturing process should be separately housed and isolated; every effort should be made to arrest harmful substances—dust, vapors, or gases—at their source of generation. Buildings should be so constructed that accumulations of dust may be avoided.

When physical separation of departments is required, such physical divisions should be tight or vapor tight. Floors should be tight to prevent transfer of materials to floors or departments below. The engineer should give study to the complete enclosure of machinery or process units as individual units and, if so required, vent each one separately. The transfer of hazardous operations into

laboratory is desirable to have all substances mechanically continuous and, if possible, enclosed. When this cannot be accomplished, suitable physical division should be provided. The engineer should consider the substitution of wet process for dry processes, providing at the same time for the disposal of the moist collected material in a safe place. He should consider the substitution of automatic operations for hazardous hand work on machine work. A change of abrasive material will often reduce the quantity of dust produced.

I can cite an example of how a plant thought can cure a hazardous machine operation with little or no expense:

A plant producing a finely pulverized material created large amounts of dust; bagging the material, using porous sacks. This high concentration of dust, not necessarily toxic, inconvenienced the worker. The cost of ventilating the department would have been prohibitive. By careful study the engineer determined that the fall of the material into the sacks forced the air out through the interstices of the material, carrying with it a quantity of the pulverized product. His problem, thus was to provide a means whereby this air could be harmlessly expelled from the sack prior to filling. Study led him to suggest and apply the use of a collapse paper bag which contained little or free air. The problem was solved. Dust generation was practically eliminated; this simple change. Many hazardous processes in ordinary manufacturing operations may be cured in like manner if the engineer exercises his ingenuity.

Ventilation. Proper ventilation is paramount importance in the control of any occupational disease. Most of the chief occupational diseases other than dermatitis arise through the inhalation of the ingestion of foreign material. If ventilating equipment can reduce the concentration of contamination material to safe limits, the problem is solved. The engineer should study each process separately and ventilate each separately. It is seldom wise to rely upon general ventilation.

tilation. Instead, high velocity ventilating apparatus should be installed, functioning as closely to the point of generation of the harmful substance as is possible.

Individual machines should be so equipped if possible. Baffles may be introduced to prevent air stream disturbances or to increase the intake efficiency at the nozzle. Down-draft systems should be preferred for the collection of dust or gases of high specific gravity.

Even after the installation of exhaust systems, the engineer must study the type of maintenance required to keep them operating at peak efficiency. Nozzles should not be permitted to become covered nor moved out of proper position. Exhaust piping must be kept dust tight. Blower efficiencies must be constantly checked to insure that intake velocities are proper. The best ventilating system is a false protection if it does not function properly or if it is so poorly maintained that it falls below its designed rating. The engineer must exercise extreme care to provide a clean source of replacement air for the work place. He may find it necessary to install filtering and heating devices. The engineer must study the proper disposal of the collected or expelled material to be positive it will not drift back into the work place.

Employee Protection. While the primary engineering means of protection against possible occupational diseases should be mechanical correction, the engineer will find instances where even the best systems must be supplemented by individual protection. He must carefully study such exposures to provide the highest efficiency of protection, yet obtain a device easy for the operator to wear continuously. When the engineer has been successful in obtaining such a device, he must educate workers to use it.

Sanitation. Clean washing facilities and toilets should be provided. Lunch rooms should be not only clean but also well lighted and attractive and should be under the supervision of the plant physician.

Scientific Tests. Up to this point the engineer has deduced that an exposure exists, and from accumulated data has devised his means of prevention. How-

ever, the engineer interested in ascertaining not only exposure but also efficiency of control should realize control cannot be fully effective nor the efficiency of any protective device determined without scientific tests. Assumption, guesswork, unsound procedure or apparatus have no place in an engineering program. The engineer must test each step unless it has been previously proved, carefully calculating in advance to avoid false protection.

He must be familiar with dust counting, air sampling, and chemical analysis technique, having such determinations made by established and proper methods. If such tests are beyond the scope of his ability or equipment and if the engineer considers such tests absolutely essential, then his executives should permit him to obtain experts qualified to make such surveys as his problem may require. The need for an accurate engineering approach to any control measure cannot be over-emphasized.

Conclusion. Every engineer realizes control of any industrial disease exposure is divided, part of such control falling within the jurisdiction of the industrial physician and part within his own engineering province. Medical knowledge is invaluable in the detection of early symptoms and in the administration of suitable preventive treatment. The engineer should gladly obtain the services of an industrial physician to make a study of the plant, to assist in the classification of the hazardous operations and working locations. By such coordination he will speed control of the exposure.

Each individual occupational disease exposure must be studied, analyzed, and controlled individually. While general data may be available upon common exposures, the solution can be found only in individual treatment. Such exposures cannot be compared to ordinary safety engineering efforts. A circular saw is a circular saw wherever it may be operating, but industrial disease exposure varies within plants and certainly varies between different manufacturing establishments, even though they may produce a like product or article.

ADJOURNMENT

Steam Railroad Meeting

WEDNESDAY MORNING SESSION

October 7, 1936

The Steam Railroad Meeting of the National Safety Congress was called to order by Chairman W. V. Wood, Superintendent of Safety and Welfare, The Baltimore and Ohio Railroad Company, Baltimore, Md., who presided, welcoming the delegates and introducing the speakers in turn.

Safety in Construction and Maintenance From the Viewpoint of a Chief Engineer

By C. H. PARIS

Chief Engineer, Chicago & Illinois Midland Railway Co., Springfield, Ill.

Accident Bulletin No. 103 of the I. C. C. reports, table No. 53, shows casualties by classes of employees and other persons for non-train accidents. For the 10-year period 1924-1934 the casualty rate for the maintenance of way department was greater than the rate for all employees on duty. For example, in 1930, this casualty rate was 11.07 while for all employees it was 9.36. In 1934, for maintenance of way employees it was 8.06 while for all employees it was 7.04.

In 1930, 70 roads out of 162 had rates in the maintenance of way department below the average for their group. In 1934, 62 roads out of 158 were below the average. This means that less than one-half of the roads have casualty rates in the maintenance of way department better than their rates for all employees.

In 1930 the spread between the lowest and the highest rate for the maintenance of way department was from 0 to 77.92. In 1934 the spread was from 0 to 82.11. This shows lack of uniformity of results and it is plain that the maintenance of way department has a safety problem. Its casualty rate is too high and this rate

is too widely divergent as between the different carriers.

Now what about the nature of the accidents that go to make up the casualty rate? The four principal causes of injury are: 1. Handling rail, ties, timber, etc. 2. Falls. 3. Using hand tools, jacks, etc. 4. Motor and hand car accidents.

Why cannot employees handle rail, ties, timber, etc. safely? Is it because of improper methods, improper tools and equipment, poor quality of men, too much haste without regard to safety, or what? The majority of injuries are to hands and feet. Take the handling of creosote-treated ties for example. These ties may come loaded in flats, gondolas, box or stock cars. They are slippery if freshly treated, so this hazard is added to that of picking them up and throwing them out of the car. The elimination of injuries can only come through careful instructions as to exactly how the ties should be picked up, the assignment of the correct number of men, and their proper placement so they will not foul one another. This is true not only of the men in the car but also those on the ground.