FILE NAME: CTFA (CTFA)

DATE: 0000

DOC#: CTFA001

DOCUMENT DESCRIPTION: BC Notes

CTFA

1973 – 07-31	Lewin tests for FDA
1973 – 12-10	CFTA Talc Subc. Rpt
1973 – 12-26	CFTA comments to FDA
1974 – 8-14-74 9-6-74	CFTA talc subc.
1975 – 02-24-75	FDA letter to Roemer
1976 – 10-7-76	CFTA Method of Analysis in talc
1970 – 3-15	FDA mtg w/ talc industry reps
1976 – 3-08-76	JNJ Memo on CFTA mtg
1976 – 3/11-76	CFTA talc task force mtg
1976 – 3-22-76	MT Sinai - FDA mtg
1976 – 3-18-76	FDA memo
1976 – 3-15-76	CFTA to Eiermann
1979 – 1-11	FDA letter to Sid Wolfe
?	CFTA Talc analysis method

CTFA #3 Scientific Advisory Comm. of CTFA met ~~Dec.~~ Dec. 12, 1973.

J+J #8 ~~CTFA~~ J+J to FDA (for CTFA)
"theoretical safe level of ast. fiber in baby powder ~~utilizing~~ the official TLV for asbestos"
- went on to say "a substantial safety factor can be expected" with talc containing 1% ast." 9/6/74

CTFA committee chair said this should be well received because FDA had a "methods approach"
Aug 14, 74 mtg

J+J 11 CTFA subc. mtg w/FDA 2/7/75
Dr. R Schaffner was top FDA at mtg.
"Before we had a chance for rebuttal, Dr. Schaffner said that the Selikoff calculation was foolish since no mother was going to powder her baby with 1% of a known carcinogen irregardless of the large safety factor."