Monsanto

FROM (NAME & LOCATION): D. L. Mellon - Akron

DATE: August 7, 1973

cc: C. Paton St. Louis [redacted]

SUBJECT: FDA RULING ON PCB's
PYDRAUL/THERMINOL MAILING

REFERENCE:
(A) C.P. MEMO 7-30-73 (Attached)
(B) C.P.MEMO 7-23-73 (Attached)

TO:
PAUL CRASKA
DWAINE FOWLKES
W. C. MOORE
C. F. SEGER
W. H. SLOWIKOWSKI

To give you a little of the philosophy behind the mailing program:

1. The concern is for people in the Food and Food processing industries.

2. To insure your key accounts in Food and Food Processing receive the letter,(as it is necessarily not specifically addressed) you should send or deliver a copy of the following to your principle contact

   a. Copy of C.Paton letter which went out to all Pydraul/ Therminol PCB type fluid users (Ref. A).

   b. Copy of FDA Ruling (Ref. B)

3. The letters are being sent to all former PCB type Pydraul and Therminol fluid users to avoid legal problems.

4. At major Steel/Die Caster/etc. (non-food and Food processing accounts) I think you should merely be prepared to discuss the letter's intent if someone asks you. I see no use in discussing the information with these accounts unless it causes a question in your (non-food related) customers' mind.

DLM:hm
encl:

D. L. Mellon

TNGS . 009027

PLAINTIFF'S EXHIBIT
252
11-1-95

WATER_PCB-SD0000076991