

TRADE NET PRICES

ZINCS IN OIL, WHITE

	1 lb. cans	5 lb. cans	12 1/2 lb. pails	25 lb. pails
S-W Green Seal French Zinc.....	35 1/4	32 1/4	29 1/4	28 1/2
S-W Red Seal French Zinc.....	34 1/4	31 1/4	28 1/4	27 1/4
Green Seal White Zinc (G. W. M.)	—	—	18 1/2	17 1/2
Red Seal, White Zinc (G. W. M.)	—	—	18	17

ZINC IN VARNISH, FRENCH

1 lb. cans	5 lb. cans	12 1/2 lb. pails	25 lb. pails
37	34	31	30

Price effective June 28, 1920; superseding a

The following line
SHERWIN-WILLIAMS PROD
are priced on a
basis and are sub
to discounts listed
Index pages.

All prices in this
tion are per package
cept where other
designated.





For application with the air-brush or sprayer, we recommend a reduction of about 15 per cent with Special Flat Reducer No. 74, Rx 0974. For application by dipping, we recommend a reduction of about 35 per cent with the same Reducer. In event the interior of the helmet is dipped two coats, the dress should be alternated to improve the flowing. If it is necessary that only the outside or top side of the helmet be given two coats, the first coat could probably be applied to the best advantage by dipping and on those parts that require a second coat, the air-brush could be used to advantage.

For application with the air-brush or sprayer, we recommend a reduction of about 15 per cent with Special Flat Reducer No. 74, Rx 0974. For application by dipping, we recommend a reduction of about 35 per cent with the same Reducer. In event the interior of the helmet is dipped two coats, the dress should be alternated to improve the flowing. If it is necessary that only the outside or top side of the helmet be given two coats, the first coat could probably be applied to the best advantage by dipping and on those parts that require a second coat, the air-brush could be used to advantage.

M S D PRICES	
Special "A" Rx 02804, Pink Coat Priming for Wood	62.5 lbs.
Raw Linseed Oil	12.5
Turpentine, 2 1/2 gal.	12.5
Brown Japan Primer, 1 1/2 gal.	12.5
(1 1/2 lbs. to the gal.)	100
Price: \$1.25 per gal., 1 lb. per lb.	
Special "C" Rx 21808, Olive Drab, Paste	80.5 lbs.
White Lead in Oil	11.0
Raw Linseed Oil	6.5
Chrome Yellow, M. in Oil	2.0
Burnt Sienna in Oil	2.0
Price: 18 1/2¢ per lb.	100.0
Special "D" Rx 21809, Olive Drab, Second Coat	85.0 lbs.
"C" Paste	2.0 gal.
Turpentine	2.0 gal.
Brown Japan, 1/2 pt.	1/2 pt.
(19 1/4 lbs. to the gallon)	
Price: \$3.22 per gal., 1 lb. per lb.	
Special "E" Rx 21810, Olive Drab, Third Coat	78.0 lbs.
"C" Paste	19.0
Raw Linseed Oil	3.0
Brown Japan	100.0
(18 lbs. to gal.)	
Price: \$3.33 per gal., 18 1/2¢ per lb.	
HELMET FINISH	
Rx No. 17651, Barrels, \$1.90 per gal.	
This material is made to meet the following specifications	
34.3 pounds White Lead Ground in Oil	
1.1 pounds Chrome Yellow, Med., Ground in Oil	
4.3 pounds Drop Black Ground in Oil	
24.0 pounds French Ochre Dry Powder	
10.3 pounds French Rubbing Varnish	
3.0 pounds Brown Japan Primer	
22.4 pounds Turpentine	
100.0 pounds Total	

M S D PRICES	
Special "A" Priming for Metal; Red Lead Paint	80 lbs.
Dry Red Lead	15
Raw Linseed Oil	5
Turpentine, 2 1/2 quarts	100
(26 lbs. to the gallon)	
Price: \$4.50 per gal., 1 lb. per lb.	
MOTOR TRUCK AND WAGON FINISHES	
This material meets the above specifications and, as the name indicates, is designed for use in finishing motor trucks and army wagons. Three coats of the same goods are generally applied.	
6 pounds White Lead in Oil	
1 pound Raw Linseed Oil	
1 pint Turpentine	
1 pint Japan	
1 quart Linseed Oil	
Rx No. 16431, formerly No. X-7061-C, bbl., \$2.50 per gal.	
MOTOR TRUCK AND WAGON FINISH—Olive Drab	
Shipment may be made from Cleveland, Chicago, or Newark.	
(1) The cavities of all projectiles shall be carefully cleaned and smoothed; (2) after being thoroughly cleaned and smoothed, the cavities of all projectiles, except target and armor-piercing, shall be painted with an anti-rust lacquer or paint approved by the Bureau of Ordnance. In general, cavity paint must conform to the following specifications:	
"Body shall consist of suitable hydrocarbon entirely free from acids and without admixture of any metallic compounds or driers or other purposes. It shall contain no surface-drying or other material. The solvent shall be suitable as a carrier for the hydrocarbon used and shall be free from acids. It shall be of such a quality that the required thinning material to be used shall be readily obtainable in the market. When used on steel surfaces, the paint shall set to touch in ten minutes and be free from tackiness in thirty minutes after drying at every atmospheric temperature. The coating when dry shall be a firm, tough, glossy coating which will not crack, peel, or flake."	
(3) The cavities of anti-aircraft projectiles which are to be filled with day target fluid shall be coated with a thin, hard, lead-free paint to prevent the cavities from rusting.	
(4) The cavities of larger projectiles need not be painted. To meet these requirements we will supply Anti-Acid Paint Black, No. 02605, at the per gallon, in barrels.	
Color plates representing these actual materials will be prepared as soon as possible, but inasmuch as the goods are made to match the Government standard shades as shown in the circular, we do not believe you will have any difficulty in dispensing with color cards.	
Shipment may be made from Cleveland, Chicago, or Newark.	

Our regularity insured that engine linings mentioned on pages 125 and 126 of the M. S. D. price list are utilized for this purpose; that is, Gas Engine Primers, Gas Engines, Gas Engine Fuelers, Gas Engine Frames, or Gas Engine Locomotives. In some cases, however, it is desirable to use the minimum number of casters, whichever whatever may be necessary in the way of appearance and in that case Gas Engine Frames or Gas Engine Fuelers may be used. Although much weight is usually obtained in this manner, directly over the frame iron and the improvement in the results would more than offset the additional cost and time involved.

To the best of our knowledge no definite specifications concerning Atchafalaya Frames, with the exception of the Atchafalaya Locomotives, are available.

[illegible]

M.S.D. PRICES

quick, have been made. We are, however, in close contact with the Government departments on this proposition and will advise you as soon as specifications are available. In the meantime, kindly be sure to send us any data in connection with the subject which you may be able to secure.

MSD PRICES