

FILE NAME: Exxon (EXX)

DATE: 1964 May 13

DOC#: EXX018

DOCUMENT DESCRIPTION: Memo RE Insulators' Exposures to Asbestos

MEMORANDUM

PLAINTIFF'S
EXHIBIT

EXX 17

TO Dr. Neill K. Weaver	SUBJECT Insulators' Exposures to Asbestos	
FROM Fred S. Venable	DATE 5/13/64	FILE NO.

BATON ROUGE, LA.

Many of the insulating materials used in the refinery such as cements, preformed sections, elbows and coverings contain varying amounts of asbestos fibres together with glass, magnesia and cement.

In the 1940s and early 1950s, the insulation used for high temperature lines and equipment consisted of such asbestos - containing materials as:

- 302 Cement - Johns-Manville
- Unibestos - Pittsburgh-Corning
- Thermobestos - Johns-Manville
- Calsite - Ruberoid Company
- Careytemp - Philip Carey Company

Asbestos felt papers and asbestos sponge felted insulation was also used to wrap cork insulated lines on cold piping.

The loose asbestos cement was received in bags, dumped into mixing troughs, stirred with water and applied wet. Some asbestos dust would likely be released in the first stage of this mixing. Much pre-formed asbestos-magnesia insulation has been used over the years, along with preformed elbows and other non-linear configurations. These are sometimes cut and fitted by hand using hand saws (formerly power sawing was done about 10 years ago).

Although most insulation work is outdoors, occasional jobs are done in confined or semi-confined spaces such as beneath structures, inside compressor houses, etc. which may have given rise to periodic high exposures. On the average, however, it is felt that exposures to asbestos was low due to such factors as work speed, wet application and good ventilation. Respirators were available for use by the insulators but in view of the low dust concentrations encountered, it is not likely that they were worn for appreciable periods.

In recent years, newer insulation materials have been gaining in popularity. These are mainly foam glass and polyurethane preformed sections. Some asbestos - calcium silicate insulation (Owens-Corning Kaylo) is used today. Preformed sections are generally available. Asbestos cements are used by Masons principally at this time. Only Johns Manville 450 Asbestos cement is used by insulators.

In addition to the work of the insulator in applying asbestos materials, it should be remembered that their work of removing old insulation is likely to produce dry dust exposures, also.

STATUS AS OF JUNE 1, 1966

List of Insulators active as of 1955 (baseline)

<u>NAME</u>	<u>ACTIVE</u>	<u>EMPLOYEE NUMBER</u>
Hopkins, E. G.		5638
Gonzales, M. J.		4144
Kendrick, T.		857
Bozeman, J. B.		502
Repp, C. J.		4262
Amedee, L. T.		4005
Blount, C.		718
Kelly, S. H.		6177
Ashford, C. A.		1394
Dupuis, S. J.		4118
Lastrapes, C. J.		6226
Bijaux, A. J.		4360
Usie, C. J.		4364
Latiolais, A.		4363
Alvarez, A. J.		4377
Allen, R.		1960
Nascom, N. D.		2528
Hymel, A. A.		2554
Michelli, E.		2696
Ellis, L. E.		10287
Lasseigne, R.		6476
Carmena, S. H.		6542
Shaffett, M.		6634
Smiley, F. M.		11275
Kelly, W. J.		11541
Cockerham, E. D.		12261
Efferson, H. F.		12265
Broussard, S. B.		12523
Borne, R. J.		12006
Robertson, J. W.		13109
Underwood, C. F.		13110
Hidalgo, J. L.		12857
LeBlanc, A. L.		13558
Voinche, D. J.		14030

ANNUITANTS

Leggette, M. C.
Lemoine, E. J.
Miller, S. C.
Patin, O.
Richard, R. J.
Diez, C. J.
Boudreaux, L.
Higgins, M. E.
Altemus, K.
Charlton, A. O.
Langlois, R. J.
Oufnac, G. J.
Rodriguez, H. P.
Sullivan, P. L.
Routon, T. K.
Selser, H. L.
Taylor, G.
Major, E. J.
Thompson, E. A.
Sillinger, G.
Hopson, W.
Glover, C. C.
Williams, J. E.
Aaron, J. F.
Castello, L. J.
Achord, W. T.
Fowler, J. D.
Fugler, C. G.
Granada, J. T.
Harris, R. W.
Haynes, W.
Perrault, D. J.
Fitzwater, T. B.
Wells, E. E.
Beckham, J. A.
Hebert, A. J.
Rossin, W. W.
Fortner, T. H.
Hall, W.
Bostwick, W. W.

GREASE PLANT

ACTIVE

Keowen, L. L.	7222
Grace, C. C.	7172
Henry, P.	8258
Levy, A.	8210
Hamilton, J. H.	8017
Heatly, E.	8069

6

ANNUITANTS

Williams, A.	8083
--------------	------

1

TERMINATED

Tullier, R. C.	4/56
Moras, E. J.	12/59
Newman, R. M., Jr.	4/63
Cherry, Henry, Jr.	2/62
Cavalier, John W.	8/61
Buell, E. M.	8/61
Holley, J. H.	8/61
McGowan, M. C.	8/61
Tuminello, R. M.	8/61
Michel, L. D., Jr.	8/61
Kelleher, E. J.	8/61
Hulin, L. J., Jr.	8/61
Ramfello, R. J.	8/61
Landry, A. J.	8/61
Vicknair, D. E.	8/61
Ball, D. A.	8/61
Regan, D. F.	8/61
White, W. G., Jr.	8/61
Wilkinson, R. P.	8/61
Briggs, W. R.	8/61
Trueil, L. J.	8/61