



INTERNAL CORRESPONDENCE

PLAINTIFF'S
EXHIBIT

UC-428

CHEMICALS AND PLASTICS

P. O. BOX K, KING CITY, CALIFORNIA 93930

To (Name) Paul W. McDaniel
Division Medical Dept.
Location 4th floor
 New York

Date January 10, 1969**Originating Dept.****Answering letter date**

Copy to J. A. Riddle
 J. L. Myers
 L. F. Crow

Subject

Dear Mr. McDaniel:

Enclosed are dust count data taken on January 9, 1969. Weather: Cloudy, moderate wind from the south-east. Personnel in the bagging areas were equipped with respirators. There was no dust leakage visible from the overhead screw conveyors under the product storage bins. Opened Standard Grade was being packaged. The dust counts were made off the premises.

<u>Sample</u>	<u>Location</u>	<u>MPPCF</u>
Blank - 3		
24	Bagging Area	14.1
26	Same as above	10.9
49	Palletizing Area	9.8
57	Same as above	9.8
58	General Refining Area	3.4
69	Same as above	3.5
65	General Rock Fiber Area	3.8
71	Same as above	3.7
69	North Fence Line	4.2
75	Same as above	4.5
88	South Fence Line	3.1
95	Same as above	3.7
109	Shifters Office	3.4
195	Same as above	3.6

We have received the literature for the Phase Microscope, and it is on order.

Very truly yours,

D. S. Kamens

DSK/cg