



JOE D. TANNER
Commissioner

J. LEONARD LEDBETTER
Division Director

Department of Natural Resources

ENVIRONMENTAL PROTECTION DIVISION
270 WASHINGTON STREET, S.W.
ATLANTA, GEORGIA 30334

November 1, 1976

TO: OTIS WOODS *OW*
FROM: HAROLD LANFORD *HL*
RE: ROME PCB STUDY: 10/25/76

Listed below are results of PCB analysis of samples collected
October 20, 21, & 22, 1976:

<u>Lab #</u>	<u>Location</u>	<u>Date</u>	<u>A-1016</u>	<u>A-1254</u>	<u>A-1260</u>	<u>Total PCB</u>
2191	Effluent From Old Sec. Clarifier	10/22	ND*	23	ND*	23
2192	Effluent From Old Sec. Clarifier	10/21	ND*	31	ND*	31
2193	Supernatant From Rome Digester	10/21	ND*	938	ND*	938
2194	Berry College Line Third MI East of Hwy 27	10/22	ND*	22/18	ND*	22/18
2195	Influent to Rome S.T.P.	10/22	ND*	16/15	ND*	16/15
2196	Berry College Line Third MI East Hwy 27	10/21	ND*	17/17	ND*	17/17
2197	Coosa River Line	10/21	ND*	1.0/1.0	1.0/2.0	2.0/3.0
2198	Coosa River Line	10/22	ND*	ND*	ND*	-

61.
11/16
1976

MONS 030542

<u>Lab #</u>	<u>Location</u>	<u>Date</u>	<u>A-1016</u>	<u>A-1254</u>	<u>A-1260</u>	<u>Total PCB</u>
2199	Discharge From Trend at their Flow Meter	10/22	ND*	ND*	ND*	-
2200	MH #7 Discharge From G.E.	10/22	ND*	17	ND*	17
2201	Influent to Rene S.T.P.	10/21	ND*	43	ND*	43
2202	MH #7 Discharge From G.E.	10/21	ND*	9	Trace	9
2203	Discharge From Trend at their Flow Meter	10/21	ND*	ND*	ND*	-

Note: Detection Limit: $\frac{A-1016}{.1 \text{ ug/l}}$ $\frac{A-1254}{.2 \text{ ug/l}}$ $\frac{A-1260}{.2 \text{ ug/l}}$

* Note: ND signifies None Detected

HL/ghs