[illegible] BIOLOGICAL LABORATORY
GULF BREEZE, FLORIDA 32561

(12)

Bio-assay Screening Test

Chemical: Aroclor 1248
Use: Plasticizer for chlorinated rubber
Class: Chlorinated biphenyl
Grade: Technical

	Date d-m-y	*EC_{50} 24 hrs.	*EC_{50} 48 hrs.	Average Temp. °C.	Average Salinity ‰
Crustacea		PPM or mg/l			
Pink shrimp (Penaeus duorarum)	5-5-69	0.032	0.032	22	31
Mollusks					
Eastern oyster (Crassostrea virginica)	14-4-69	.017		20	29
Fish					
Pinfish (Lagodon rhomboides)	17-4-69	ir at 0.1	10% at 0.1	21	27

*Crustacea - 50% mortality or loss of equilibrium at end of indicated period. Mollusk - 50% decrease in shell deposition compared to controls after 96 hours exposure. Fish - 50% mortality at end of indicated period.

[illegible] o effect at 1.0 ppm or highest concentration test; ir = irritated only.

Copy verified by:

Date: May 20, 1969

DSW 038526

STLCOPCB4022350

BUREAU OF COMMERCIAL FISHERIES BIOLOGICAL FIELD STATION
GULF BREEZE, FLORIDA 32561

Bio-assay Screening Test

Date: May 5, 1969

Chemical: Aroclor 1248
Use: Plasticizer for chlorinated rubber
Class: Chlorinated biphenyl
Grade: Technical

CRUSTACEA	Test concentration ppm (mg./l.)	Paralysis or mortality - % 24 hrs.	48 hrs.	Average Temp. °C.	Salini ‰
Pink shrimp (Penaeus duorarum)	.1	100	100	22	31
	.01	0 (ir)	0 (ir)		
	.001	0	0		
EC_{50} (ppm)		0.032	0.032		

Copy verified by:

Date:

DSW 038527

STLCOPCB4022351

BUREAU OF COMMERCIAL FISHERIES BIOLOGICAL LABORATORY FIELD STATION
GULF BREEZE, FLORIDA 32561

Bio-assay Screening Test

Date: April 17, 1969

Chemical: Aroclor 1248
Use: Plasticizer for chlorinated rubber
Class: Chlorinated biphenyl
Grade: Technical

FISH	Test concentration ppm (mg./l.)	Mortality - % 24 hrs.	48 hrs.	Average Temp. °C.	Average Salinity ‰
Pinfish (Lagodon rhomboides)	.1	0 (ir)	10	21	27
	.01	0	10		
	.001	0	0		
EC_{50} (ppm)		ir at 0.1	10% at 0.1		

Copy verified by:

Date: May 25, 1969

DSW 038528

STLCOPCB4022352

BUREAU OF COMMERCIAL FISHERIES BIOLOGICAL FIELD STATION LABORATORY
GULF BREEZE, FLORIDA 32561

Bio-assay Screening Test

Date: April 14, 1969

Chemical: Aroclor 1248
Use: Plasticizer for chlorinated rubber
Class: Chlorinated biphenyl
Grade: Technical

MOLLUSKS	Test concentration ppm (mg./ℓ.)	Decrease in shell growth in 96 hours %	Number of weeks to recover	EC_{50} ppm	Average Temp. °C.	Average Salinity ‰
Eastern oyster (Crassostrea virginica)	.1	100 *	2	.017	20	29
	.01	36				
	.001	18				

* Fifty percent of the oysters dead after a 96-hour exposure to 0.1 ppm Aroclor 1248.

Copy verified by:

Date: May 29, 1969

DSW 038529

STLCOPCB4022353

BUREAU OF COMMERCIAL FISHERIES BIOLOGICAL FIELD STATION
GULF BREEZE, FLORIDA 32561

(12)

Bio-assay Screening Test

Chemical: Aroclor 1260
Use: Plasticizer for chlorinated rubber
Class: Chlorinated biphenyl
Grade: Technical

	Date d-m-y	*EC_{50} 24 hrs.	*EC_{50} 48 hrs.	Average Temp. °C.	Average Salinity ‰
		PPM or mg/ℓ			
Crustacea					
Pink shrimp (Penaeus duorarum)	14-5-69	ir at 0.1	10% at 0.1	23	28
Mollusks					
Eastern oyster (Crassostrea virginica)	12-5-69	.060		23	28
Fish					
Pinfish (Lagodon rhomboides)	13-5-69	ne at 0.1	ne at 0.1	23	29

*Crustacea - 50% mortality or loss of equilibrium at end of indicated period. Mollusk - 50% decrease in shell deposition compared to controls after 96 hours exposure. Fish - 50% mortality at end of indicated period.

ne = no effect at 1.0 ppm or highest concentration test; ir = irritated only.

Copy verified by:

Date: May 27, 1969

DSW 038530

STLCOPCB4022354

BUREAU OF COMMERCIAL FISHERIES BIOLOGICAL FIELD STATION
LABORATORY
GULF BREEZE, FLORIDA

Bio-assay Screening Test

Date: May 14, 1969

Chemical: Aroclor 1260
Use: Plasticizer for chlorinated rubber
Class: Chlorinated biphenyl
Grade: Technical

CRUSTACEA	Test concentration ppm (mg./l.)	Paralysis or mortality - % 24 hrs.	48 hrs.	Average Temp. °C.	Average Salinity ‰
Pink shrimp (Penaeus duorarum)	.1	ir	10	23	28
	.01	0	0		
	.001	0	0		
EC_{50} (ppm)		ir at 0.1	10% at 0.1		

Copy verified by:

Date: May 27, 1969

DSW 038531

STLCOPCB4022355

BUREAU OF COMMERCIAL FISHERIES BIOLOGICAL ~~LABORATORY~~ FIELD STATION
GULF BREEZE, FLORIDA 32561

Bio-assay Screening Test

Date: May 12, 1969

Chemical: Aroclor 1260
Use: Plasticizer for chlorinated rubber
Class: Chlorinated biphenyl
Grade: Technical

MOLLUSKS	Test concentration ppm (mg./ℓ.)	Decrease in shell growth in 96 hours %	Number of weeks to recover	EC_{50} ppm	Average Temp. °C.	Average Salinity ‰
Eastern oyster (*Crassostrea virginica*)	.1	52	2	.060	23	28
	.01	44				
	.001	8				

Copy verified by: [signature]

Date: May 27, 1969

DSW 038532

STLCOPCB4022356

BUREAU OF COMMERCIAL FISHERIES BIOLOGICAL FIELD STATION
GULF BREEZE, FLORIDA

Bio-assay Screening Test

Date: May 13, 1969

Chemical: Aroclor 1260
Use: Plasticizer for chlorinated rubber
Class: Chlorinated biphenyl
Grade: Technical

FISH	Test concentration ppm (mg./l.)	Mortality - % 24 hrs.	48 hrs.	Average Temp. °C.	Salinity ‰
Pinfish (Lazodon rhomboides)	.1	0	0		23 29
	.01	0	0		
	.001	0	0		
EC_{50} (ppm)		ne at 0.1	ne at 0.1		

Copy verified by:

Date: May 27, 1969

DSW 038533

STLCOPCB4022357