

Handbook of Oil Burning, by Harry F. Tapp.

Handbook of Oil Burning, by F. H. Faust, Editor-in-Chief, and G. T. Kaufman, Editor (*Oil Heat Institute of America*, New York).

Domestic Oil Burners, Installation and Servicing, by C. H. Burkhardt (McGraw-Hill Book Co., New York).

A Study of the Oil Burner as Applied to Domestic Heating, by Arthur H. Senner (Technical Bulletin 109, *U. S. Department of Agriculture*).

Progress in Domestic Oil Heating, by Rene J. Bender (*Mechanical Engineering*, October, 1942).

A.S.H.V.E. RESEARCH REPORT No. 907—Study of Performance Characteristics of Oil Burners and Low Pressure Heating Boilers, by L. E. Seeley and E. J. Tavanlar (A.S.H.V.E. TRANSACTIONS, Vol. 37, 1931, p. 517).

A.S.H.V.E. RESEARCH REPORT No. 925—A Study of Intermittent Operation of Oil Burners, by L. E. Seeley and J. H. Powers (A.S.H.V.E. TRANSACTIONS, Vol. 38, 1932, p. 317).

Air Supply and Its Effect on Performance of Oil Burners and Heating Boilers, by L. E. Seeley, J. H. Powers and E. J. Tavanlar (A.S.H.V.E. TRANSACTIONS, Vol. 39, 1933, p. 75).

Study of Fuel Burning Rates and Power Requirements of Oil Burners in Relation to Excess Air, by L. E. Seeley and E. J. Tavanlar (A.S.H.V.E. TRANSACTIONS, Vol. 40, 1934, p. 319).

Oil Burning in Residences, by D. W. Nelson (A.S.H.V.E. TRANSACTIONS, Vol. 41, 1935, p. 355).

A Study of Oil-Fired Heating Boilers, by R. C. Cross and W. R. Lyman (*Heating and Ventilating*, October, 1931).

Gaseous Fuels (American Gas Association).

Comfort Heating (American Gas Association).

American Standard Approval Requirements for Central House Heating Gas Appliances, ASA Z21.13- (American Standards Association).

Vol. I. Steam and Hot Water Boilers, Z21.13.1a-1954.

Vol. II. Gravity and Forced Air Central Furnaces, Z21.13.2-1951, with addenda Z21.13.2b-1954.

Vol. III. Gravity and Fan Type Floor Furnaces, Z21.13.3-1951 with addenda, Z21.13.3a 1954.

Vol. IV. Gravity and Fan Type Vented Recessed Heaters, Z21.13.4-1953 with addenda Z21.13.4a, 1954.

American Standard Requirements for Installation of Domestic Gas Conversion Burners, ASA Z21.8-1948 (American Standards Association).

American Standard Requirements for Installation of Gas Equipment in Large Boilers, Z21.33-1950 (American Gas Association).

American Standard for Installation of Gas Piping and Gas Appliances in Buildings, Z21.30-1954 (American Gas Association).

1951 A.G.A. Industrial Gas School Lectures (American Gas Association).

Radiant Gas Burners, by J. D. Keller, A.G.A. Sales Conference, 1949 (American Gas Association).

Industrial Furnaces, Vol. 1 & 2, by W. Trinks. (John Wiley & Sons, 1944).

A Method for Determining Fuel Burning Rates in Heating Boilers Fired by Automatic Devices, by R. C. Cross (*Heating and Ventilating*, January, 1932).

Heat Losses and Efficiencies of Fuels in Residential Heating, by R. A. Sherman and R. C. Cross (A.S.H.V.E. TRANSACTIONS, Vol. 43, 1937, p. 185).

CHAPTER 16

HEATING BOILERS, FURNACES, SPACE HEATERS

BOILERS: Construction, Types, Design Considerations, Rating and Testing Codes, Efficiency, Rating, Selection, Space Limitations, Connections and Fittings, Erection, Operation and Maintenance. **FURNACES:** Types, Materials and Construction, Ratings, Testing and Rating Codes, Efficiency, Design Considerations, Humidification Equipment.

SPACE HEATERS: Types: Solid Fuel, Oil, Gas; Materials and Construction, Testing and Rating, Design Considerations, Installation.

IN presenting the subject of Boilers, Furnaces and Space Heaters this chapter is divided into three parts; the first dealing with boilers, the second treating warm air furnaces, and the third covering space heaters.

HEATING BOILERS

Steam and hot water boilers for low pressure heating are built of steel or cast-iron in a wide variety of types and sizes, many of which are illustrated in the *Catalog Data Section*.

The nationally recognized code governing the construction of low-pressure steel and cast-iron heating boilers is the *ASME* Boiler Construction Code for Low Pressure Heating Boilers. Some states and municipalities have their own codes which apply locally, but these are usually patterned after the *ASME* Code.

The maximum allowable working pressures are limited by the *ASME* Code for Low Pressure Heating Boilers to 15 psi for steam and 160 psi for hot water heating boilers, with a maximum temperature limitation of 250 F. Hot water boilers are generally designed for a working pressure of 30 psi and may be supplied for higher working pressures, for either heating purposes or for hot water supply, only when designed, tested and stamped for the higher pressure.

TYPES OF HEATING BOILERS

Heating boilers are classified in a number of different ways, such as:

1. According to materials of construction. These are steel and cast-iron. Very few non-ferrous boilers are made.
2. According to the fuels for which the boilers are designed. These are coal, hand-fired or stoker-fired; oil; gas; or wood. Some boilers are designed specifically for one fuel, but many boilers are designed for more than one fuel.
3. According to the specific purpose or application for which the boiler is used, such as space heating or domestic hot water supply.
4. According to the design or construction of the boiler such as sectional, round, fire-tube, water-tube, magazine feed, Scotch, etc.

Cast-Iron Boilers

Cast-iron boilers are generally classified as:

1. Square or rectangular boilers with vertical sections and rectangular grates, commonly known as sectional boilers.
2. Round boilers with horizontal pancake sections and circular grates.