

Industrial Hygiene

Test Results

Sample Date Range 7/24/78 1/3/98
Concentration Range
Action Level 100%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 001 FEP OVENS NORTH SIDE									
12/19/79	47723		Z			C-8	0.0005	PPM	0.0%
1/15/80	47724		Z			C-8	0.0006	PPM	0.0%
1/22/80	47725		Z			C-8	0.0009	PPM	0.0%
8/8/80	47726		Z			C-8	0.0095	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 002 FEP OVENS SOUTH SIDE									
12/19/79	47601		Z			C-8	0.0001	PPM	0.0%
1/25/80	47602		Z			C-8	0.0031	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 003 #1 OVEN COOLING TOWER									
2/5/81	54696		Z			C-8	0.0001	PPM	0.0%
2/11/81	54697		Z			C-8	<0.0001	PPM	0.0%
3/17/81	54698		Z			C-8	0.0002	PPM	0.0%
5/23/81	54699		Z			C-8	<0.0001	PPM	0.0%
8/10/81	54700		Z			C-8	0.0001	PPM	0.0%
8/11/81	54701		Z			C-8	<0.0001	PPM	0.0%

AJP006941

8/12/81	54702	Z	C-8	<0.0001	PPM	0.0%
---------	-------	---	-----	---------	-----	------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 004 #2 OVEN COOLING TOWER

2/5/81	61788	Z	C-8	0.0002	PPM	0.0%
2/11/81	61789	Z	C-8	0.0001	PPM	0.0%
3/17/81	61790	Z	C-8	0.0002	PPM	0.0%
8/10/81	61791	Z	C-8	0.0001	PPM	0.0%
8/11/81	61792	Z	C-8	0.0001	PPM	0.0%
8/12/81	61793	Z	C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 183 FEP SHUTDOWN SAMPLES

5/12/81	61936	Z	C-8	<0.0001	PPM	0.0%
5/12/81	61937	Z	C-8	<0.0001	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 1 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/12/81	61938		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61939		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61940		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61941		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61942		Z			C-8	<0.0001	PPM	0.0%

AJP006942

						0.0%
5/13/81	61943	Z	C-8	<0.0001	PPM	0.0%
5/13/81	61944	Z	C-8	<0.0001	PPM	0.0%
5/13/81	61945	Z	C-8	<0.0001	PPM	0.0%
5/13/81	61946	Z	C-8	0.0001	PPM	0.0%
5/14/81	61947	Z	C-8	<0.0001	PPM	0.0%
5/14/81	61948	Z	C-8	<0.0001	PPM	0.0%
5/14/81	61949	Z	C-8	<0.0001	PPM	0.0%
5/14/81	61950	Z	C-8	<0.0001	PPM	0.0%
5/14/81	61951	Z	C-8	<0.0001	PPM	0.0%
5/15/81	61952	Z	C-8	<0.0001	PPM	0.0%
5/15/81	61953	Z	C-8	<0.0001	PPM	0.0%
5/15/81	61954	Z	C-8	<0.0001	PPM	0.0%
5/15/81	61955	Z	C-8	<0.0001	PPM	0.0%
5/15/81	61956	Z	C-8	<0.0001	PPM	0.0%
5/18/81	61957	Z	C-8	<0.0001	PPM	0.0%
5/18/81	61958	Z	C-8	<0.0001	PPM	0.0%
5/18/81	61959	Z	C-8	<0.0001	PPM	0.0%
5/18/81	61960	Z	C-8	<0.0001	PPM	0.0%
5/18/81	61961	Z	C-8	<0.0001	PPM	0.0%
5/19/81	61962	Z	C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 184 CLEAN-UP FOR SHUTDOWN

AJP006943

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

5/9/81	61900	Z	C-8	0.0002	PPM	0.0%
5/9/81	61901	Z	C-8	0.0003	PPM	0.0%
5/9/81	61902	Z	C-8	0.0006	PPM	0.0%
5/10/81	61903	Z	C-8	0.0004	PPM	0.0%
5/10/81	61904	Z	C-8	0.0004	PPM	0.0%
5/18/81	61905	Z	C-8	<0.0001	PPM	0.0%
5/18/81	61906	Z	C-8	<0.0001	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 187 CONTRACTOR CLEANING AREAS

2/22/81	61816	Z	C-8	0.0004	PPM	0.0%
3/12/81	61817	Z	C-8	0.0031	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 2 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/12/81	61818		Z			C-8	0.0007	PPM	0.0%
3/12/81	61819		Z			C-8	0.0007	PPM	0.0%
3/12/81	61820		Z			C-8	0.001	PPM	0.0%
3/12/81	61821		Z			C-8	0.0006	PPM	0.0%
3/26/81	61822		Z			C-8	0.0003	PPM	0.0%
3/27/81	61823		Z			C-8	0.0005	PPM	0.0%
3/30/81	61824		Z			C-8	0.0032	PPM	

AJP006944

						0.0%
4/3/81	61825	Z	C-8	0.0034	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 188 B-163 45 FT ROOF						
2/19/81	61757	Z	C-8	0.0003	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 189 B-163 MID ROOF H&V INLET						
2/6/81	61784	Z	C-8	0.0003	PPM	0.0%
2/6/81	61785	Z	C-8	0.0002	PPM	0.0%
3/25/81	61786	Z	C-8	<0.0001	PPM	0.0%
5/21/81	61787	Z	C-8	0.0007	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 202 FEP-POLYKETTLE #1 LOWER CELL						
5/9/81	49136	Z	C-8	0.0004	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 206 FEP-DISP AREA-CHANGING NH40H DRUM						
4/7/81	58840	Z	C-8	0.0019	PPM	0.0%
4/7/81	58841	Z	C-8	0.0006	PPM	0.0%
4/8/81	58842	Z	C-8	0.0002	PPM	0.0%
4/8/81	58843	Z	C-8	0.0004	PPM	0.0%
4/9/81	58844	Z	C-8	0.0009	PPM	0.0%
4/9/81	58845	Z	C-8	<0.0001	PPM	0.0%
4/10/81	58846	Z	C-8	<0.0001	PPM	0.0%
4/13/81	58847	Z	C-8	0.0004	PPM	0.0%
4/14/81	58848	Z	C-8	0.0004	PPM	0.0%

AJP006945

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/15/81	58849		Z			C-8	0.0004	PPM	0.0%
4/22/81	58850		Z			C-8	0.0012	PPM	0.0%
4/30/81	58851		Z			C-8	0.0006	PPM	0.0%
5/4/81	58852		Z			C-8	0.0006	PPM	0.0%
5/5/81	58853		Z			C-8	0.0018	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 3 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/5/81	58854		Z			C-8	0.0005	PPM	0.0%
5/6/81	58855		Z			C-8	0.0004	PPM	0.0%
5/7/81	58856		Z			C-8	0.0004	PPM	0.0%
5/13/81	58857		Z			C-8	<0.0001	PPM	0.0%
5/15/81	58858		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 207 FEP-POLY KETTLE OPERATORS DESK

2/4/81	49123		Z			C-8	0.0002	PPM	0.0%
--------	-------	--	---	--	--	-----	--------	-----	------

BTO: 18 TEFLON@ COPOLYMERS
LOC: 208 FEP-BLENDER PIT

1/15/80	47631		Z			C-8	0.002	PPM	0.0%
2/3/81	47632		Z			C-8	0.0004	PPM	0.0%

ALP006946

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

2/3/81	47633	Z	C-8	0.0005	PPM	0.0%
2/4/81	47634	Z	C-8	0.0006	PPM	0.0%
2/4/81	47635	Z	C-8	0.0006	PPM	0.0%
2/13/81	47636	Z	C-8	0.0005	PPM	0.0%
3/19/81	47637	Z	C-8	0.0013	PPM	0.0%
3/30/81	47638	Z	C-8	0.001	PPM	0.0%
4/23/81	47639	Z	C-8	0.0014	PPM	0.0%
4/24/81	47640	Z	C-8	0.0011	PPM	0.0%
5/1/81	47641	Z	C-8	0.0006	PPM	0.0%
6/15/81	47642	Z	C-8	0.0004	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 210 #1 COAGULATOR-2ND FLOOR

1/13/81	58790	Z	C-8	<0.0001	PPM	0.0%
2/10/81	58791	Z	C-8	0.0005	PPM	0.0%
2/13/81	58792	Z	C-8	<0.0001	PPM	0.0%
3/9/81	58793	Z	C-8	0.0001	PPM	0.0%
3/13/81	58794	Z	C-8	0.0023	PPM	0.0%
3/16/81	58795	Z	C-8	0.0011	PPM	0.0%
4/20/81	58796	Z	C-8	0.0017	PPM	0.0%
4/21/81	58797	Z	C-8	0.0002	PPM	0.0%
5/6/81	58798	Z	C-8	0.0005	PPM	0.0%
5/7/81	58799	Z	C-8	0.0005	PPM	0.0%
5/8/81	58800	Z	C-8	0.0001	PPM	0.0%

AJP006947

5/21/81	58801	Z	C-8	0.0007	PPM	0.0%
6/4/81	58802	Z	C-8	0.0004	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 4 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/5/81	58803		Z			C-8	0.0003	PPM	0.0%
6/8/81	58804		Z			C-8	0.0001	PPM	0.0%
6/9/81	58805		Z			C-8	0.0002	PPM	0.0%
6/10/81	58806		Z			C-8	0.0001	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 211 FEP-WET FINISHING ROOM									
7/24/78	59641		Z			C-8	<0.05	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 212 #1 COAGULATOR-1ST FLOOR PLATFORM									
2/3/81	53369		Z			C-8	0.0003	PPM	0.0%
3/13/81	53370		Z			C-8	0.001	PPM	0.0%
3/16/81	53371		Z			C-8	0.0008	PPM	0.0%
4/27/81	53372		Z			C-8	0.0007	PPM	0.0%
4/28/81	53373		Z			C-8	0.0005	PPM	0.0%
4/29/81	53374		Z			C-8	0.0007	PPM	0.0%
5/21/81	53375		Z			C-8	<0.0001	PPM	0.0%

AJP006948

						0.0%
6/4/81	53376	Z	C-8	0.0004	PPM	0.0%
6/5/81	53377	Z	C-8	0.0002	PPM	0.0%
6/8/81	53378	Z	C-8	0.0001	PPM	0.0%
6/8/81	53379	Z	C-8	0.0001	PPM	0.0%
6/9/81	53380	Z	C-8	0.0002	PPM	0.0%
6/10/81	53381	Z	C-8	0.0003	PPM	0.0%
6/11/81	53382	Z	C-8	0.0003	PPM	0.0%
6/11/81	53383	Z	C-8	0.0002	PPM	0.0%
6/12/81	53384	Z	C-8	0.0003	PPM	0.0%
6/12/81	53385	Z	C-8	0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 214 FEP-#1 TORUS DISK DRYER (CLEAN) ROOM

10/15/79	50199	Z	C-8	0.008	PPM	0.0%
11/6/79	50200	Z	C-8	0.01	PPM	0.0%
11/12/79	50201	Z	C-8	0.006	PPM	0.0%
11/27/79	50202	Z	C-8	0.003	PPM	0.0%
12/10/79	50203	Z	C-8	0.007	PPM	0.0%
12/12/79	50204	Z	C-8	0.0068	PPM	0.0%
1/2/80	50205	Z	C-8	0.04	PPM	0.0%
2/1/80	50206	Z	C-8	0.0022	PPM	0.0%
2/6/80	50207	Z	C-8	0.0068	PPM	0.0%

AJP006949

Tuesday, August 28, 2001 3:24:20 PM

Page 5 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/4/80	50208		Z			C-8	0.0039	PPM	0.0%
4/9/80	50209		Z			C-8	0.0016	PPM	0.0%
4/15/80	50210		Z			C-8	0.0004	PPM	0.0%
4/15/80	50211		Z			C-8	0.0011	PPM	0.0%
6/3/80	50212		Z			C-8	0.0057	PPM	0.0%
6/18/80	50213		Z			C-8	0.0013	PPM	0.0%
6/18/80	50214		Z			C-8	0.0019	PPM	0.0%
6/26/80	50215		Z			C-8	0.0064	PPM	0.0%
10/1/80	50216		Z			C-8	0.0062	PPM	0.0%
10/1/80	50217		Z			C-8	0.0112	PPM	0.0%
10/17/80	50218		Z			C-8	0.0065	PPM	0.0%
2/3/81	50219		Z			C-8	0.0039	PPM	0.0%
2/3/81	50220		Z			C-8	0.0039	PPM	0.0%
2/9/81	50221		Z			C-8	0.0009	PPM	0.0%
2/10/81	50222		Z			C-8	0.0053	PPM	0.0%
2/10/81	50223		Z			C-8	0.0023	PPM	0.0%
2/13/81	50224		Z			C-8	0.0023	PPM	0.0%
2/17/81	50225		Z			C-8	0.0031	PPM	0.0%

AIP006950

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

2/21/81	50226	Z	C-8	0.0038	PPM	0.0%
3/10/81	50227	Z	C-8	0.0007	PPM	0.0%
3/11/81	50228	Z	C-8	0.0022	PPM	0.0%
3/24/81	50229	Z	C-8	0.001	PPM	0.0%
3/25/81	50230	Z	C-8	0.0021	PPM	0.0%
3/26/81	50231	Z	C-8	0.0004	PPM	0.0%
3/30/81	50232	Z	C-8	0.0014	PPM	0.0%
4/2/81	50233	Z	C-8	0.0092	PPM	0.0%
4/6/81	50234	Z	C-8	0.0092	PPM	0.0%
4/9/81	50235	Z	C-8	0.0025	PPM	0.0%
4/10/81	50236	Z	C-8	0.011	PPM	0.0%
4/13/81	50237	Z	C-8	0.0012	PPM	0.0%
4/15/81	50238	Z	C-8	0.0048	PPM	0.0%
4/20/81	50239	Z	C-8	0.0258	PPM	0.0%
4/21/81	50240	Z	C-8	0.0073	PPM	0.0%
4/22/81	50241	Z	C-8	0.1162	PPM	0.0%
4/23/81	50242	Z	C-8	0.0531	PPM	0.0%
4/24/81	50243	Z	C-8	0.0077	PPM	0.0%
5/22/81	50244	Z	C-8	0.0004	PPM	0.0%
5/23/81	50245	Z	C-8	0.0012	PPM	0.0%
6/4/81	50246	Z	C-8	0.0008	PPM	0.0%

AJP006951

Tuesday, August 28, 2001 3:24:20 PM

Page 6 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/5/81	50247		Z			C-8	0.0007	PPM	0.0%
6/8/81	50248		Z			C-8	0.001	PPM	0.0%
6/9/81	50249		Z			C-8	0.001	PPM	0.0%
6/10/81	50250		Z			C-8	0.0011	PPM	0.0%
6/11/81	50251		Z			C-8	0.001	PPM	0.0%
6/12/81	50252		Z			C-8	0.0016	PPM	0.0%
6/15/81	50253		Z			C-8	0.0012	PPM	0.0%
6/16/81	50254		Z			C-8	0.0016	PPM	0.0%
6/16/81	50255		Z			C-8	0.0014	PPM	0.0%
6/17/81	50256		Z			C-8	0.0018	PPM	0.0%
6/18/81	50257		Z			C-8	0.0013	PPM	0.0%
6/19/81	50258		Z			C-8	0.0011	PPM	0.0%
6/22/81	50259		Z			C-8	0.0004	PPM	0.0%
6/23/81	50260		Z			C-8	0.0008	PPM	0.0%
6/24/81	50261		Z			C-8	0.0016	PPM	0.0%
6/25/81	50262		Z			C-8	0.0024	PPM	0.0%
6/26/81	50263		Z			C-8	0.0113	PPM	0.0%
6/29/81	50264		Z			C-8	0.0003	PPM	0.0%

AJP006952

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

6/30/81	50265	Z	C-8	0.0024	PPM	0.0%
7/1/81	50266	Z	C-8	0.0015	PPM	0.0%
7/7/81	50267	Z	C-8	0.0025	PPM	0.0%
7/8/81	50268	Z	C-8	0.002	PPM	0.0%
7/9/81	50269	Z	C-8	0.0031	PPM	0.0%
7/10/81	50270	Z	C-8	0.0023	PPM	0.0%
7/13/81	50271	Z	C-8	0.0012	PPM	0.0%
7/14/81	50272	Z	C-8	0.0011	PPM	0.0%
7/15/81	50273	Z	C-8	0.0017	PPM	0.0%
7/16/81	50274	Z	C-8	0.0016	PPM	0.0%
7/17/81	50275	Z	C-8	0.0018	PPM	0.0%
7/20/81	50276	Z	C-8	0.0014	PPM	0.0%
7/21/81	50277	Z	C-8	0.0016	PPM	0.0%
7/22/81	50278	Z	C-8	0.0015	PPM	0.0%
7/23/81	50279	Z	C-8	0.0013	PPM	0.0%
7/24/81	50280	Z	C-8	0.0035	PPM	0.0%
7/27/81	50281	Z	C-8	0.0012	PPM	0.0%
7/29/81	50282	Z	C-8	0.0006	PPM	0.0%
7/29/81	50283	Z	C-8	0.0006	PPM	0.0%
7/30/81	50284	Z	C-8	0.001	PPM	0.0%
7/31/81	50285	Z	C-8	0.002	PPM	0.0%

AIP006953

Tuesday, August 28, 2001 3:24:20 PM

Page 7 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 215 FEP-POLYKETTLE CONTROL ROOM									
11/15/79	53238		Z			C-8	0.0009	PPM	0.0%
11/21/79	53239		Z			C-8	0.0003	PPM	0.0%
2/4/81	53240		Z			C-8	0.0002	PPM	0.0%
3/23/81	53241		Z			C-8	<0.0001	PPM	0.0%
3/24/81	53242		Z			C-8	0.0017	PPM	0.0%
3/26/81	53243		Z			C-8	<0.0001	PPM	0.0%
5/22/81	53244		Z			C-8	0.0002	PPM	0.0%
8/4/81	53245		Z			C-8	<0.0001	PPM	0.0%
8/5/81	53246		Z			C-8	<0.0001	PPM	0.0%
8/6/81	53247		Z			C-8	0.0002	PPM	0.0%
8/7/81	53248		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 216 P/S - WET FIN OP (18PA) ALSO SEE TCP149

11/28/79	52158		Z			C-8	0.002	PPM	0.0%
12/19/79	52159		Z			C-8	<0.0001	PPM	0.0%
12/20/79	32262		P		none	C-8	0.0003	PPM	0.0%
1/8/80	32263		P		none	C-8	0.0023	PPM	0.0%
3/31/80	32264		P		none	C-8	0.0006	PPM	0.0%

AJP006954

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

							0.0%
3/31/80	32265	P	none	C-8	0.0003	PPM	0.0%
3/31/80	32266	P	none	C-8	0.0009	PPM	0.0%
4/1/80	32267	P	none	C-8	0.0002	PPM	0.0%
4/1/80	32268	P	none	C-8	0.0006	PPM	0.0%
4/2/80	32269	P	none	C-8	0.0041	PPM	0.0%
4/2/80	32270	P	none	C-8	0.0003	PPM	0.0%
4/3/80	32271	P	none	C-8	0.0004	PPM	0.0%
4/3/80	32272	P	none	C-8	0.0001	PPM	0.0%
4/4/80	32273	P	none	C-8	0.0007	PPM	0.0%
4/4/80	32274	P	none	C-8	0.0007	PPM	0.0%
4/5/80	32275	P	none	C-8	0.0138	PPM	0.0%
4/5/80	32276	P	none	C-8	0.0011	PPM	0.0%
9/15/80	32277	P	none	C-8	<0.0001	PPM	0.0%
9/16/80	32278	P	none	C-8	<0.0001	PPM	0.0%
9/17/80	32279	P	none	C-8	0.001	PPM	0.0%
9/17/80	32280	P	none	C-8	0.0015	PPM	0.0%
9/18/80	32281	P	none	C-8	0.0004	PPM	0.0%
9/19/80	32282	P	none	C-8	0.0004	PPM	0.0%
9/19/80	32283	P	none	C-8	0.0002	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 8 of 23

AJP006955

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/19/80	32284		P		none	C-8	0.0016	PPM	0.0%
9/20/80	32285		P		none	C-8	0.0036	PPM	0.0%
9/20/80	32286		P		none	C-8	0.0011	PPM	0.0%
9/21/80	32287		P		none	C-8	<0.0001	PPM	0.0%
1/20/81	32288		P		none	C-8	0.0002	PPM	0.0%
2/9/81	32289		P		none	C-8	0.0002	PPM	0.0%
2/20/81	32290		P		none	C-8	0.0002	PPM	0.0%
3/6/81	32291		P		none	C-8	0.0002	PPM	0.0%
3/13/81	32292		P		none	C-8	0.0016	PPM	0.0%
3/16/81	32293		P		none	C-8	0.0007	PPM	0.0%
3/24/81	32294		P		none	C-8	0.0002	PPM	0.0%
3/27/81	32295		P		none	C-8	0.0003	PPM	0.0%
4/1/81	32296		P		none	C-8	<0.0001	PPM	0.0%
4/2/81	32297		P		none	C-8	<0.0001	PPM	0.0%
4/8/81	52160		Z			C-8	0.0003	PPM	0.0%
4/9/81	32298		P		none	C-8	<0.0001	PPM	0.0%
4/13/81	32299		P		none	C-8	0.0004	PPM	0.0%
4/16/81	32300		P		none	C-8	0.0002	PPM	0.0%
4/20/81	52161		Z			C-8	0.001	PPM	0.0%
4/22/81	32301		P		none	C-8	0.0016	PPM	0.0%

AJP006956

4/23/81	32302	P	none	C-8	0.0007	PPM	0.0%
4/24/81	32303	P	none	C-8	0.0002	PPM	0.0%
4/27/81	32304	P	none	C-8	0.0005	PPM	0.0%
5/4/81	32305	P	none	C-8	0.0004	PPM	0.0%
5/7/81	32306	P	none	C-8	0.0005	PPM	0.0%
5/22/81	32307	P	none	C-8	0.0001	PPM	0.0%
6/10/81	32308	P	none	C-8	0.0002	PPM	0.0%
6/11/81	32309	P	none	C-8	0.0003	PPM	0.0%
6/15/81	32310	P	none	C-8	0.0004	PPM	0.0%
6/16/81	32311	P	none	C-8	0.0002	PPM	0.0%
6/22/81	32312	P	none	C-8	0.0002	PPM	0.0%
6/23/81	32313	P	none	C-8	<0.0001	PPM	0.0%
6/24/81	32314	P	none	C-8	0.0001	PPM	0.0%
6/25/81	32315	P	none	C-8	0.0004	PPM	0.0%
6/26/81	32316	P	none	C-8	0.001	PPM	0.0%
6/29/81	32317	P	none	C-8	0.0001	PPM	0.0%
7/1/81	32318	P	none	C-8	<0.0001	PPM	0.0%
7/9/81	32319	P	none	C-8	0.0003	PPM	0.0%
7/10/81	32320	P	none	C-8	<0.0001	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 9 of 23

AJP006957

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/13/81	32321		P		none	C-8	<0.0001	PPM	0.0%
7/14/81	32322		P		none	C-8	<0.0001	PPM	0.0%
7/15/81	32323		P		none	C-8	0.0002	PPM	0.0%
7/16/81	32324		P		none	C-8	<0.0001	PPM	0.0%
7/17/81	52162		Z			C-8	0.0004	PPM	0.0%
7/20/81	32325		P		none	C-8	<0.0001	PPM	0.0%
7/27/81	32326		P		none	C-8	0.0002	PPM	0.0%
7/29/81	32327		P		none	C-8	<0.0001	PPM	0.0%
7/29/81	52163		Z			C-8	<0.0001	PPM	0.0%
7/30/81	52164		Z			C-8	0.0002	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 217 FEP CONTROL ROOM-COMPUTER AREA									
12/3/79	57612		Z			C-8	<0.0001	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 218 FEP FOREMANS OFFICE									
12/3/79	57506		Z			C-8	<0.0001	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 219 FEP-OPENING POLYKETTLE									
12/7/79	49974		Z			C-8	0.0024	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 220 #2 COAGULATOR-1ST FLOOR PLATFORM									
12/18/79	53282		Z			C-8	<0.0001	PPM	

ALP006958

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
									0.0%
1/21/80	53283		Z			C-8	0.0258	PPM	0.0%
1/21/80	53284		Z			C-8	0.0015	PPM	0.0%
1/22/80	53285		Z			C-8	0.0039	PPM	0.0%
1/24/80	53286		Z			C-8	0.0015	PPM	0.0%
7/8/80	53287		Z			C-8	0.0017	PPM	0.0%
1/13/81	53288		Z			C-8	<0.0001	PPM	0.0%
2/2/81	53289		Z			C-8	0.002	PPM	0.0%
2/3/81	53290		Z			C-8	0.0008	PPM	0.0%
2/3/81	53291		Z			C-8	0.0003	PPM	0.0%
2/3/81	53292		Z			C-8	0.0005	PPM	0.0%
2/10/81	53293		Z			C-8	0.0011	PPM	0.0%
2/10/81	53294		Z			C-8	0.0005	PPM	0.0%
2/13/81	53295		Z			C-8	0.0004	PPM	0.0%
2/13/81	53296		Z			C-8	<.0001	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 10 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/22/81	53297		Z			C-8	0.0006	PPM	0.0%
3/10/81	53298		Z			C-8	0.0002	PPM	0.0%

AJP006959

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

3/11/81	53299	Z	C-8	0.0003	PPM	0.0%
3/13/81	53300	Z	C-8	0.0011	PPM	0.0%
3/16/81	53301	Z	C-8	0.0011	PPM	0.0%
3/17/81	53302	Z	C-8	0.0002	PPM	0.0%
4/27/81	53303	Z	C-8	0.0006	PPM	0.0%
4/29/81	53304	Z	C-8	0.0011	PPM	0.0%
4/30/81	53305	Z	C-8	0.0007	PPM	0.0%
6/16/81	53306	Z	C-8	0.0008	PPM	0.0%
6/16/81	53307	Z	C-8	0.0005	PPM	0.0%
6/17/81	53308	Z	C-8	0.0012	PPM	0.0%
6/17/81	53309	Z	C-8	0.0003	PPM	0.0%
6/18/81	53310	Z	C-8	0.0003	PPM	0.0%
6/19/81	53311	Z	C-8	0.0002	PPM	0.0%
6/22/81	53312	Z	C-8	<0.0001	PPM	0.0%
6/22/81	53313	Z	C-8	<0.0001	PPM	0.0%
6/23/81	53314	Z	C-8	<0.0001	PPM	0.0%
6/24/81	53315	Z	C-8	0.0003	PPM	0.0%
6/25/81	53316	Z	C-8	0.0002	PPM	0.0%
6/25/81	53317	Z	C-8	0.0001	PPM	0.0%
6/26/81	53318	Z	C-8	0.0001	PPM	0.0%
6/29/81	53319	Z	C-8	<0.0001	PPM	0.0%
6/29/81	53320	Z	C-8	<0.0001	PPM	0.0%
6/30/81	53321	Z	C-8	<0.0001	PPM	0.0%

AJP006960

							0.0%
6/30/81	53322	Z		C-8	<0.0001	PPM	0.0%
7/1/81	53323	Z		C-8	0.0002	PPM	0.0%
7/1/81	53324	Z		C-8	<0.0001	PPM	0.0%
BTO :	18	TEFLON@ COPOLYMERS					
LOC :	221	P/S - FEP PROCESS PK OPERATOR (18PA)					
12/20/79	32805	P		none C-8	0.0046	PPM	0.0%
1/8/80	32806	P		none C-8	0.0012	PPM	0.0%
12/8/80	32807	P		none C-8	<0.0001	PPM	0.0%
12/10/80	32808	P		none C-8	<0.0001	PPM	0.0%
12/15/80	32809	P		none C-8	<0.0001	PPM	0.0%
1/16/81	32810	P		none C-8	<0.0001	PPM	0.0%
1/20/81	32811	P		none C-8	0.0007	PPM	0.0%
4/28/81	32812	P		none C-8	0.0001	PPM	0.0%
1/3/98	32813	P		none C-8	<0.0001	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 11 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO :	18	TEFLON@ COPOLYMERS							
LOC :	222	FEP POLYKETTLE CELL #2							
1/15/80	50122		Z			C-8	0.0007	PPM	0.0%
6/3/80	50123		Z			C-8	0.0002	PPM	

ALP006961

						0.0%
12/10/80	50124	Z	C-8	<0.0001	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 223 FEP POLYKETTLE CELL #1						
1/17/80	52723	Z	C-8	0.0006	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 224 FEP DISPERSION BLENDING AREA						
1/22/80	50091	Z	C-8	0.0015	PPM	0.0%
1/22/80	50092	Z	C-8	0.006	PPM	0.0%
3/5/80	50093	Z	C-8	0.0043	PPM	0.0%
8/6/80	50094	Z	C-8	0.0003	PPM	0.0%
2/4/81	50095	Z	C-8	0.0003	PPM	0.0%
3/20/81	50096	Z	C-8	0.001	PPM	0.0%
3/24/81	50097	Z	C-8	0.0003	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 226 TRAY CONVEYER-OVEN FEED						
2/5/81	61794	Z	C-8	0.0005	PPM	0.0%
3/17/81	61795	Z	C-8	0.0004	PPM	0.0%
5/1/81	61796	Z	C-8	0.0001	PPM	0.0%
5/5/81	61797	Z	C-8	<0.0001	PPM	0.0%
5/6/81	61798	Z	C-8	0.0005	PPM	0.0%
7/6/81	61799	Z	C-8	<0.0001	PPM	0.0%
7/8/81	61800	Z	C-8	0.0002	PPM	0.0%
7/9/81	61801	Z	C-8	0.0008	PPM	0.0%

AJP006962

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

7/10/81	61802	Z	C-8	0.0002	PPM	0.0%
7/13/81	61803	Z	C-8	0.0002	PPM	0.0%
7/14/81	61804	Z	C-8	<0.0001	PPM	0.0%
7/15/81	61805	Z	C-8	<0.0001	PPM	0.0%
7/16/81	61806	Z	C-8	0.0001	PPM	0.0%
7/21/81	61807	Z	C-8	0.0006	PPM	0.0%
7/22/81	61808	Z	C-8	<0.0001	PPM	0.0%
7/23/81	61809	Z	C-8	0.0002	PPM	0.0%
7/24/81	61810	Z	C-8	0.0007	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 12 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/27/81	61811		Z			C-8	0.0002	PPM	0.0%
7/29/81	61812		Z			C-8	0.0003	PPM	0.0%
7/30/81	61813		Z			C-8	0.0002	PPM	0.0%
8/5/81	61814		Z			C-8	0.0007	PPM	0.0%
8/7/81	61815		Z			C-8	0.0004	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 227 FEP FLAKE HOPPER

11/13/79	60902		Z			C-8	0.002	PPM	0.0%
----------	-------	--	---	--	--	-----	-------	-----	------

AJP006963

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

2/2/81	60903	Z	C-8	0.0007	PPM	0.0%
2/22/81	60904	Z	C-8	0.0004	PPM	0.0%
3/9/81	60905	Z	C-8	0.0006	PPM	0.0%
5/21/81	60906	Z	C-8	0.0002	PPM	0.0%
5/22/81	60907	Z	C-8	0.0001	PPM	0.0%
5/23/81	60908	Z	C-8	0.0002	PPM	0.0%
6/4/81	60909	Z	C-8	0.0002	PPM	0.0%
6/5/81	60910	Z	C-8	<0.0001	PPM	0.0%
6/8/81	60911	Z	C-8	0.0002	PPM	0.0%
6/8/81	60912	Z	C-8	0.0002	PPM	0.0%
6/9/81	60913	Z	C-8	0.0002	PPM	0.0%
6/10/81	60914	Z	C-8	0.0003	PPM	0.0%
6/11/81	60915	Z	C-8	0.0006	PPM	0.0%
6/12/81	60916	Z	C-8	0.0004	PPM	0.0%
6/15/81	60917	Z	C-8	0.0003	PPM	0.0%
6/16/81	60918	Z	C-8	0.0001	PPM	0.0%
6/16/81	60919	Z	C-8	0.0004	PPM	0.0%
6/18/81	60920	Z	C-8	0.0009	PPM	0.0%
6/22/81	60921	Z	C-8	0.0001	PPM	0.0%
6/23/81	60922	Z	C-8	<0.0001	PPM	0.0%
6/24/81	60923	Z	C-8	<0.0001	PPM	0.0%
6/25/81	60924	Z	C-8	0.0006	PPM	0.0%
6/26/81	60925	Z	C-8	0.0001	PPM	0.0%

ALP006964

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

Sample Dt	Sample #	Type	Pers	Chemical	Conc	Unit	Percent
6/29/81	60926	Z		C-8	<0.0001	PPM	0.0%
6/30/81	60927	Z		C-8	<0.0001	PPM	0.0%
7/1/81	60928	Z		C-8	0.0002	PPM	0.0%
7/8/81	60929	Z		C-8	0.0003	PPM	0.0%
7/9/81	60930	Z		C-8	0.0002	PPM	0.0%
7/9/81	60931	Z		C-8	0.0005	PPM	0.0%
7/13/81	60932	Z		C-8	0.0005	PPM	0.0%
7/14/81	60933	Z		C-8	0.0007	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 13 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/15/81	60934		Z			C-8	0.005	PPM	0.0%
7/16/81	60935		Z			C-8	0.001	PPM	0.0%
7/17/81	60936		Z			C-8	0.0005	PPM	0.0%
7/20/81	60937		Z			C-8	0.0009	PPM	0.0%
7/21/81	60938		Z			C-8	0.0003	PPM	0.0%
7/23/81	60939		Z			C-8	0.0004	PPM	0.0%
7/24/81	60940		Z			C-8	0.0011	PPM	0.0%
7/27/81	60941		Z			C-8	0.0003	PPM	0.0%
7/29/81	60942		Z			C-8	0.0003	PPM	0.0%

AJP006965

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

							0.0%
7/29/81	60943	Z		C-8	0.0004	PPM	0.0%
							0.0%
7/31/81	60944	Z		C-8	0.0004	PPM	0.0%
							0.0%
BTO: 18 TEFLON@ COPOLYMERS							
LOC: 228 FEP, TRAY OUT CLEANUP							
2/5/81	60899	Z		C-8	0.0003	PPM	0.0%
							0.0%
2/5/81	60900	Z		C-8	0.0005	PPM	0.0%
							0.0%
2/11/81	60901	Z		C-8	0.0007	PPM	0.0%
							0.0%
BTO: 18 TEFLON@ COPOLYMERS							
LOC: 229 P/S - FEP OVEN OPERATOR (18PB)							
1/17/80	32651	P	none	C-8	0.0029	PPM	0.0%
							0.0%
3/19/80	32652	P	none	C-8	0.0017	PPM	0.0%
							0.0%
8/12/81	32653	P	none	C-8	<0.0001	PPM	0.0%
							0.0%
BTO: 18 TEFLON@ COPOLYMERS							
LOC: 230 FEP-TRAYOUT							
7/24/78	58603	Z		C-8	<0.05	PPM	0.0%
							0.0%
11/13/79	58604	Z		C-8	0.005	PPM	0.0%
							0.0%
11/28/79	58605	Z		C-8	0.004	PPM	0.0%
							0.0%
2/1/80	58606	Z		C-8	0.0008	PPM	0.0%
							0.0%
2/6/80	58607	Z		C-8	0.0019	PPM	0.0%
							0.0%
3/4/80	58608	Z		C-8	0.001	PPM	0.0%
							0.0%
3/7/80	58609	Z		C-8	0.0054	PPM	0.0%
							0.0%
6/12/80	58610	Z		C-8	0.0012	PPM	0.0%
							0.0%
7/8/80	58611	Z		C-8	0.0001	PPM	0.0%
							0.0%

AJP006966

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

7/8/80	58612	Z	C-8	0.0004	PPM	0.0%
10/17/80	58613	Z	C-8	0.0027	PPM	0.0%
2/5/81	58614	Z	C-8	0.0003	PPM	0.0%
2/11/81	58615	Z	C-8	0.0007	PPM	0.0%
2/11/81	58616	Z	C-8	0.0009	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 14 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/17/81	58617		Z			C-8	0.0006	PPM	0.0%
3/19/81	58618		Z			C-8	0.0019	PPM	0.0%
3/26/81	58619		Z			C-8	0.0009	PPM	0.0%
4/23/81	58620		Z			C-8	0.0063	PPM	0.0%
4/24/81	58621		Z			C-8	0.0009	PPM	0.0%
5/1/81	58622		Z			C-8	0.0035	PPM	0.0%
5/4/81	58623		Z			C-8	0.0005	PPM	0.0%
5/23/81	58624		Z			C-8	0.0001	PPM	0.0%
5/28/81	58625		Z			C-8	0.0002	PPM	0.0%
7/6/81	58626		Z			C-8	0.0003	PPM	0.0%
7/8/81	58627		Z			C-8	0.0003	PPM	0.0%
7/9/81	58628		Z			C-8	0.0007	PPM	0.0%

AJP006967

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

7/10/81	58629	Z	C-8	0.0003	PPM	0.0%
7/13/81	58630	Z	C-8	0.0006	PPM	0.0%
7/14/81	58631	Z	C-8	0.0003	PPM	0.0%
7/15/81	58632	Z	C-8	0.0001	PPM	0.0%
7/16/81	58633	Z	C-8	0.0004	PPM	0.0%
7/20/81	58634	Z	C-8	0.0009	PPM	0.0%
7/21/81	58635	Z	C-8	0.0007	PPM	0.0%
7/22/81	58636	Z	C-8	0.0009	PPM	0.0%
7/23/81	58637	Z	C-8	0.0005	PPM	0.0%
7/24/81	58638	Z	C-8	0.0007	PPM	0.0%
7/27/81	58639	Z	C-8	0.0004	PPM	0.0%
7/29/81	58640	Z	C-8	0.0001	PPM	0.0%
7/29/81	58641	Z	C-8	0.0003	PPM	0.0%
7/30/81	58642	Z	C-8	0.0003	PPM	0.0%
7/31/81	58643	Z	C-8	0.0004	PPM	0.0%
8/5/81	58644	Z	C-8	0.0013	PPM	0.0%
8/7/81	58645	Z	C-8	0.0012	PPM	0.0%
8/10/81	58646	Z	C-8	0.0005	PPM	0.0%
8/11/81	58647	Z	C-8	0.0007	PPM	0.0%
8/12/81	58648	Z	C-8	0.0006	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 231 FEP-OVEN CR (VACATED 9/97)

8/4/81	60518	Z	C-8	<0.0001	PPM	0.0%
--------	-------	---	-----	---------	-----	------

AJP006968

8/6/81	60519	Z	C-8	0.0003	PPM	0.0%
8/7/81	60520	Z	C-8	<0.0001	PPM	0.0%
8/10/81	60521	Z	C-8	<0.0001	PPM	0.0%
8/11/81	60522	Z	C-8	<0.0001	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 15 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/12/81	60523		Z			C-8	<0.0001	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 232 FEP-COMPACTER OPENING #1 LINE

12/14/79	56713		Z			C-8	<0.0001	PPM	0.0%
1/3/80	56714		Z			C-8	0.0055	PPM	0.0%
1/10/80	56715		Z			C-8	0.0041	PPM	0.0%
8/13/80	56716		Z			C-8	0.0008	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 233 FEP-COMPACTER OPENING #2 LINE

12/14/79	60577		Z			C-8	0.0047	PPM	0.0%
1/3/80	60578		Z			C-8	0.0013	PPM	0.0%
1/10/80	60579		Z			C-8	0.0023	PPM	0.0%

AIP006969

BTO : 18 TEFLON@ COPOLYMERS

LOC : 238 FEP-NO 1 OVEN PLATFORM

12/12/79	57731	Z	C-8	0.0015	PPM	0.0%
12/18/79	57732	Z	C-8	0.0042	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 239 FEP-NO 2 OVEN PLATFORM						
12/19/79	52750	Z	C-8	0.0004	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 240 FEP BIN STORAGE AREA						
12/12/79	56047	Z	C-8	0.0015	PPM	0.0%
12/18/79	56048	Z	C-8	0.0042	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 241 FEP-BETWEEN OVEN ENTRANCE DOORS						
12/19/79	59431	Z	C-8	0.0004	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 242 FEP OVEN #2-GENERAL AREA						
1/3/80	56364	Z	C-8	0.0048	PPM	0.0%
2/5/81	56365	Z	C-8	0.0002	PPM	0.0%
2/11/81	56366	Z	C-8	0.0001	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 16 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
-----------	----------	----------	------	---------------	------	----------	------	------	---------

AJP006970

BTO : 18 TEFLON@ COPOLYMERS
LOC : 243 FEP OVEN #1-GENERAL AREA

2/5/81	61383	Z	C-8	0.0001	PPM	0.0%
2/11/81	61384	Z	C-8	<.0001	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 244 FEP SLAB STRIPPER

1/8/80	60014	Z	C-8	0.0009	PPM	0.0%
1/15/80	60015	Z	C-8	0.0005	PPM	0.0%
2/5/81	60016	Z	C-8	0.0003	PPM	0.0%
2/11/81	60017	Z	C-8	0.0001	PPM	0.0%
3/24/81	60018	Z	C-8	<.0001	PPM	0.0%
5/23/81	60019	Z	C-8	<.0001	PPM	0.0%
8/10/81	60020	Z	C-8	<.0001	PPM	0.0%
8/11/81	60021	Z	C-8	<.0001	PPM	0.0%
8/12/81	60022	Z	C-8	0.0003	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 246 FEP-OUTSIDE TORUS DISK DRYER (CLEAN) ROOM

2/2/81	61852	Z	C-8	0.0009	PPM	0.0%
2/10/81	61853	Z	C-8	0.0053	PPM	0.0%
2/13/81	61854	Z	C-8	0.0023	PPM	0.0%
2/17/81	61855	Z	C-8	0.0031	PPM	0.0%
2/21/81	61856	Z	C-8	0.0038	PPM	0.0%
3/9/81	61857	Z	C-8	0.0026	PPM	0.0%
3/11/81	61858	Z	C-8	0.0006	PPM	0.0%

AJP006971

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

4/6/81	61859	Z	C-8	0.0013	PPM	0.0%
5/22/81	61860	Z	C-8	0.0007	PPM	0.0%
5/23/81	61861	Z	C-8	0.0004	PPM	0.0%
6/4/81	61862	Z	C-8	0.0006	PPM	0.0%
6/5/81	61863	Z	C-8	0.0003	PPM	0.0%
6/8/81	61864	Z	C-8	0.0016	PPM	0.0%
6/9/81	61865	Z	C-8	0.0008	PPM	0.0%
6/10/81	61866	Z	C-8	0.0009	PPM	0.0%
6/11/81	61867	Z	C-8	0.0011	PPM	0.0%
6/12/81	61868	Z	C-8	0.0019	PPM	0.0%
6/15/81	61869	Z	C-8	0.002	PPM	0.0%
6/16/81	61870	Z	C-8	0.0014	PPM	0.0%
6/17/81	61871	Z	C-8	0.0005	PPM	0.0%
6/18/81	61872	Z	C-8	0.0006	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 17 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/19/81	61873		Z			C-8	0.0002	PPM	0.0%
6/23/81	61874		Z			C-8	0.0008	PPM	0.0%
6/24/81	61875		Z			C-8	0.0011	PPM	0.0%

AJP006972

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

6/25/81	61876	Z	C-8	0.0012	PPM	0.0%
6/26/81	61877	Z	C-8	0.0005	PPM	0.0%
6/29/81	61878	Z	C-8	0.0002	PPM	0.0%
6/30/81	61879	Z	C-8	0.0013	PPM	0.0%
7/1/81	61880	Z	C-8	0.0003	PPM	0.0%
7/7/81	61881	Z	C-8	0.0028	PPM	0.0%
7/8/81	61882	Z	C-8	0.0026	PPM	0.0%
7/9/81	61883	Z	C-8	0.0015	PPM	0.0%
7/10/81	61884	Z	C-8	0.0019	PPM	0.0%
7/13/81	61885	Z	C-8	0.0011	PPM	0.0%
7/14/81	61886	Z	C-8	0.0013	PPM	0.0%
7/15/81	61887	Z	C-8	0.0009	PPM	0.0%
7/16/81	61888	Z	C-8	0.0015	PPM	0.0%
7/17/81	61889	Z	C-8	0.0013	PPM	0.0%
7/20/81	61890	Z	C-8	0.0011	PPM	0.0%
7/21/81	61891	Z	C-8	0.0007	PPM	0.0%
7/22/81	61892	Z	C-8	0.0006	PPM	0.0%
7/23/81	61893	Z	C-8	0.0014	PPM	0.0%
7/24/81	61894	Z	C-8	0.0029	PPM	0.0%
7/27/81	61895	Z	C-8	0.0034	PPM	0.0%
7/29/81	61896	Z	C-8	0.0004	PPM	0.0%
7/29/81	61897	Z	C-8	0.0004	PPM	0.0%
7/30/81	61898	Z	C-8	0.0011	PPM	0.0%

AJP006973

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

7/31/81	61899	Z	C-8	0.0018	PPM	0.0%
						0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 247 FEP #2 COAGULATOR - 2ND FLOOR						
2/2/81	61828	Z	C-8	0.002	PPM	0.0%
2/10/81	61829	Z	C-8	0.0011	PPM	0.0%
2/13/81	61830	Z	C-8	0.0004	PPM	0.0%
3/9/81	61831	Z	C-8	0.0002	PPM	0.0%
3/10/81	61832	Z	C-8	0.0004	PPM	0.0%
3/11/81	61833	Z	C-8	0.0004	PPM	0.0%
3/13/81	61834	Z	C-8	0.0012	PPM	0.0%
3/16/81	61835	Z	C-8	0.0011	PPM	0.0%
4/20/81	61836	Z	C-8	0.0005	PPM	0.0%
4/21/81	61837	Z	C-8	0.0002	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 18 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/15/81	61838		Z			C-8	0.0005	PPM	0.0%
6/16/81	61839		Z			C-8	0.0003	PPM	0.0%
6/18/81	61840		Z			C-8	0.0005	PPM	0.0%
6/19/81	61841		Z			C-8	0.0001	PPM	0.0%

AIP006974

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

6/22/81	61842	Z	C-8	<0.0001	PPM	0.0%
6/23/81	61843	Z	C-8	<0.0001	PPM	0.0%
6/24/81	61844	Z	C-8	0.0008	PPM	0.0%
6/24/81	61845	Z	C-8	0.0003	PPM	0.0%
6/25/81	61846	Z	C-8	0.0004	PPM	0.0%
6/26/81	61847	Z	C-8	0.0002	PPM	0.0%
6/26/81	61848	Z	C-8	<0.0001	PPM	0.0%
6/29/81	61849	Z	C-8	0.0001	PPM	0.0%
6/30/81	61850	Z	C-8	<0.0001	PPM	0.0%
7/1/81	61851	Z	C-8	0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 248 FEP - #1 BLENDER

2/3/81	61920	Z	C-8	0.0004	PPM	0.0%
3/19/81	61921	Z	C-8	0.0007	PPM	0.0%
3/23/81	61922	Z	C-8	0.0005	PPM	0.0%
4/30/81	61923	Z	C-8	0.0009	PPM	0.0%
5/1/81	61924	Z	C-8	<0.0001	PPM	0.0%
5/4/81	61925	Z	C-8	0.001	PPM	0.0%
5/5/81	61926	Z	C-8	0.0012	PPM	0.0%
5/22/81	61927	Z	C-8	0.0001	PPM	0.0%
6/4/81	61928	Z	C-8	0.0004	PPM	0.0%
6/5/81	61929	Z	C-8	0.0002	PPM	0.0%
6/8/81	61930	Z	C-8	0.0003	PPM	0.0%

AJP006975

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

Sample Dt	Sample #	Type	Pers	Chemical	Conc	Unit	Percent
6/8/81	61931	Z	C-8	0.0003	PPM		0.0%
6/9/81	61932	Z	C-8	0.0002	PPM		0.0%
6/10/81	61933	Z	C-8	0.0002	PPM		0.0%
6/11/81	61934	Z	C-8	0.0005	PPM		0.0%
6/12/81	61935	Z	C-8	0.0004	PPM		0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 249 FEP - #2 BLENDER

2/3/81	61907	Z	C-8	0.0005	PPM		0.0%
3/19/81	61908	Z	C-8	0.001	PPM		0.0%
3/23/81	61909	Z	C-8	0.0003	PPM		0.0%
3/30/81	61910	Z	C-8	0.0006	PPM		0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 19 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/30/81	61911		Z			C-8	0.0007	PPM	0.0%
5/4/81	61912		Z			C-8	0.0011	PPM	0.0%
5/5/81	61913		Z			C-8	0.0024	PPM	0.0%
5/6/81	61914		Z			C-8	0.0004	PPM	0.0%
6/15/81	61915		Z			C-8	0.0004	PPM	0.0%
6/16/81	61916		Z			C-8	0.0003	PPM	0.0%

AJP006976

6/17/81	61917	Z	C-8	0.0007	PPM	0.0%
6/18/81	61918	Z	C-8	0.0004	PPM	0.0%
6/19/81	61919	Z	C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 250 B-163 2ND FLOOR LUNCHROOM

2/4/81	61776	Z	C-8	0.0003	PPM	0.0%
3/20/81	61777	Z	C-8	0.0004	PPM	0.0%
5/22/81	61778	Z	C-8	0.0002	PPM	0.0%
8/4/81	61779	Z	C-8	<0.0001	PPM	0.0%
8/5/81	61780	Z	C-8	0.0002	PPM	0.0%
8/5/81	61781	Z	C-8	0.0002	PPM	0.0%
8/6/81	61782	Z	C-8	<0.0001	PPM	0.0%
8/7/81	61783	Z	C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 252 2ND FLOOR HALL B-163

2/6/81	61758	Z	C-8	0.0007	PPM	0.0%
2/13/81	61759	Z	C-8	0.0003	PPM	0.0%
2/17/81	61760	Z	C-8	0.0002	PPM	0.0%
3/9/81	61761	Z	C-8	0.0004	PPM	0.0%
4/27/81	61762	Z	C-8	0.0005	PPM	0.0%
4/28/81	61763	Z	C-8	<0.0001	PPM	0.0%
4/29/81	61764	Z	C-8	0.0002	PPM	0.0%
4/30/81	61765	Z	C-8	0.0003	PPM	0.0%

AJP006977

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

5/8/81	61766	Z	C-8	<0.0001	PPM	0.0%
5/21/81	61767	Z	C-8	<0.0001	PPM	0.0%
8/4/81	61768	Z	C-8	<0.0001	PPM	0.0%
8/5/81	61769	Z	C-8	0.0002	PPM	0.0%
8/6/81	61770	Z	C-8	0.0012	PPM	0.0%
8/7/81	61771	Z	C-8	<0.0001	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 20 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO : 18	TEFLON@ COPOLYMERS								
LOC : 253	B-163 S-W WALL 1ST FLOOR - VEND/MACHS								
2/6/81	61772		Z			C-8	0.0004	PPM	0.0%
3/25/81	61773		Z			C-8	<0.0001	PPM	0.0%
5/23/81	61774		Z			C-8	<0.0001	PPM	0.0%
8/6/81	61775		Z			C-8	0.0005	PPM	0.0%

BTO : 18	TEFLON@ COPOLYMERS								
LOC : 255	P/S - FEP EXTRUDER OPERATOR (18PB)								
3/19/80	31123		P		none	C-8	0.0016	PPM	0.0%
3/6/81	31124		P		none	C-8	0.0004	PPM	0.0%

AJP006978

BTO : 18 TEFLON@ COPOLYMERS

8/28/2001 4:49 PM

EID129345

LOC: 268 FEP-EXTRUDER OPERATOR DESK (CR GONE 9/97)

12/18/79	55147	Z	C-8	0.0005	PPM	0.0%
1/8/80	55148	Z	C-8	0.001	PPM	0.0%
2/8/80	55149	Z	C-8	0.0002	PPM	0.0%
6/4/80	55150	Z	C-8	0.0001	PPM	0.0%
7/8/80	55151	Z	C-8	0.0001	PPM	0.0%
8/6/80	55152	Z	C-8	0.0004	PPM	0.0%
12/4/80	55153	Z	C-8	0.0009	PPM	0.0%
2/4/81	55154	Z	C-8	0.0003	PPM	0.0%
3/23/81	55155	Z	C-8	0.0002	PPM	0.0%
5/23/81	55156	Z	C-8	<0.0001	PPM	0.0%
5/27/81	55157	Z	C-8	<0.0001	PPM	0.0%
8/4/81	55158	Z	C-8	<0.0001	PPM	0.0%
8/5/81	55159	Z	C-8	0.0004	PPM	0.0%
8/6/81	55160	Z	C-8	0.0002	PPM	0.0%
8/7/81	55161	Z	C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 272 FEP-PACKOUT ROOM-CONVEYER

2/11/81	60398	Z	C-8	0.0009	PPM	0.0%
---------	-------	---	-----	--------	-----	------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 273 FEP-PACKOUT ROOM-SW CORNER

3/25/81	53353	Z	C-8	0.0005	PPM	0.0%
4/30/81	53354	Z	C-8	<0.0001	PPM	0.0%
5/1/81	53355	Z	C-8	0.0004	PPM	

AJP006979

5/4/81 53356

Z

C-8

0.0005 PPM

0.0%

0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 21 of 23

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/5/81	53357		Z			C-8	0.0006	PPM	0.0%
5/21/81	53358		Z			C-8	<0.0001	PPM	0.0%
5/28/81	53359		Z			C-8	0.0002	PPM	0.0%
7/6/81	53360		Z			C-8	<0.0001	PPM	0.0%
7/8/81	53361		Z			C-8	<0.0001	PPM	0.0%
7/10/81	53362		Z			C-8	0.0001	PPM	0.0%
7/13/81	53363		Z			C-8	<0.0001	PPM	0.0%
7/14/81	53364		Z			C-8	<0.0001	PPM	0.0%
7/15/81	53365		Z			C-8	<0.0001	PPM	0.0%
7/22/81	53366		Z			C-8	<0.0001	PPM	0.0%
7/29/81	53367		Z			C-8	<0.0001	PPM	0.0%
7/30/81	53368		Z			C-8	0.0002	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 274 FEP-PACKOUT ROOM-ON DISCHARGE CHUTE

1/21/80 54693

Z

C-8

0.0026 PPM

0.0%

1/24/80 54694

Z

C-8

0.0002 PPM

AJP006980

						0.0%
2/6/81	54695	Z	C-8	0.0002	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 281 FEP-2ND LEVEL ROOF-H&V FOR FINISHING AREA						
2/6/81	47664	Z	C-8	0.0003	PPM	0.0%
2/6/81	47665	Z	C-8	0.0002	PPM	0.0%
3/26/81	47666	Z	C-8	<0.0001	PPM	0.0%
5/21/81	47667	Z	C-8	0.0006	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 283 BLDG 163 GENERAL						
2/13/81	57462	Z	C-8	0.0003	PPM	0.0%
2/17/81	57463	Z	C-8	0.0002	PPM	0.0%
2/17/81	57464	Z	C-8	0.0002	PPM	0.0%
2/17/81	57465	Z	C-8	<0.0001	PPM	0.0%
2/19/81	57466	Z	C-8	0.0003	PPM	0.0%
4/21/81	57467	Z	C-8	<0.0001	PPM	0.0%
5/11/81	57468	Z	C-8	<0.0001	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 295 DRY FLAKE PACKOUT						
4/7/81	61826	Z	C-8	0.0001	PPM	0.0%
4/8/81	61827	Z	C-8	<0.0001	PPM	0.0%

Tuesday, August 28, 2001 3:24:20 PM

Page 22 of 23

AJP006981

TestResults

file:///C:/WINDOWS/TEMP/Polymers C-8 7-24-78 thru 1-3-98 23 pages.htm

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO :	18			TEFLON@ COPOLYMERS					
LOC :	600			BLDG 168 - GENERAL					
4/2/81	52618		Z			C-8	<0.0001	PPM	0.0%

AJP006982