

FILE NAME: Asbestos International Association (AINT)

DATE: 1978 Dec 20

DOC#: AINT001

DOCUMENT DESCRIPTION: Memo RE Labeling Request by European
Distributor of Union Carbide Products

[Note - Many originals are on legal size paper so text looks small when
reprinted on 8.5x11 paper]

ASBESTOS INTERNATIONAL ASSOCIATION

68 GLOUCESTER PLACE, LONDON W1H 3HL, ENGLAND

Telephone: 01-486 3528/9

E.E.C. ADVISORY COUNCIL OF THE A.I.A.

Telegrams: Intag London

World Trade Centre - Box 37,

Telex: Inta G 298618


Bd. E. Jacquemais, 162, B - Brussels

Tel: 218. 63. 29 Telex: 21696 Finter B

Ref. : AIA/EEC/B-9.2

20.12.1978.

To Sir Neville STACK
A.I.A.
68, Gloucester Place,
GB - LONDON W1H 3HL.



Dear Sir Neville,

Re : Labelling request by European Distributor
of Union Carbide Products.

I refer to your letter of October 11th, ref. AIA/8/PAC about the above mentioned case.

. This matter has now finally been settled to the satisfaction of both EAC and the distributor, through the efficient assistance of Mr. Schwermer and Mr. Mohr (Switzerland).

I had asked, as you know, Mr. Schwermer to help me locate the U.C.C. distributor, in the wrong belief that it was a German one. After all, it appeared to be a Swiss firm, which explains Mr. Mohr's intervention.

As I do not know in how far you have been kept informed by AIA/NA about this issue, I enclose a copy of my recent letter to the distributor (Mr. Dambach, Grace Industrial Chemicals, Inc., Lausanne) which does nothing but confirm the information already given by telephone to Mr. Dambach by Mr. Schwermer and Mr. Mohr.

However, if the matter can be considered as settled this side of the ocean (the distributor dropped the idea of asking for the St. Andrew's cross to be marked on bags shipped to EEC), coordination of labelling initiatives seems necessary at the other end. The manufacturer (Calidria Asbestos, which is, I understand, a subsidiary of Union Carbide Corp.) now intends to put the OSHA label on bags shipped to EEC. Could not AIA/NA obtain from Calidria to use the EAC label instead, or, if this is not in line with U.S. regulations, to use both labels ?

This is of course, as I have pointed out to Mr. Dambach, a matter which lies fully beyond EAC competence.

Regards,

H.E. VANHERLE.

Encl. : copy of letter sent to Mr. Dambach,

JHM 07410