

2 week VCM exposure
mouse splenic cultures

P#	S#	MINUTES	CTS.A	CTS.B	ID R#	ESP	SCR	CPM-B
1	109	1.000	12	20	1	1.629	0.600	20.0
1	110	1.000	102250	160625	2	2.136	0.637	160625.0
1	111	1.000	92026	127259	3	2.966	0.723	127259.0
1	112	1.000	21723	23150	4	13.880	0.938	23150.0
1	113	1.000	331	448	5	1.739	0.739	448.0
1	114	1.000	324	497	6	1.764	0.652	497.0
1	115	1.000	347	478	7	1.777	0.726	478.0
1	116	1.000	283	434	8	1.775	0.652	434.0
1	117	1.000	318	472	9	1.761	0.674	472.0
1	118	1.000	374	512	10	1.787	0.730	512.0
1	119	1.000	821	1264	11	1.748	0.650	1264.0
1	120	1.000	863	1358	12	1.732	0.635	1358.0
1	121	1.000	864	1331	13	1.720	0.649	1331.0
1	122	1.000	561	909	14	1.723	0.617	909.0
1	123	1.000	583	893	15	1.762	0.653	893.0
1	124	1.000	646	1047	16	1.781	0.617	1047.0
1	125	1.000	285	431	17	1.763	0.661	431.0
1	126	1.000	328	528	18	1.752	0.621	528.0
1	127	1.000	265	370	19	1.780	0.616	370.0
1	128	1.000	381	604	20	1.762	0.631	604.0
1	129	1.000	337	538	21	1.729	0.626	538.0
1	130	1.000	406	605	22	1.757	0.631	605.0
1	131	1.000	5516	8162	23	1.774	0.676	8162.0
1	132	1.000	4772	7117	24	1.735	0.672	7117.0
1	133	1.000	4893	6838	25	1.753	0.670	6838.0
1	134	1.000	2118	3184	26	1.750	0.664	3184.0
1	135	1.000	2220	3223	27	1.772	0.689	3223.0
1	136	1.000	2320	3612	28	1.767	0.642	3612.0
1	137	1.000	647	979	29	1.800	0.661	979.0
1	138	1.000	694	1037	30	1.743	0.669	1037.0
1	139	1.000	610	921	31	1.773	0.662	921.0
1	140	1.000	599	946	32	1.785	0.633	946.0
1	141	1.000	616	999	33	1.751	0.617	999.0
1	142	1.000	493	787	34	1.761	0.626	787.0
1	143	1.000	7215	10845	35	1.763	0.665	10845.0
1	144	1.000	6929	10112	36	1.762	0.685	10112.0
1	145	1.000	7014	10951	37	1.763	0.640	10951.0
1	146	1.000	2435	3718	38	1.770	0.655	3718.0
1	147	1.000	2972	4559	39	1.764	0.652	4559.0
1	148	1.000	3463	5586	40	1.753	0.620	5586.0
1	149	1.000	1910	2783	41	1.761	0.686	2783.0
1	150	1.000	2853	4459	42	1.763	0.640	4459.0
1	151	1.000	2526	3893	43	1.765	0.649	3893.0
1	152	1.000	2445	3820	44	1.756	0.640	3820.0
1	153	1.000	3222	4949	45	1.764	0.651	4949.0
1	154	1.000	2496	3911	46	1.765	0.638	3911.0
1	155	1.000	3615	5514	47	1.753	0.656	5514.0
1	156	1.000	3771	5742	48	1.772	0.657	5742.0
1	157	1.000	2323	3530	49	1.773	0.658	3530.0
1	158	1.000	1479	2365	50	1.748	0.625	2365.0
1	159	1.000	1811	2809	51	1.783	0.645	2809.0
1	160	1.000	2204	3427	52	1.766	0.643	3427.0
1	161	1.000	11266	16840	53	1.780	0.669	16840.0
1	162	1.000	13887	22240	54	1.788	0.698	22240.0

Background
Reference Std

None

DHA

Pum

None

R&S 031749

1 163	1.000	13242	20060	55	1.776	0.660	20060.0
1 164	1.000	25312	39812	56	1.775	0.636	39812.0
1 165	1.000	24070	38680	57	1.770	0.622	38680.0
1 166	1.000	19547	29291	58	1.758	0.667	29291.0
1 167	1.000	34401	52064	59	1.775	0.661	52064.0
1 168	1.000	31769	47525	60	1.760	0.668	47525.0
1 169	1.000	28998	45784	61	1.786	0.623	45784.0
1 170	1.000	5036	7803	62	1.756	0.645	7803.0
1 171	1.000	5665	8519	63	1.771	0.665	8519.0
1 172	1.000	5521	8646	64	1.762	0.639	8646.0
1 173	1.000	17305	25155	65	1.773	0.688	25155.0
1 174	1.000	19426	311	66	1.710	0.624	31108.0
1 175	1.000	19659	316	67	1.685	0.621	31676.0
1 176	1.000	18586	30213	68	1.702	0.615	30213.0
1 177	1.000	21454	34177	69	1.703	0.620	34177.0
1 178	1.000	20375	32731	70	1.719	0.622	32731.0
1 179	1.000	32038	52357	71	1.705	0.612	52357.0
1 180	1.000	31844	512	72	1.690	0.623	51089.0
1 181	1.000	31003	49694	73	1.785	0.624	49694.0
1 182	1.000	10296	16678	74	1.729	0.617	16678.0
1 183	1.000	10398	16452	75	1.721	0.632	16452.0
1 184	1.000	10556	17271	76	1.703	0.611	17271.0
1 185	1.000	470	704	77	1.753	0.668	704.0
1 186	1.000	265	418	78	1.754	0.634	418.0
1 187	1.000	285	474	79	1.735	0.601	474.0
1 188	1.000	149	232	80	1.754	0.642	232.0
1 189	1.000	380	615	81	1.754	0.618	615.0
1 190	1.000	163	239	82	1.757	0.682	239.0
1 191	1.000	463	735	83	1.751	0.630	735.0
1 192	1.000	348	572	84	1.778	0.608	572.0
1 193	1.000	305	471	85	1.764	0.648	471.0
1 194	1.000	460	743	86	1.756	0.619	743.0
1 195	1.000	479	765	87	1.769	0.626	765.0
1 196	1.000	438	681	88	1.765	0.643	681.0
1 197	1.000	1034	1572	89	1.749	0.658	1572.0
1 198	1.000	943	1464	90	1.745	0.644	1464.0
1 199	1.000	854	1332	91	1.757	0.641	1332.0
1 200	1.000	1321	2070	92	1.749	0.638	2070.0
1 201	1.000	943	1508	93	1.751	0.625	1508.0
1 202	1.000	1577	2582	94	1.766	0.611	2582.0
1 203	1.000	2241	3426	95	1.771	0.654	3426.0
1 204	1.000	2501	3814	96	1.765	0.656	3814.0
1 205	1.000	2477	3982	97	1.735	0.622	3982.0
1 206	1.000	2612	4053	98	1.728	0.644	4053.0
1 207	1.000	2754	4531	99	1.726	0.608	4531.0
1 208	1.000	1998	2992	100	1.736	0.668	2992.0
1 209	1.000	1252	1845	101	1.773	0.679	1845.0
1 210	1.000	1161	1848	102	1.751	0.628	1848.0
1 211	1.000	1248	1956	103	1.775	0.638	1956.0
1 212	1.000	387	655	104	1.765	0.591	655.0
1 213	1.000	332	555	105	1.761	0.598	555.0
1 214	1.000	354	568	106	1.752	0.623	568.0
1 215	1.000	1939	3061	107	1.757	0.633	3061.0
1 216	1.000	2410	3752	108	1.753	0.642	3752.0

PHA

PWM

NOM

PWA

PWM

R&S 031751

1 218	1.000	3020	4858	110	1.737	0.622	4858.0
1 219	1.000	3435	5547	111	1.758	0.619	5547.0
1 220	1.000	2984	4765	112	1.747	0.626	4765.0
1 221	1.000	338	562	113	1.769	0.601	562.0
1 222	1.000	421	656	114	1.760	0.642	656.0
1 223	1.000	397	641	115	1.773	0.619	641.0
1 224	1.000	258	403	116	1.777	0.640	403.0
1 225	1.000	246	370	117	1.789	0.665	370.0
1 226	1.000	228	374	118	1.770	0.610	374.0
1 227	1.000	336	504	119	1.770	0.667	504.0
1 228	1.000	749	1215	120	1.765	0.616	1215.0
1 229	1.000	245	382	121	1.758	0.641	382.0
1 230	1.000	360	577	122	1.763	0.624	577.0
1 231	1.000	300	424	123	1.727	0.708	424.0
1 232	1.000	534	849	124	1.760	0.629	849.0
1 233	1.000	1819	2692	125	1.776	0.676	2692.0
1 234	1.000	2212	3528	126	1.742	0.629	3528.0
1 235	1.000	1793	2876	127	1.766	0.623	2876.0
1 236	1.000	833	1328	128	1.756	0.629	1328.0
1 237	1.000	825	1365	129	1.755	0.604	1365.0
1 238	1.000	908	1433	130	1.743	0.634	1433.0
1 239	1.000	559	840	131	1.769	0.665	840.0
1 240	1.000	648	1036	132	1.761	0.625	1036.0
1 241	1.000	623	943	133	1.763	0.661	943.0
1 242	1.000	407	666	134	1.738	0.611	666.0
1 243	1.000	320	530	135	1.742	0.604	530.0
1 244	1.000	497	806	136	1.748	0.617	806.0
1 245	1.000	3098	4742	137	1.746	0.653	4742.0
1 246	1.000	2325	3607	138	1.787	0.645	3607.0
1 247	1.000	2642	4075	139	1.772	0.648	4075.0
1 248	1.000	752	1193	140	1.761	0.630	1193.0
1 249	1.000	1226	1955	141	1.755	0.627	1955.0
1 250	1.000	742	1135	142	1.772	0.654	1135.0
1 251	1.000	531	844	143	1.755	0.629	844.0
1 252	1.000	441	689	144	1.765	0.640	689.0
1 253	1.000	496	794	145	1.766	0.625	794.0
1 254	1.000	292	459	146	1.754	0.636	459.0
1 255	1.000	223	373	147	1.752	0.598	373.0
1 256	1.000	296	4	148	1.755	0.634	467.0

Nme

PWA

PWM