

FACE

MONOLITE
DIVISION W. R. GRACE & CO.

RECEIVED L.A.

SEP 5 1967

INTER-OFFICE CORRESPONDENCE

D. c. August 31, 1967

To C.H. Wendel at Los Angeles


From W.V. Culver at Auburn

Subject: Potential Bad Jobs

PLAINTIFF'S
EXHIBIT
WRG-466

Dear Buzz:

As requested in your memo of August 24, subject as above,
a list of potential bad jobs is attached.


W.V. Culver

WVC: c

I cl

September 1, 1967

POTENTIAL BAD JOBS

<u>NAME & ADDRESS</u>	<u>COMPLAINT</u>	<u>DATE</u>	<u>POTENTIAL LIABILITY</u>
University of Oregon Eugene, Oregon	Mono-Kote fall off from slab. Believe this is settled but could still be subject to litigation if plasterer is unsatisfied	Fall 1966	\$1,200.00 Already made settlement of \$600.00
Awbury School Eugene, Oregon	Zono-Coustic fall off and no strength. Replaced with Acoustical Plastic.	May 10, 1967	Contractor billed us for \$1,200 and we offered \$600.00
National Bank of Commerce Seattle, Washington	Lumps in Quiet Zone. Had to be removed by hand and patched	August 15, 1967	\$150.00 Believe settlement will take form of 42 sacks (\$142.00) furnished without cost.