

Prof. G. Sieveking

KE 0013524

N17462

Professor Dr. G. Herman Sieveking
Rothenbaumchaussee Nr. 211
Hamburg 13
Germany

Dear Doctor Sieveking:

It was a pleasure to hear from you some time ago and I have been somewhat tardy in replying by reason of the press of many things demanding my attention. I seem to be in a rush even when I am traveling outside this country, and I am sorry that I have never had the opportunity to talk with you about the many aspects of our mutual problems.

I am very much interested in the work which you mentioned on methods of determining the lead content of urine, and I should be very glad to hear of your results. We shall maintain as close contact as we can with Dr. Heintzman in Leuna who is also working on lead methods. We shall both check back and forth on certain samples so as to determine the comparability of our methods. I believe you will find that some modification of the Fischer Leopoldi "dithizone" method will be found to be most suitable for the analysis of urine, unless one has spectrographic equipment available. With the dithizone method one may use small samples of urine and obtain quite accurate results. I do not know how much experience you have had with the various methods, but I think it is perhaps worth while to caution you against the use of methods which have not been very carefully checked against small known quantities of lead. I say this only because quite a large number of mis-leading results have been published from laboratories in this country in which not too critically tested methods have been employed. Moreover the diagnostic interpretation which has been put on many of the results has often been unjustified.

I think you will find a fairly adequate discussion of most of our problems in relation to tetraethyl lead and leaded gasolines in the book which I have sent you. I find that the most frequent cause of misunderstanding is in relation to the handling of gasoline. After fairly large experience and rather critical observations, we have come to the conclusion that there are no

KE 0013525

which the gasoline has been stored for considerable periods of time. I think this problem has been discussed with you and it is probably unnecessary at this time for me to discuss it further. However, if there are any questions in your mind as to the nature and magnitude of this danger, I trust you will let me know so I can give you additional information.

Dr. Machle has told me that he talked over with you the question of information which should be made available to the Harbor authorities in Hamburg as to the exact nature of the dangers associated with the handling of tetraethyl lead. I wonder whether or not you have taken steps to acquaint these men with this problem. It would appear that it might be necessary for them to understand matters rather clearly in order to understand the nature of precautions which we feel it necessary to take in the construction of mixing equipment.

It has occurred to me that you might without inconvenience give me a little assistance in obtaining a copy of an article referred to in the literature which we are attempting to obtain. According to our information an Inaugural Dissertation - Hamburg 1933, entitled "Beitrag zum Bleigehalt menschlicher Organe" was published by Sch. Dschou. My secretary wrote inquiring, and was informed that there was no such man. There may be something wrong with our information, but on the other hand it seems likely that you will know of the existence of this article and perhaps you could tell me how we can obtain it. I shall be very grateful for any information you can give me.

Very truly yours,

RAK:is

Robert A. Kehoe, M.D.