


TABLE XXIX

SUMMARY OF 4 CASE HISTORIES OF EXPOSURE TO
ASBESTOS AND SUBSEQUENT DEVELOPMENT OF MESOTHELIOMA

Race	W	W	W	W
Sex	M	F	M	F
<u>Occupational History</u>				
Before asbestos exposure	None	Student	None	None
Asbestos exposure				
Duration of exposure	Unknown	6 weeks	3 years	Unknown - at least several yrs
Type of Work	Engineer	Pipe Insulation	Neighborhood exposure	Family exposure
After asbestos exposure	Unknown	Housewife	Bookkeeper-floor manager	Housewife
Type of asbestos	Chrysotile-amosite-crocidolite	Chrysotile-amosite	Chrysotile-amosite	Amosite
Respirator protection	None	None	NA	NA
<u>Mesothelioma History</u>				
Age at death	74	41	30	52
Site	Peritoneal & Pleural	Right Pleural	Pleural	Left Pleural
Histological diagnosis	Biphasic	(Biphasic) epithelial & fibrous	Biphasic Pleomorphic	-
Lapsed period since exposure	25 years	21 years	19 years	Unknown
Duration of illness	13 weeks	5 weeks	1 year	2 years
Concurrent asbestosis	Pleural Calcification	Grade I by X-Ray	None	None by X-Ray
Smoking history	0	40	20	NA
Duration of smoking history (years)	-	24	5 years Stopped in 1965	-
1 - Personal communication	Dr. Irving Selikoff - January, 1971.			

ST0348273