PLAINTIFF'S
EXHIBIT
DUP-1655

WEST-PAINE Laboratories INC.

ASBESTOS FIBER COUNT ANALYSES

for

E. I. DUPONT
Post Office Box 3269
Beaumont, Texas 77706

November 10, 1982

POSTMARKED 11/17/82 B.R., LA
Rec'd 11/19/82 L.J.S.

82-1721

DBE 1140634

DUP 0515626

DU 007214

WEST-PAINE Laboratories INC.

E.I. DUPONT
BEAUMONT, TEXAS
November 10, 1982

Thirteen (13) filter cassette samples were received from E.I. DuPont, Beaumont Works, Beaumont, Texas, for asbestos fiber count analysis. Fiber larger than 5 microns in length were counted by means of phase-contrast microscope at a magnification of 450X. The procedure recommended by NIOSH (P& CAM 239) was followed.

Sample Identification	Fibers (>5μm) Observed	No. of Fields Observed	Fibers per Filter	Volume of Air (L)	Fibers (>5μm) per c.c. of Air
K-7	13	100	37,080	1,320	0.03
M-1	8	100	22,800	1,380	0.02
A-17	18	100	51,300	1,320	0.04
FBA-11	1	100	2,850	240	0.01
FBC-13	1	100	2,850	240	0.01
FBB-12	12	100	34,200	240	0.14
BAAD-24	1	100	2,850	240	0.01
BAAD-19	2	100	6,700	240	0.02
CAAD-31	6	100	17,100	240	0.07
CAAD-15	6	100	17,100	240	0.07
CAAB-23	2	100	5,700	240	0.02
Blank	0	100	--	--	--
CAAD Blank	0	100	--	--	--

Jonny H. Vickers
Chemist

drb

82-1721

DBE 1140635

DUP 0515627

DU 007215