


FILE NAME: Hopeman Brothers (HB)

DATE: 1945 Apr 12

DOC#: HB025

DOCUMENT DESCRIPTION: Material Requisition Order Forms



MATERIAL REQUISITION

A

DATE REQUIRED _____

TOTAL REQ.	QUAN. PER SHIP	DESCRIPTION	DATE ORDERED	VENDOR	P. O. NUMBER
		Insulation in way of W. Tanks			
		as per Sk # 206			

PROVED _____

PROVED _____

CONTRACT VICTORY FIREPROOF CARGO

DELIVER TO FAIRFIELD 20 ADDITIONAL

DATE ISSUED 4-12-45

REVISION 1 _____

2 _____

3 _____

MATERIAL REQUISITION

A

DATE REQUIRED _____

TOTAL REQ.	QUAN. PER SHIP	DESCRIPTION	DATE ORDERED	VENDOR	P. O. NUMBER
		Ceiling Insulation			
		as per Sk # 205			

PROVED _____

PROVED _____

CONTRACT _____

DELIVER TO _____

VICTORY FIREPROOF CARGO
FAIRFIELD 20 ADDITIONAL

DATE ISSUED 4-12-45

REVISION 1 _____

2 _____

3 _____

MATERIAL REQUISITION

A

DATE REQUIRED _____

TOTAL REQ.	QUAN. PER SHIP	DESCRIPTION	DATE ORDERED	VENDOR	P. O. NUMBER
		Wardrobe Rods & Flanges			
		as per Sk # 163			

APPROVED _____

APPROVED _____

CONTRACT _____


DELIVER TO _____

VICTORY FIREPROOF CARGO
FAIRFIELD 20 ADDITIONAL

DATE ISSUED 4-12-45

REVISION 1 _____


2 _____



— FRONT —

DRILL FOR SCREWS

1 1/16 DIA. BIRCH ROD




— SIDE —

MAKE (50) FLANGES AS SHOWN


MAKE (1) ROD 4' - 10" LONG FOR WARDROBE #210					
"	1	"	3' - 1"	"	211
"	1	"	4' - 10"	"	212
"	1	"	3' - 6"	"	213
"	1	"	4' - 1"	"	214
"	1	"	3' - 4"	"	215
"	1	"	3' - 4"	"	216
"	1	"	4' - 10"	"	217 - 218
"	1	"	4' - 10"	"	219 - 220
"	1	"	3' - 2"	"	229
"	1	"	5' - 0"	"	230 - 231
"	1	"	3' - 4"	"	232
"	1	"	2' - 5"	"	233
"	1	"	2' - 5"	"	234
"	1	"	3' - 10"	"	235
"	1	"	3' - 1"	"	237
"	1	"	5' - 0"	"	238 - 239
"	1	"	3' - 5"	"	246
"	1	"	3' - 6"	"	247 - 248

MAKE (90) LIN. FEET OF ROD - TO BE CUT TO LENGTHS AS LISTED AT JOB

MATERIAL - ALL BIRCH



PLAN OF SHELVING
SCALE: $\frac{3}{4}$ " = 1'-0"




REQUIRED: 10-PCS. OF SHELVING 8'-0" LONG,
AS SHOWN.

MATERIAL: AS SHOWN.


FINISH - ANGLES ONLY TO BE PRIME COATED.

AND -


4-PCS. $9\frac{1}{2}$ " WIDE x 34" LONG.



ELEVATION



SECTION



MATERIAL: 1" x $\frac{1}{4}$ " x 18 GA. ANGLE

FINISH: STANDARD PRIME

MAKE: 25 PRS. OF ANGLES FOR SHELVING AS SHOWN

FURNISH:

QUANTITY		WIDTH	LENGTH
11	PANELS	42" X	86 $\frac{1}{2}$ "
3	"	40" X	"
3	"	38" X	"
58	"	36" X	"
11	"	34" X	"
3	"	33" X	"
4	"	32" X	"
2	"	31" X	"
2	"	30 $\frac{1}{2}$ " X	"
2	"	30" X	"
2	"	28" X	"
2	"	27" X	"
3	"	26" X	"
2	"	25" X	"
4	"	22" X	"
7	"	21" X	"
2	"	20" X	"
1	"	19" X	"
3	"	18" X	"
4	"	16" X	"
1	"	15" X	"
2	"	14" X	"
2	"	13" X	"
5	"	12" X	"
1	"	10" X	"
1	"	9" X	"
4	"	6" X	"
1	"	2 $\frac{1}{2}$ " X	"
42	"	29 $\frac{1}{2}$ " X	43 $\frac{1}{2}$ "

ALL $\frac{1}{2}$ " THICK GYPSUM METAL ONE SIDE

QUANTITY GIVEN FOR 1.000

FURNISH:

QUANTITY		WIDTH	LENGTH
37	PANELS	42" X	86½"
4	"	40" X	"
2	"	37½" X	"
79	"	36" X	"
3	"	35" X	"
3	"	34" X	"
6	"	32" X	"
3	"	30" X	"
1	"	29" X	"
1	"	28" X	"
1	"	27" X	"
1	"	26" X	"
1	"	25½" X	"
7	"	24" X	"
14	"	23" X	"
9	"	22" X	"
4	"	21" X	"
5	"	20" X	"
1	"	19" X	"
2	"	18" X	"
1	"	17" X	"
2	"	15" X	"
4	"	14" X	"
2	"	13" X	"
5	"	12" X	"
2	"	11" X	"
2	"	10" X	"
5	"	9" X	"
1	"	8" X	"
2	"	7" X	"
3	"	6" X	"
2	"	4" X	"

ALL 7/8" THICK GYPSUM METAL TWO SIDES