

Pl N 183  
 Jo. 7. att. the folder

Acme Plant

July 1, 1957

General Sales

Mr. H. J. Zales

June 24, 1957

ACOUSTICAL PLASTER

Mr. C. E. Abbey - chr

cc: Mr. R. E. Schilling - Dallas  
 Mr. G. W. Brown - Jackson  
 Mr. R. V. Towland - Chicago  
 Mr. M. C. Ewen - Ardmore  
 Mr. A. L. Mayer - Ardmore  
 Mr. Myron Read - Fort Dodge  
 Mr. C. G. Shuttlesworth - Paoli Lab.

RE: New Product - Low Cost Blow-on Material

THIS COPY FOR

I know when the memorandum went out that the Laboratory was in the process of sending you the formula. They had already developed the formula and had materials at Fort Dodge. They were taking care to get you the necessary information. I am merely trying to get the job set up so that we can field trial the material.

8  
 H

Ft. Dodge Plant

July 2, 1957

Mr. M. Read

RECEIVED  
 General Sales  
 PAOLI, PENNSYLVANIA  
 ACOUSTICAL PLASTER  
 JUL 8 1957  
 C. E. Abbey - chr  
 CERTAIN-TEED PRODUCTS  
 CORPORATION

cc: Mr. M. C. Ewen - Ardmore  
 Mr. C. W. Sims - Jackson Sales  
 Mr. C. G. Shuttlesworth - Paoli Lab.  
 Mr. R. Sims - Ardmore

RE: Sample Requisition

THIS COPY FOR

You recently made up some Acoustical Plaster for a blow-on application and shipped some of the material to St. Louis Sales.

Would you please arrange to ship two sacks of the material as a sample at no charge to the Jackson Sales Office. They are going to use this material to make a sample application and get approval of a local architect to field test this material on a job in that area.

If the architect approves the sample panel and gives us permission to field test a fair size amount, we will have the Laboratory set the formula up at Acme to manufacture the material there and ship it over.

Acoustical Plaster  
 Pl N 183