

[REDACTED]	Shipping Dept. & Blast Furnace, saws pipe	9/20/55 .26 mg. of lead per l. of urine 6/30/56 .33. mg. of lead per l. of urine
[REDACTED]	Battery Room, Shoveling Dry Flue Dust	7/17/56 .31 mg. of lead per l. of urine
[REDACTED]	Battery Room, Shoveling Dry Flue Dust	7/11/56 .30 mg. of lead per l. of urine
[REDACTED]	Furnace Operator	10/25/55 .18 mg. of lead per l. of urine 7/11/56 .22 mg. of lead per l. of urine
[REDACTED]	Lead Pots and Blast Furnace	9/27/55 .16 mg. of lead per l. of urine 6/28/56 .21 mg. of lead per l. of urine
[REDACTED]	Lead Pots (Softening, Revining, Ladeling)	9/13/55 .17 mg. of lead per l. of urine 6/27/56 .21 mg. of lead per l. of urine
[REDACTED]	Plant Superintendent	12/15/55 .20 mg. of lead per l. of urine 6/28/56 .20 mg. of lead per l. of urine
[REDACTED]	Foreman Battery Room	7/17/56 .19 mg. of lead per l. of urine
[REDACTED]	Furnace Operator	9/27/55 .18. mg. of lead per l. of urine 6/28/56 .28 mg. of lead per l. of urine
[REDACTED]	Pipe Press	9/13/55 .24 mg. of lead per l. of urine 7/11/56 .17 mg. of lead per l. of urine
[REDACTED]	Lead Pots, Truck Driving	9/20/55 .12 mg. of lead per l. of urine 7/11/56 .16 mg. of lead per l. of urine
[REDACTED]	Lead Pots and Blast Furnace	11/30/55 .11 mg. of lead per l. of urine 6/27/56 .13. mg. of lead per l. of urine
[REDACTED]	Battery Room and Blast Furnace	10/25/55 .13 mg. of lead per l. of urine 6/28/56 .12 mg. of lead per l. of urine
[REDACTED]	Furnace Operator	11/30/55 .05 mg. of lead per l. of urine 6/27/56 .12 mg. of lead per l. of urine
[REDACTED]	Truck Driver	7/17/56 .09 mg. of lead per l. of urine
[REDACTED]	Pipe Press Operator & Solder Pots	9/13/55 .15 mg. of lead per l. of urine 6/28/56 .08 mg. of lead per l. of urine
[REDACTED]	Truck Driver	12/16/55 .12 mg. of lead per l. of urine 7/17/56 .08 mg. of lead per l. of urine
[REDACTED]	Pipe Press	9/30/55 .06 mg. of lead per l. of urine 7/11/56 .07 mg. of lead per l. of urine

KE 0001505