


Georgia-Pacific



EternawallTM

vinyl surfaced
gypsum wallboard


color selector




PLAINTIFF'S EXHIBIT

GP-641


SGP 0026751



WILLOW GREEN GP-701




PECAN GP-683




GOLD GP-684



BUFF GP-704



FLAX GP-688



SNOWDRIFT WHITE GP-651

Georgia-Pacific



Standard Eternawall

Georgia-Pacific Eternawall is vinyl, factory laminated to gypsum wallboard. Eternawall is designed for use in interior partitions and in high traffic areas of commercial and institutional construction. A pre-decorated wall system that goes up in one step. Just put up Eternawall and your wall is done. Completely decorated!

The inside is gypsum and that means . . .

Sound control.

Fire resistance.

Strength.

Lightweight.

The surface is vinyl. That means it's . . .

Tough

Colorfast.

Flame and abrasion resistant.


Durable . . . lasts in spite of hard wear.

Easily cleaned with a damp cloth.


Eternawall is so durable, it can be reused, over and over. So, it could very well be perfect for demountable wall systems, too. This is quite a wall. Nothing's perfect, but Eternawall is the toughest, easiest, most people-proof wall we know of and that's close to being perfect!

Eternawall™
THE PERFECT WALL

SGP 0026752




STUCCO GP-705



TANGERINE GP-702



ALABASTER GP-703




BEIGE GP-687



WALNUT GP-682



CHERRY GP-681



WHITE GP-686



AVOCADO GP-685



FAWN GP-652

SGP 0026753

Eternawall™ Vinyl Surfaced Gypsum Wallboard

Thickness: 3/8", 1/2" and 5/8" Regular Gypsum Wallboard, 1/2" and 5/8" Firestop Gypsum Wallboard. 1/2" Regular Eternawall is the stock thickness.


Sizes: 4' x 7' to 4' x 16' in one foot increments. Special lengths on request. Special size (length and width) Eternawall partition board available on special order basis. 4' x 8' and 4' x 10' are stock sizes.

3/8", 1/2" and 5/8" wallboard consisting of gypsum core, surfaced on both sides with paper or with a supported or unsupported vinyl-facing on one side. U.L. labeled product available.


	Fire Hazard Classification	
	Basic Board	With Vinyl Facing
Flame Spread	15	25
Fuel Contributed	15	10
Smoke Developed	0	20-50

Source: Underwriters' Laboratories Inc.


EDGE DETAIL



TRIM ACCESSORIES



Color coated stainless steel nails are available to match all Standard colors and woodgrains. Trim accessories are available in 8' x 10' lengths to match all standard colors and woodgrains.



U.L. Design No. 32

Fire Rating—1 Hour Incombustible
STC-45



U.L. Design No. 30

Fire Rating—1 Hour Combustible
STC-45

These fire and sound rated vinyl-surfaced wallboard systems eliminate the need for battens. G-P Firestop Eternawall is laminated directly to G-P 1/4" Incombustible Gypsum Sound Deadening Board. They are not only simple to install but they are inexpensive and provide a very durable wall.

SGP 0026754

Georgia-Pacific

