

The
HOUSE OWNER'S
PAINT BOOK

NATIONAL LEAD COMPANY

NEW YORK

BOSTON

BUFFALO

CHICAGO

CINCINNATI

CLEVELAND

ST. LOUIS

SAN FRANCISCO

(JOHN T. LEWIS & BROS. CO., PHILADELPHIA)

(NATIONAL LEAD & OIL CO., PITTSBURGH)

N12429

NL 1 001639




THE HOUSE-OWNER'S PAINT BOOK

How often house-owners feel perplexed and almost helpless when painting time comes around! If only there was one best way to have the work done, and if they could know that way, the doubts and the risk would all disappear. This plain, short talk about house painting is intended to meet precisely that need. The statements are all trustworthy and the booklet may well be kept for future reading. With these foundation principles well in mind, economy, pleasure and satisfaction in painting are within easy reach of anyone. Be sure of your painter, sure of your materials, careful with color and shy of experiments.

IN THE CARE OF THE HOUSE, the question of painting the outside and decorating the inside comes up every so often. Every one readily accepts the cost of this work as a necessary incidental expense to having a home, just as clothing and the home itself are necessary to our comfort. It is even possible to think eagerly of the painting season as the time when the home is to be renewed, when different color harmonies and a new set of experiences are to impress us for a while. If we can feel sure that the results of our painting will be satisfying, and that the new color effects are going

[3]

NLI 001640



to give new pleasure to ourselves and our friends, we shall think of painting time very much as we do the occasion of buying new clothing.

Such satisfaction is uniformly possible. It depends almost entirely upon knowing what and how. For good painting and good decoration rest upon a few foundation principles, which do not change. All the principles here stated are the ones followed by the best painters and decorators the world over, and they make this little book of practical painting helps well worth preserving for reference.

The object in exterior painting is to preserve the wood and to beautify it with color. The three considerations for the owner are the painter, the color scheme, and the paint. A wise selection of the painter usually means good advice in choosing the paint materials and the color.

Selecting a Painter

A good way to choose a painter is to find out what class of work he is doing—who are his customers. If he works for the best people, can refer to excellent jobs he has done or is doing, and asks a reasonable price for his work, he is probably a man who has taken the necessary years to learn the trade, and is therefore competent and reliable. But don't expect him to compete in price with the fellow who works by guess and who sprang up a full-fledged painter over night.

The range of colors suitable for exterior painting is somewhat limited. Brilliant colors would be too

[4]

NLI 001641

conspicuous
are as
the gl
ner. Th
irability.

ouse wh
should
for th
asting w

house is
k color
rve the

ing is b
untry a
ly again
a surrou
or sche
ities. A
be mor
y white

ses with
should
e than
in red,
e. The
olive w
s with

conspicuous and many of the beautiful soft tints which are available for interiors would not stand either the glare of the sun or the rigors of rough weather. The problems to consider are permanence or durability, and harmony with surroundings.

General Suggestions on Color

A house which is set closely among trees or shrubbery should not be painted green or olive, though green for the trim may possibly be used. Colors contrasting with the surroundings are better for the body.

If a house is low, with a tendency to "squattiness," a dark color should not be used. Paint it light and preserve the benefit of what height it possesses.

Nothing is better than pure white for certain styles of country and suburban houses, especially if set snugly against a green background and amidst green surroundings. Naturally, however, white is a poor scheme for factory towns or other smoky localities. A light gray, like French or pearl gray, may be more durable than pure white, and yet give nearly white effects.

Houses with shingled upper stories or gables as a rule should be painted on the lower story a lighter shade than the shingles. The shingles may then be Indian red, dark brown, dark green or some olive shade. The body should harmonize, as light or dark olive with Indian red, cream with browns, the grays with dark green or dull red.

[5]

NL I 001642

Not all colors and tints are equally durable. Colors like the grass greens, blues, and comparatively cool shades of yellow, hasten the deterioration of the paint film. This is due to the fact that they do not reflect or turn back the heat rays of the sun, but allow them to penetrate the film.

The Most Durable Colors

Tints based on the reds, brown and blacks are, as a rule, the most durable. Thus the grays, the slates, the browns, the richer yellows, etc., are excellent for wear and are at the same time the most pleasing on the house. We therefore recommend them most frequently in our designs.

Perhaps a word should be added for the benefit of those who may have always thought of white-lead as good for white paint only. The fact is, white must be used as the base in making all paints of light tint, and many paints of dark shades, too. Black and certain intense shades of blue, red, brown, and yellow can be produced without using any white base, but by far the greater number of tints, especially those most suitable for house painting and the most durable for that purpose, are made by mixing a small portion of tinting color with a large portion of white-lead. A few ounces of color pigment are often enough to tint 100 pounds of white-lead to the desired shade.

Choosing the Paint

Of utmost importance is the choice of the paint, and here is where the house-owner should *know*

[6]

the fu
ticles,
vehicle
are wh
chalk.
seed o
oils fr
and co

Now i
lead, a
qualiti
the oil
that th
oil, wh
attract
the co
They l
which
to imp

To unc
of these
briefly

1. A
w
P
2. I
f
3. I
w

NLI 001643

the fundamentals. All paint is made of solid particles, called the pigment and a liquid called the vehicle. Among white substances used as pigments are white-lead, zinc oxide, whiting, silica, barytes, chalk. Among the liquids used as vehicles are linseed oil, turpentine, mineral oils, fish oil, and various oils from such materials as corn, wood, soya bean, and cottonseed.


Now it happens that one of these pigments, white-lead, and one of these vehicles, linseed oil, possess qualities which fit them for use in paint as none of the other vehicles and pigments do. It also happens that these two substances, white-lead and linseed oil, when both are pure, have so remarkable an attraction for each other that when mixed together the combination is unusually close and strong. They have for centuries made a complete paint which no science, ancient or modern, has been able to improve.

To understand further the reason for the superiority of these two substances as paint materials, consider briefly what a paint coat should do.

1. As a decorative material it must hide the wood or other substance on which it is applied with the fewest possible number of coats.
2. It must dry soon to prevent dust and insects from sticking fast to it.
3. It must anchor into the pores of the wood with a grip that will hold it where it is put.

[7]

NLI 001644

- 
4. As a preservative of the wood, it must absolutely keep out all moisture. It must withstand the roughest weather conditions, from scorching sun to extreme cold, with driving storms.
 5. It must wear down smooth from the top, otherwise the laying of coat upon coat would finally make a thick mass, certain to come off in patches when a new coat was applied.

All these requirements the lead-and-oil film meets. It has great power of combining with oxygen, which insures thoro drying; it is impervious to moisture; it is remarkably opaque; and it has a certain toughness which lets it stretch rather than break under climatic changes.

Avoid Adulteration

If these two substances make the ideal paint, why are they often adulterated? For two reasons: first, to cheapen the paint to a point at which property owners who are buying by price and not by value will buy it; second, to create a new market for certain materials which look to the uninformed as if they might make paint.

The consumer's interest lies in avoiding all adulterants, as the best master painters have done for generations. Experiments are sometimes interesting, they may be instructive, and occasionally they are profitable. But to experiment with the painting of your home is decidedly risky. You can't discard a

[8]

N L I 001645

disappointing result in a day, and even a year is too soon to do a painting job over. If the result is bad it stays bad a good while.

Dependable Paint

Knowing what is certainly excellent, reliable, and thoroly tested, it is the part of good judgment to stick to that. The white-lead now sold under the Dutch Boy trademark has enjoyed a clean reputation for purity during more than one hundred years. The trademarked steel kegs and the sealed cans of Dutch Boy linseed oil give the purchaser of them ample assurance that he is getting the best paint materials his money can buy.

White-Lead for Distinctive Interior Decoration

All that has been said of pure white-lead as an ingredient for outdoor paint applies equally to paint to be used on woodwork inside, except that there are no great changes of temperature indoors and hence no particular danger of cracking and scaling.

A more distinctive use of white-lead indoors is as paint for plastered or board walls. The points to consider in the treatment of walls are beauty, cleanliness and economy. Beauty involves color and style of finish. Cleanliness depends upon washability and consequent freedom from dust or other impurities. Economy has to do with cost and with years of wear. These three results are best reached by the use of paint.

To consider color first, there are certain rules or principles that may be followed in the selection of

NLI 001646

colors. One of these fundamental rules pertains to fitness. A color may be beautiful in itself and yet be out of place on the walls of a room. The home exists primarily for use, and while color is employed for the sake of giving pleasure, there is a wide difference between its use for beauty and its use for show. Beauty and fitness must go hand in hand.

Color for walls should always be chosen with reference to the things which will be used in the home. If an interior is new, the whole scheme of decoration may be worked out harmoniously to include the painting, the rugs or carpets, the furniture and the window curtains. When an interior is to be re-decorated, the wall colors selected must harmonize with the furniture, rugs and hangings already in use.

A practical American artist and decorator of the highest standing says: "Have definitely in mind what your ideal of the room would be if you could have everything new and have it at once. . . . Start with the background of the room. If \$25, \$50, or \$100 be used, let that be expended to make the woodwork, the walls, the ceiling and the floor a suitable background. . . . The mistake made by most people, including many decorators, is in trying to make things appear moderately satisfactory against an impossible background."

How Color Affects the Room

Take into account the natural lighting of a room, or its outlook, when selecting colors for it. Since yellow is a sunny color, it is well suited for use in a north or poorly lighted room. On the other hand,

[10]

NLI 001647

soft green, bluish gray or gray green may well be selected for rooms facing the sun that might be too suggestive of warmth on bright days, if the dominant color were yellow or red.

Colorists tell us that yellow cheers and stimulates, red excites, blue restrains and calms. They tell us, too, that since red is an advancing color a room in red contracts, while a room in blue expands, because blue is a receding color. Whatever selections are made, large areas should be in subdued tones. Bright reds, deep blues, purple, orange, brilliant green may be effective in certain combinations when used in small areas; when overdone they become vulgar.

Do not introduce a variety of color schemes on a floor or in a suite. If the living-room, library, dining-room and hall, for example, communicate by wide openings the scheme may well be the same thru-out those rooms. If the openings are single doors, greater freedom is permissible. Where a hall separates two rooms a different scheme is allowable in the two rooms providing there is a key color running thru all the schemes that ties them together. Plan the combination so that when seen from a chief view-point, as the entrance to the house, or from the head or the foot of the stairs, the general effect is a complete, harmonious unit.

Be Sure Your Colors Harmonize

This principle of harmony should be applied also to hold together the ceiling, sidewalls and floor of a

[11]

NLI 001648

room. A perfectly white ceiling with ivory wood-trim and soft yellow walls would be a violation of that principle. The white of the ceiling would be unrelated to the colors on trim and walls. A little yellow in the ceiling color, to make it cream, will key the scheme together and make it harmonious.

Keep the colors subdued and avoid strong contrasts. Walls, floor and ceiling should always be less intense than the objects which are to appear against them. Using delicate, neutral tones, with ceiling lightest, sides next, floors darkest and trim either a deeper or a lighter shade than the sidewall color, gives the room or the suite an air of restful comfort.

Rules are Safer than Whims

Most of us like to exercise our personal taste in the selection of a color scheme, altho that is not always a safe guide. What pleases one person may offend another. The laws of harmony do not change, and therefore they cannot depend on individual likes or dislikes. Color rules are safer guides than color preferences, and established rules should be followed just as earnestly where the decoration is simple and inexpensive as where it is elaborate and costly.

There is no reason at all why the color even in the most modest of homes should not be a delightful, rest-giving harmony. Nothing is too good for the things that closely affect our daily lives, and in the matter of interior decoration, it is fortunate that real excellence and simple beauty are questions of choice rather than of cost. When one considers that color

[12]

NLI 001649

is the thing
from interior
the general
be used in se

A marked in
followed the
oils which we
The old wh
to ten coats o
hardened lik
durable as
nothing mor
work is still
finish of the
lead and a fl
tical and be
standpoint o
give excellen
aration are o

When the de
white-lead an
as his client's
lighter," or
ways possible
of the most
some of them
like; semi-gl
times prefer
tiffany, a ble

is the thing we see and that the pleasure we derive from interior painting depends on the color and on the general style of finish, the utmost care should be used in selecting them.

Beautiful Effects with Flatting Oils

A marked increase in the popularity of painted walls followed the successful efforts to develop flatting oils which would combine well with pure white-lead. The old white-leaded walls, built up with from four to ten coats of white-lead, linseed oil and turpentine hardened like part of the wall itself and were as durable as stone. There was nothing better and nothing more beautiful, and much of that class of work is still done. Nevertheless, the rich, velvety finish of the delicate soft-tone paint made with white-lead and a flatting oil has proved to be equally practical and beautiful, and is quite attractive from the standpoint of economy. Instead of many coats, three give excellent results and even two with proper preparation are often satisfactory.

When the decorator makes up his own paint from white-lead and flatting oil, the color range is as wide as his client's taste. "Just a shade deeper, or a trifle lighter," or "a little more on the gray order," is always possible and easy. Moreover, a wide variety of the most beautiful effects is possible. To name some of them: the lustreless finish, soft and velvet-like; semi-gloss, like an egg-shell; full-gloss, sometimes preferred because it soils less easily; stippled; tiffany, a blending or combination of various colors;

[13]

NLI 001650

shaded, from darker below to lighter above; glazed, a two-tone effect secured by the use of a lake or transparent tinted film over the top color coat.

The Ideal Treatment for Walls

When thinking of beauty and harmony, think also of the durable, the sanitary and the economical. A white-leaded wall dries very hard, which means that it lasts for years and stands frequent washing with tepid water, mild soap and a soft cloth or sponge. Washing freshens and renews a white-leaded wall as really as repainting does. The well washed wall is actually clean, and nothing could be more sanitary.

A justifiable claim for the painting of walls with white-lead and a flattening oil is that it gives a maximum of wear, of cleanliness, of artistic beauty and of satisfaction, all at a minimum cost.

The color plates furnished for users of Dutch Boy white-lead have been prepared by decorators who are thoroly familiar with the principles and the practice of the best decoration. Any one who follows the suggestions given for these color schemes may feel confident of the most pleasing results. This applies equally to exteriors and interiors. Our Department of Decoration will gladly furnish additional suggestions and will cheerfully answer any inquiries. Your needs, if you tell them to us, will be our care.