

October 10, 1996

This is the first bulletin since the printing of the 1996 Automotive Data Book Catalog.

	FRONT FMSI NO.	SYSTEM F/R	REAR FMSI NO.
<u>ACURA</u>			
1996, RL	7382-D503**	D/D	7418-D536**
1997, CL	7345-D465**	D/D	7418-D536**
<u>BMW</u>			
1996, 530i	7284-D394**	D/D	7286-D396**
1996, 540i	7284-D394**	D/D	7286-D396**
<u>BREDA COACH</u>			
Articulated Bus 1996-94	4722 (Note #6)	A/	
<u>CHEVROLET</u>			
1997, Venture	7574-D699**	D/	
	(Notes #2 & #14)		
<u>CHRYSLER (See Comments)</u>			
1996(late), Cirrus		/N	1481-S716* (Note #17)
1996, Sebring Convertible	7530A-D650	D/N	1449-520
OR		/D	7438B-D641
<u>DODGE (See Comments)</u>			
1996(late), Stratus		/N	1481-S716*
<u>EATON BRAKES</u>			
Trailer Axles			
15.0dd x 7 ESS	4723 (Note #7)	A/	
15.0dd x 10 ESS	4724 (Note #8)	A/	
16 1/2dd x 6 ESS	4725 (Note #9)	A/	
16 1/2dd x 8 5/8 ESS	4726 (Note #10)	A/	
16 1/2dd x 8 5/8	4727 (Note #11)	A/	

SEE DISCLAIMER AT END OF BULLETIN

FMSI® and FMS® are registered trademarks of the Friction Materials Standards Institute, Inc.

Copyright© by Friction Materials Standards Institute, Inc.

	FRONT FMSI NO.	SYSTEM F/R	REAR FMSI NO.
<u>HONDA (See Comments)</u>			
1996, Civic	7573-D465**	D/	
	(Note #1)		
1996, Passport	7459-D579**	D/N	1360-S619*
OR		/D	7460-D580**
<u>HYUNDAI (See Comments)</u>			
1996, Elantra	7329-D700**	D/N	1495-S715*
	(Note #15)		(Notes #3 & #16)
<u>ISUZU</u>			
1996, Hombre	7480A-D202	D/BH	2117BTT-S651
1996, Oasis	7382-D503**	D/D	7418-D536**
1996, Rodeo	7459-D579**	D/N	1360-S619*
OR		/D	7460-D580**
<u>JAGUAR</u>			
1996, XJR	7395-D394**	D/D	7563-D688**
1996, XJS	7067-D135**	D/D	7466-D586**
OR		/D	7563-D688**
1996, XJ6	7395-D394**	D/D	7563-D688**
1996, XJ12	7519-D640**	D/D	7563-D688**
OR	7395-D394**	D/	
<u>LANDROVER</u>			
1996, Defender 90	7552-D671**	D/N	1494-S713*
OR		/D	7399-D518**
1996, Discovery	7401-D520**	D/D	7398-D518**
<u>LEXUS (See Corrections & Comments)</u>			
1996, ES300	7357-D697**	D/	
	(Note #12)		
1996, LS400	7544-D665**	D/D	7491-D613**
1996, SC300	7357-D476**	D/D	7452-D572**
<u>LINCOLN (See Corrections)</u>			
1996, Town Car	7537-D678**	D/D	7542-D662**
1995, Town Car		/D	7542-D662**
<u>MAZDA</u>			
1996, RX7	7465-D585**	D/D	7186-D482**
1996, MPV	7430-D551**	D/D	7432-D553**
<u>NISSAN</u>			
1996, 240SX		/D	7146-D272**
1996, 300ZX	7340-D647**	D/	
<u>OLDSMOBILE</u>			
1997, Silhouette	7574-D699**	D/	
<u>PLYMOUTH (See Comments)</u>			
1996(late), Breeze		/N	1481-S716*

	FRONT FMSI NO.	SYSTEM F/R	REAR FMSI NO.
<u>PONTIAC (See Comments)</u>			
1997, Grand Prix	7574-D699**	D/D	7387-D698** (Note #13)
1997, Trans Sport	7574-D699**	D/	
<u>ROCKWELL</u>			
16 1/2 dd 5 Q Plus	4720 (Note #4)	A/	
<u>SCANIA</u>			
P112 1989-88		/A	4721 (Note #5)
P113 1989-88		/A	4721
<u>SUZUKI</u>			
1996, X90	7305-D418**	D/N	1491-S710
<u>TOYOTA (See Corrections & Comments)</u>			
1996-95, Camry	7357-D697**	D/	
1996-95, Celica	7357-D697**	D/	

C O M M E N T SExisting lining used with new shoe:

<u>Lining</u>	<u>Assembly</u>	<u>Application</u>
1481	1481-S716	1996(late) Chrysler Cirrus Rear
		1996(late) Dodge Stratus Rear
		1996(late) Plymouth Breeze Rear
7329	7329-D700	1996 Hyundai Elantra Front
7357	7357-D697	1996 Lexus ES300 Front
		1996-95 Toyota Camry Front
		1996-95 Toyota Celica Front
7387	7387-D698	1997 Pontiac Grand Prix Rear

Existing shoe with new lining:

<u>Shoe</u>	<u>Assembly</u>	<u>Application</u>
D465	7573-D465	1996 Honda Civic Front

C O R R E C T I O N S

The Catalog lists FMSI 7357-D476 for 1996 Lexus ES300, 1996-95 Toyota Camry as an optional brake and 1995 Toyota Celica brake option. The correct listings are 7357-D697.

1995 Lincoln Town Car rear listed FMSI 7424A-D544. The correct listing is FMSI 7542-D662.

D674 - The rose clip free diameter shown in the 1996 Automotive Data Book page 152 dwg. 483 is incorrect. The correct free diameter is 43.4(1.71).

DISC BRAKE LINING ASSIGNMENTS

Note #1	<u>FMSI 7573</u>	7573-D465
	46.4 x 15.9 x 103.6	4 IM
	(1.83 x .626 x 4.08)	

DISC BRAKE LINING ASSIGNMENTS (con't)

Note #2 FMSI 7574 7574-D699
 47.0 x 17.0 x 125.7 4 IM
 (1.85 x .670 x 4.95)

DRUM BRAKE LINING ASSIGNMENTS

Note #3 FMSI 1495 1495-S715
 203.2dd - 36.3 x 4.4 x 193.0 4 Bonded
 (8.00 - 1.43 x .175 x 7.60)

BRAKE BLOCK LINING ASSIGNMENTS

Note #4 FMSI 4720
 16.50 - 5.00 x .875 x 8.13 4 10- 64
 Taper 8.38 4

Note #5 FMSI 4721
 16.50 - 8.00 x .830 x 8.40 8 - 48

Note #6 FMSI 4722
 410 - 179.5 x 19.0 x 202.4 4 3/8R 64
 Tapered 202.4 4
 (16.14 - 7.066 x .750 x 7.97)
 Tapered 7.97

Note #7 FMSI 4723
 15.0 - 7.0 x .875 x 7.72 8 1/4R 112
 Tapered

Note #8 FMSI 4724
 15.0 - 10.0 x .875 x 7.72 8 1/4R 112
 Tapered

Note #9 FMSI 4725
 16.50 - 6.0 x .875 x 8.45 8 1/4R 80
 Taper

Note #10 FMSI 4726
 16.50 - 8.63 x .875 x 8.45 8 1/4R 128
 Taper

Note #11 FMSI 4727
 16.50 - 8.63 x .750 x 8.50 8 1/4R 128


DISC BRAKE SHOE ASSIGNMENTS

Note #12 FMS D697 7357-D697 Lexus
 141.0 x 6.1 Toyota
 (5.55 x .240)



DISC BRAKE SHOE ASSIGNMENTS (con't)

Note #13 FMS D698 7387-D698 Pontiac
 107.8 x 5.0
 (4.24 x .197)



Note #14 FMS D699 7574-D699 Buick
 148.1 x 5.0
 (5.82 x .197)
 Chevrolet
 Oldsmobile
 Pontiac



Note #15 FMS D700 7329-D700 Hyundai
 137.2 x 6.1
 (5.40 x .240)

DRUM BRAKE SHOE ASSIGNMENTS

Note #16 FMS S715 1495-S715 Hyundai
 203.2 x 38.5
 (8.00 x 1.52)



Note #17 FMS S716 1481-S716 Chrysler
 200.0 x 32.5
 (7.87 x 1.28)
 Dodge
 Plymouth

Forward

Reverse

CLUTCH FACING APPLICATIONS BY MODELMAZDA

1991-89, MPV

9066
(Note #22)

1993-89, Pickup

9066

NISSAN

1993-85, Truck

9041C
(Note #21)TOYOTA

1972-71, Crown 6cyl. 2.6L

8037E
(Note #18)

1980-79, Supra 6cyl. 2.6L

8037E

1982-80, Supra 2.8L

8037E

1980, Celica 6 cyl. 2.6L

8037E

1985-81, Celica 2.4L

8037E

1981-80, Corona 4 cyl. 2.4L

8037E

1986-83, Van Wagon 4 cyl. 2.0L & 2.2L

8037E

1984-80, 4 Runner & Pickup 4 cyl. 2.3L

8037E

CLUTCH FACING APPLICATIONS BY MODEL (con't)TOYOTA

1988-85, 4 Runner & Pickup 2.4L 8037E
 1987-84, 4 Runner & Pickup 2.4L Turbo Diesel 8037E

VOLKSWAGEN

1991-87, Fox 8071A
 (Note #19)
 1992-83, Volkswagen 8073
 (Note #20)

CLUTCH FACING ASSIGNMENTS

Note #18	<u>FMSI 8037E</u>						
	8.86 x 5.91 x .138			16 Gr A Str	-	16	
Note #19	<u>FMSI 8071A</u>						
	8.477 x 5.533 x .140			16 Gr A Str	-	16	
Note #20	<u>FMSI 8073</u>						
	8.25 x 5.70 x .138			16 Gr A Str	-	16	
Note #21	<u>FMSI 9041C</u>						
	9.45 x 6.30 x .140			18 Gr A Str	-	18	
Note #22	<u>FMSI 9066</u>						
	9.836 x 6.36 x .140			16 Gr A Str	-	16	

The data shown in this bulletin has been supplied by sources considered to be reliable. While we believe that such information is correct, the Institute cannot and does not accept any responsibility or liability for errors or omissions, or harm resulting therefrom.

The data shown in this bulletin indicates dimensions only and in no way refers to quality of any materials that may be embodied in the product or particular application involved, and moreover, SINCE FIELD CONDITIONS AND OTHER FACTS MAY NECESSARILY VARY FROM ONE APPLICATION TO ANOTHER, FRICTION MATERIALS SUPPLIERS AND INSTALLERS SHOULD RELY ULTIMATELY AND SOLELY UPON THEIR OWN EXPERTISE AND JUDGMENT AS TO QUALITY AND DIMENSIONAL SIZE. Under no circumstances should replacement items be used when they do not appear to fit, nor be "forced" to fit, nor be modified in the field instead of obtaining a proper sized item from a supplier. If such items are modified in the field to fit, the Institute specifically disclaims all liability and responsibility for any harm resulting therefrom.

If any error or omission is noted in this bulletin, it should be reported immediately to the Friction Materials Standards Institute, Inc., 588 Monroe Turnpike, Monroe, Connecticut 06468.