

FILE NAME: CTFA (CTFA)

DATE: 0000

DOC#: CTFA001

DOCUMENT DESCRIPTION: BC Notes

CFTA

- 1973-07-31 Lewin tests for FDA
- 1973-12-10 CFTA Tale Subc Rpt
- 1973-12-26 CFTA comments to FDA
- 1974-8-14-74 CFTA tale subc
9-6-74
- 1975-02-24-75 FDA letter to Roemer
- 1976-10-7-76 CFTA Method of Analysis
in tale
- 1976-3-15 FDA mtg w/ tale industry reps
- 1976-3-08-76 JWI Memo on CFTA mtg
- 1976-3/11-76 CFTA tale task force mtg
- 1976-3-22-76 MIT Sinai - FDA mtg
- 1976-3-18-76 FDA memo
- 1976-3-15-76 CFTA to Eiermann
- 1979-1-11 FDA letter to Sid Wolfe
- 7 CFTA Tale analysis method

CTFA #3 Scientific Advisory Comm.
of CTFA met ~~at~~ Dec. 12, 1973

J+S #8 ~~CTFA~~ J+S to FDA (for CTFA)

"theoretical safe level of ash. fiber
in baby powder ~~using~~ the official
TLV for asbestos"

- went on to say "a substantial safety
factor can be expected" with
pale containing 1% ash. " 7/6/74

CTFA committee chair said this
should be well received because
FDA had a "methods approach"

Aug 1974
1979

J+S #11 CTFA subc. mtg w/FDA 3/7/75

Dr. R Schaffner was top FDA at mtg.

"Before we had a chance for rebuttal,
Dr. Schaffner said that the
Silverston calculation was foolish
since no mother was going to
powder the baby with 1% of a
known carcinogen irregardless
of the large safety factor."