



CHRONIC TOXICITY OF EFFLUENT
FROM VISTA CHEMICAL COMPANY, VCM PLANT
TO THE FATHEAD MINNOW (*Pimephales promelas*)
IN A STATIC RENEWAL BIOASSAY

ENSR

EN89270

Performed for:
Vista Chemical Company
Attn: Paul Fetzer
VCM Plant Road
Westlake, LA 70669

on
September 11-18, 1989

Performed by:
ENSR Consulting and Engineering
(formerly ERT)
Environmental Laboratory
2400 West Loop South
Suite 300
Houston, TX 77027

VVV 000004129



Formerly ERT

ENSR Consulting
and Engineering

2400 West Loop South
Suite 300
Houston, TX 77027
(713) 960-8557

CHRONIC TOXICITY OF EFFLUENT
FROM VISTA CHEMICAL COMPANY, VCM PLANT
TO THE FATHEAD MINNOW (*Pimephales promelas*)
IN A STATIC RENEWAL BIOASSAY
EN89270

Performed for:

Vista Chemical Company
Attn: Paul Fetzner
VCM Plant Road
Westlake, LA 70669

on

September 11-18, 1989

Performed by:

ENSR Consulting and Engineering
(formerly ERT)
Environmental Laboratory
2400 West Loop South
Suite 300
Houston, TX 77027

REPORT FORMAT
Version 3.2
July, 1989

VVV 000004130

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
1. EXECUTIVE SUMMARY	i
2. INTRODUCTION	1
3. FACILITIES AND STAFF	1
4. METHODS & MATERIALS	2
5. RESULTS	4
Table 1. Survivorship during the 7-day static renewal test.	5
Table 2. Summary of survival data of fathead minnow larvae exposed for 7 days to the effluent.	6
Figure 1. Flow chart for statistical analysis of chronic toxicity test data. From EPA (1985b; 1988:30; 1989:9).	7
6. DISCUSSION	8
7. LITERATURE CITED	9
8. QUALITY ASSURANCE/QUALITY CONTROL CHECKLIST AND CERTIFICATION	10
9. APPENDICES	
A. Sample Receiving Form	
B. Chain-of-Custody	
C. Chemical Analysis of Tap Water, Deionized Water, and Saltwater Used in ENSR Environmental Toxicology Lab - Houston	
D. Initial Characterization of Effluent and Receiving Water	
E. Water Quality Parameters Lab Notebook	

1. EXECUTIVE SUMMARY

- 1.1 **OBJECTIVE:** The objective of this study was to determine the chronic toxicity to *Pimephales promelas* of an effluent submitted by Vista Chemical Company.
- 1.2 **SAMPLE DATES:** The composite samples were collected by Vista Chemical Company personnel and received at ENSR Consulting and Engineering Environmental Toxicology Lab on 9/11, 9/13, 9/15/89.
- 1.3 **TEST DATES:** A 7-day static renewal test was conducted September 11-18, 1989.
- 1.4 **TEST PROTOCOL:** The test was conducted according to methods specified by the U. S. Environmental Protection Agency (1985b, 1989), Method 1000.0.
- 1.5 **TEST CONDITIONS:** The test was conducted at a temperature of $25 \pm 1^\circ\text{C}$ and a light intensity of 50 to 100 foot candles with a photoperiod of 16-hr light and 8-hr dark. 7 dilutions were tested: 26%, 52%, 59%, 67%, 76%, 86% and 100%.
- 76% is the critical concentration for pass/fail determination.
- 1.6 **STANDARD TOXICANT:** 24-Hour LC_{50} = 9.2 parts per thousand (ppt)
Sodium Chloride (NaCl).
95% Confidence Limits = 8-11 ppt.
- 1.7 **DILUTION WATER:** Receiving Water (Bayou Verdine)
- 1.8 **DATA ANALYSIS:** This set of data could not be analyzed because of 92% control mortality.
- 1.9 **TEST RESULTS- LC_{50} :** An LC_{50} could not be calculated from this set of data
- 1.10 **TEST ACCEPTABILITY:** Control 1 survival, 8%, does not meet minimum 80% survival.
- 1.11 **CONCLUSIONS AND COMMENTS:** Laboratory water control survival (85%) and growth (0.30 mg/fish) demonstrated that the fish used in this test were suitable for toxicity testing.

2. INTRODUCTION

The objective of this study was to determine by a 7-day static renewal test the chronic toxicity to fathead minnow (*Pimephales promelas*) larval survival and growth of an effluent. Samples were collected by the permittee and shipped to ENSR Consulting and Engineering Environmental Toxicology Lab - Houston, Texas. The 7-day chronic toxicity test was performed September 11-18, 1989 in the Environmental Toxicology Laboratory at the ENSR Environmental Lab. This report follows the recommended outline by EPA (1985b, 1989) for chronic toxicity reports. All data, laboratory notebooks, and associated documentation are archived at ENSR Environmental Toxicology Lab for future reference.

3. FACILITIES AND STAFF

All toxicity testing at the ENSR Environmental Lab was performed in the Environmental Toxicology Laboratory (approximately 3,000 sq. ft.). Test organisms were cultured or acclimated to test conditions in the Aquatic Culture Facility (1,000 sq ft) separate from the Environmental Toxicology Laboratory. Both labs are located in the basement of the ENSR Consulting and Engineering building, constructed of 8" thick concrete walls and designed to minimize the effects of changing ambient climatic conditions. All chemical tests were performed in the Chemistry Laboratory (500 sq ft) located on the fourth floor of the same building or at ENSR's Chemistry Laboratory (2925 Richmond Avenue, Houston, TX 77098). All areas of the ENSR Environmental Toxicology Lab have separate, dedicated environmental control systems to avoid any possible air or water cross-contamination between facilities. A Sample Receiving Center (SRC) is located adjacent to the building's loading dock. It includes numerous laboratory refrigerators and freezers for sample storage at 4±1°C. All samples were assigned a unique, coded number upon receipt and the progress of the sample was tracked on a computer sample tracking system (MASS-11) designed for ENSR Environmental Lab.

The Environmental Laboratory is supplied with fresh water for toxicity testing from a 1,000 gallon freshwater system. Fresh water is aerated and conditioned prior to use and is filtered through a series of physical (5 micron), chemical, and biological filters, then oxygenated. Water is chemically analyzed quarterly for various inorganic and organic parameters. Two high capacity Millipore Deionized water systems provide high quality makeup water. A Millipore Q Distilled Water system provides distilled water of even higher quality water for phytoplankton cultures or chemical analyses.

All biological testing was performed in a Nor-Lake Scientific (2'x6.5') or two Bally self-contained Environmental Chambers (12'x18' and 8'x10') with dedicated microprocessor control systems capable of maintaining

temperatures within $\pm 1.0^{\circ}\text{C}$ in a temperature range of $5\text{-}30^{\circ}\text{C}$. Temperature is displayed digitally and recorded on 7-day Partlow recording thermometers for documentation. A hi/low temperature alarm system is built in. Lighting is provided by cool-white vaporproof fluorescent lights at an intensity of 70-foot candles. Light and dark photoperiods are maintained by Dayton automatic timers. Air is supplied by an oil-less Rotron Air Blower. An emergency backup power generator maintains the supply of air during power shutdowns.

Test species raised in the culture facility have been taxonomically verified and voucher specimens are maintained. Where possible, the original source of the test organisms was from EPA stocks. Genetically characterized strains are maintained for various species. All culture stocks are tested monthly and quarterly with a standard reference toxicant for the development of a cumulative database through successive generations.

Culturing of test organisms and the performance of all toxicity testing is carried out by a staff of degreed biologists. Biological and chemical analyses are performed using appropriate EPA protocols. Quality control and quality assurance audits are performed by the QA/QC Officer of the Environmental Laboratory.

4. METHODS AND MATERIALS

The type of plant, operating schedule, final products, schematic of waste-treatment, discharge information, flows, etc. have been previously submitted to the EPA by the permittee in EPA Form 2C.

Composite samples of the effluent were collected by the permittee, immediately placed on ice in a cooler and transported to Houston (Appendix A). Chain-of-custody procedures were observed and the completed documents are attached (Appendix B). Effluent samples were stored at 4°C .

Dilution water was receiving water. Appendix D describes the chemical characteristics of the effluent and receiving water.

Testing was carried out according to procedures specified in permittee's permit and Short-Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms (EPA, 1985b, 1989).

Test organisms were fathead minnow (*Pimephales promelas*) larvae less than 24-48 hrs old, as per the EPA freshwater chronic manual (1989). The larvae were exposed in a static renewal test for 7 days to 7 different effluent concentrations 26%, 52%, 59%, 67%, 76%, 86%, 100% and 2 controls. Control 1 (dilution water) was receiving water (Bayou Verdine) and Control 2 was moderately hard lab water.

Renewal solutions (effluent concentrations) were prepared the day that each composite sample arrived at ENSR Environmental Toxicology Lab. A sufficient quantity of each test solution was prepared for three days of testing (i.e., three consecutive renewal periods). The reservoirs of test solution were stored at 4°C.

All glassware was cleaned according to procedures specified in Short-Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms (EPA, 1985b, 1989) and described in detail in "ENSR Consulting and Engineering, ENSR Environmental Laboratory Standard Operating Procedures Manual, (September 1988; revised May, 1989).

The test chambers were Nitex cylinders placed inside 1-liter beakers. The Nitex cylinders were constructed by attaching a 7-cm high collar of 363-micrometer mesh Nitex screen to a 15x60 mm glass Petri dish with silicone sealant. Larvae were placed into the cylinders in random order until 10 larvae were in each cylinder.

The test was initiated by randomly placing a Nitex cylinder containing 10 larvae into the test chamber. A total of 40 larvae was tested for each concentration (4 replicates per concentration).

The light quality and intensity were at ambient laboratory levels of 50 to 100 foot candles, with a photoperiod of 16-hour light and 8-hour dark (16L:8D). The water temperature in each test chamber was maintained at 25±1°C. The larvae in each test chamber were fed newly hatched (<24-hr old) brine shrimp nauplii three times daily: at the beginning, midway and at the end of each day. The nauplii were soaked in fatty acid, vitamin and trace element solution to enhance their nutritional value. The nauplii were rinsed with moderately hard lab water just prior to feeding.

The number of live larvae in each test chamber were recorded daily and the dead larvae discarded. Just prior to the daily renewal of the test solutions, uneaten and dead brine shrimp and other debris were carefully removed from the bottom of each Nitex cylinder with a new polyethylene dropper.

Test solutions were renewed by gently lifting the Nitex cylinders out of the test chambers and placing them into new test chambers (1-liter beakers) containing new test solutions (250 mL). During the transfer, the larvae remained in the solution filled petri dishes at the bottom of the Nitex cylinders.

This procedure for the daily renewal of the test solutions was observed to be far less stressful to the larvae than the recommended siphon technique (Method 1000.0; EPA, 1985b) which often leads to the inadvertent removal of larvae (i.e. caught up in the siphon).

The test solution volume was also reduced from the recommended 500 mL (EPA 1000.0) to 250 mL per replicate to reduce the volume of sample required for the test. This alternative is consistent with the testing protocol used by EPA Region VI Toxicity Testing Laboratory, Houston, Texas and the second edition of the EPA manual (1989).

Dissolved oxygen was measured at the beginning and end of each 24-hr exposure period at all test concentrations and in the control. Temperature, pH, and conductivity were measured at the beginning of each 24-hr exposure period at all test concentrations and in the controls. This information is contained in Appendix D.

The test was terminated after seven days of exposure. At termination, the live larvae in each test chamber were counted and preserved as a group in 4% formalin or 70% ethanol. For the dry weight analysis, the preserved larvae from each test chamber were rinsed in deionized water, transferred to tared weighing boats and dried at 100°C for a minimum of 2-hrs. Immediately upon removal from the drying oven, the weighing boats were placed in a dessicator. Weights were measured to the nearest 0.10 mg.

All data were analyzed according to the statistical flow chart outlined in the second edition of the EPA Freshwater Chronic Methods Manual (1989). Figure 1 is a generic flow chart of the statistical approach used in this report. Statistical analyses are included in Appendix E.

Survival and growth data from the fathead minnow larval survival and growth test are analyzed using hypothesis testing techniques. TOXSTAT, TOXDAT and a proprietary computer program are used for all calculations. Survival data are arc-sine transformed and both data sets are tested for normality by Shapiro-Wilk's test. Normal data are then tested for homogeneity of variances by Bartlett's test. Data passing both tests are analyzed by Dunnett's test (Dunnett, 1955). Dunnett's test is a two stage test and consists of an analysis-of-variance (ANOVA) to determine if treatment means are different from each other. If treatment means are significantly different, then the second test, a post-hoc multiple-range comparison is made between the treatment means and the control mean. If treatment means are equal, the post-hoc comparison is not performed (Snedecor and Cochran, 1980).

Data that do not meet the normality assumptions are analyzed by a nonparametric test, Steel's Many-One Rank test. If an unequal number of replicates exist, Wilcoxon Rank Sum test with Bonferroni's Adjustment is used alternatively.

A modified version of the TOXDAT program is used to calculate an LC₅₀ if mortality occurred in the higher test concentrations. The LC₅₀ is calculated by three different statistical models (binomial, moving-average, and probit) and the model fitting the data best is used. LC₅₀'s are corrected for control mortality by a maximum likelihood estimation method. The LC₅₀ is reported as an unadjusted value.

5. RESULTS - Effluent

The results derived from the 7-day static renewal test with the fathead minnow (*Pimephales promelas*) larvae and effluent are shown in Table 1. Table 2 lists the percent survival in replicate chambers and the mean percent survival at 24-hr (Day 1), 48-hr (Day 2) and 7-days. The test results were not acceptable with survival in the controls less than 80% (EPA, 1985b, 1989).

Table 1. Survivorship during the 7-day static renewal test.

Conc. (%)		Test Day							Proportion	
		0	1	2	3	4	5	6	7	Surviving
0 % CONTROL 1	A	10	10	10	9	8	5	2	1	0.10
	B	10	10	10	10	10	7	3	1	0.10
	C	10	10	10	10	9	4	1	1	0.10
	D	10	10	10	10	9	5	2	0	0.00
26 %	A	10	10	6	6	6	1	0	0	0.00
	B	10	10	10	9	7	2	1	0	0.00
	C	10	10	10	9	9	4	1	0	0.00
	D	10	10	10	10	9	4	2	0	0.00
52 %	A	10	10	8	2	2	0	0	0	0.00
	B	10	10	7	2	1	0	0	0	0.00
	C	10	10	8	7	6	1	1	0	0.00
	D	10	10	10	7	7	1	1	0	0.00
59 %	A	10	8	8	0	0	0	0	0	0.00
	B	10	10	7	1	1	0	0	0	0.00
	C	10	10	8	2	2	1	1	0	0.00
	D	10	10	7	1	1	0	0	0	0.00
67 %	A	10	10	9	2	2	2	0	0	0.00
	B	10	7	6	1	1	0	0	0	0.00
	C	10	8	5	3	2	0	0	0	0.00
	D	10	9	7	2	1	1	0	0	0.00
76 %	A	10	9	5	0	0	0	0	0	0.00
	B	10	9	7	0	0	0	0	0	0.00
	C	10	9	6	0	0	0	0	0	0.00
	D	10	7	5	2	0	0	0	0	0.00
86 %	A	10	8	2	0	0	0	0	0	0.00
	B	10	7	2	0	0	0	0	0	0.00
	C	10	8	2	0	0	0	0	0	0.00
	D	10	7	2	0	0	0	0	0	0.00
100 %	A	10	7	1	0	0	0	0	0	0.00
	B	10	5	4	0	0	0	0	0	0.00
	C	10	6	0	0	0	0	0	0	0.00
	D	10	6	1	0	0	0	0	0	0.00
CONTROL 2	A	10	10	10	10	10	9	9	9	0.90
	B	10	10	10	10	10	10	10	10	1.00
	C	10	10	10	9	6	6	6	6	0.60
	D	10	10	10	10	10	10	9	9	0.90

FATHEAD MINNOW

Table 2. Summary of survival data of fathead minnow larvae exposed for 7 days to the effluent.

Conc. (%)	Replicate				Time			CV*
	A	B	C	D	24 H	48 H	7 D	
0 %	0.10	0.10	0.10	0.00	1.00	1.00	0.08	58
26 %	0.00	0.00	0.00	0.00	1.00	0.90	0.00	
52 %	0.00	0.00	0.00	0.00	1.00	0.83	0.00	
59 %	0.00	0.00	0.00	0.00	0.95	0.75	0.00	
67 %	0.00	0.00	0.00	0.00	0.85	0.68	0.00	
76 %	0.00	0.00	0.00	0.00	0.85	0.58	0.00	
86 %	0.00	0.00	0.00	0.00	0.75	0.20	0.00	
100 %	0.00	0.00	0.00	0.00	0.60	0.15	0.00	
CONTROL 2	0.90	1.00	0.60	0.90	1.00	1.00	0.85	18

* CV = StDev*100/Mean

The survival data were analyzed with the EPA TOXDAT Program. TOXDAT could not calculate an LC_{50} due to 92% control mortality. Data sets were not analyzed because of dilution water (receiving water) toxicity.




FIGURE 1
FLOW CHART FOR STATISTICAL ANALYSIS OF CHRONIC TOXICITY TEST DATA
MODIFIED FROM EPA (1988, 1989)

6. DISCUSSION

The response of a subsample of the fathead minnow larvae population used in this toxicity test to a reference (standard) toxicant (NaCl), as well as survivorship in the laboratory water control showed that the test organisms were in suitable condition for use in toxicity testing. ENSR Environmental Toxicology Lab routinely runs bioassays with a reference toxicant to determine the sensitivity of test organisms. When compared with historical standard toxicant results, these data indicate the similarity in sensitivities of test organism populations at different times and thus the extent to which tests performed with the same species at different times may be considered comparable. All requirements of the prescribed protocol (EPA, 1985a) were adhered to and conditions were maintained within the required limits throughout the test.

7. LITERATURE CITED

Dunnett, C.W. 1955. Multiple comparison procedure for comparing several treatments with a control. J. Amer. Stat. Assoc. 50:1096-1112.

EPA, 1985a. Methods for measuring the acute toxicity of effluents to freshwater and marine organisms. EPA/600/4-85/013. Environmental Monitoring and Support Lab. Cincinnati, Ohio. Third Edition. 216 pp.

EPA, 1985b. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to freshwater organisms. EPA/600/4-85/014. Environmental Monitoring and Support Lab. Cincinnati, Ohio. 162 pp.

EPA, 1988. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to marine and estuarine organisms. Environmental Monitoring and Support Lab. Cincinnati, OH. EPA 600/4-88-028. 417 pp.

EPA, 1989. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to freshwater organisms. Environmental Monitoring and Support Laboratory. Cincinnati, OH. EPA 600/4-89-001. February, 1989. 250 pp.

Snedecor, G.W., and W.G. Cochran. 1980. Statistical Methods. Seventh Edition. Iowa State University Press. Ames. 593 pp.

8. QUALITY ASSURANCE/QUALITY CONTROL CHECKLIST AND CERTIFICATION

ENSR CONSULTING AND ENGINEERING
ENVIRONMENTAL LABORATORY - HOUSTON

QUALITY ASSURANCE / QUALITY CONTROL PROCEDURES CHECKLIST FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST METHOD 1000 (EPA-600/4-85/014, FEB 1989)

(Section numbers in parentheses refer to method section(s) where requirement is discussed.)

	<u>Yes</u>	<u>No</u>
<u>A. Sample Characteristics</u>		
1. Sample quality maintained according to protocol requirements (8.0)?	☒	☐
2. Sample tested within time period required by protocol (8.3.1)?	☒	☐
3. Salinity measured to determine if freshwater (5 ppt) test required?	☒	☐
<u>B. Testing Conditions</u>		
1. Standard toxicant LC ₅₀ is reasonable?	☒	☐
2. <24-48 hr old larvae acclimated (if necessary)	☒	☐
3. Test temperature maintained at 25±1°C?	☒	☐
4. Dissolved oxygen concentration ≥40% saturation?	☒	☐
5. Aeration required?	☒	☒
6. Protocol followed without deviation?	☒	☐
<u>C. Test Acceptability Criteria</u>		
1. Laboratory water controls		
a. Average survival ≥80%?	☒	☐
b. Average dry weight of preserved larvae ≥0.25 mg/fish?	☒	☐
2. Receiving water controls		
a. Average survival ≥80%?	☐	☒
b. Average dry weight of preserved larvae ≥0.25 mg/fish?	NA	☐
3. Coefficient of variation between replicates ≤40% for survival?	☒	☐
4. Coefficient of variation between replicates ≤40% for growth?	☒	☐
<u>D. Report</u>		
1. Report pages are numbered in sequence?	☒	☐
2. Each page contains the sample number?	☒	☐
3. Page numbers listed in the table of contents correspond to pages in the body of the report?	☒	☐


CERTIFICATION

Data presented in this report were derived by methods and materials identified in the section of the report entitled "Methods and Materials," in accordance with the protocol specified by the U.S. Environmental Protection Agency (1985b, 1989). All laboratory practices and procedures were in accordance with ENSR Environmental Toxicology Lab Standard Operating Procedure and the ENSR Environmental Toxicology Lab Standard Operating Procedures Manual, (September 1988, May 1989).

A project notebook was maintained during the testing program, and all data transcribed from the notebook to the report were checked for accuracy by two people.



Hugh Johnson, Section Manager
Freshwater Biomonitoring Section
ENSR Environmental Toxicology Lab



QA/QC Officer,
ENSR Environmental Toxicology Lab

HJ/mr

23-OCT-89

APPENDIX A
Sample Receiving Form

SAMPLE CHECK-IN FORM

SET #1

JECT #: 8615-002-039

VISTA CHEM (EFE)

89270.0

9/11/89

ALINITY :

^{SPR}
~~4.0~~ 4.

✓

8.0

☒ YES

☐ NO

7.3

☒ YES

☐ NO

6.0

☒ YES

☐ NO

DUCTIVITY :

5000

☒ YES

☐ NO

ACK SPOTS :

☐ YES

☒ NO

UL ODOR :

☐ YES

☒ NO

MPLE

☐ POLY

☐ 1 gallon Letica pail

☒ OTHER 5 GAL. CUBE

AINER

☐ GLASS

☐ 500 ml

☐ 1000 ml

☐ OTHER

KIT:

☐ yes

☒ no

ot, describe:

☒ Igloo Cooler

☐ styrofoam cooler

☐

OO ICE:

☐ frozen

☒ cool

☐ warm

☐ no Igloo ice

ORT % (vol/vol):

☐ yes

☒ no

% water

% oil

% solids

pc :

☐ yes

☒ no

Stephen P. Palke

Signed

9/11/89

VVV 000004146

Date

SAMPLE CHECK-IN FORM

SUBJECT #: 8615-002-039

EQ # : 89270.02

DATE : 9/11/89

SALINITY : 2.9 ✓

DO : 4.9 ☒ YES ☐ NO

Oil : 7.3 ☒ YES ☐ NO

EMP °C : 7.0 ☒ YES ☐ NO

CONDUCTIVITY : 3250 ☒ YES ☐ NO

LACK SPOTS : ☐ YES ☒ NO

ODOR : ☐ YES ☒ NO

SAMPLE ☐ POLY ☐ 1 gallon Letica pail ☒ OTHER SEAL CUBE

CONTAINER ☐ GLASS ☐ 500 ml ☐ 1000 ml ☐ OTHER

ICE KIT: ☐ yes ☒ no

not, describe: ☒ Igloo Cooler ☐ styrofoam cooler ☐ _____

COOL ICE: ☐ frozen ☒ cool ☐ warm

☐ no Igloo ice

PURT % (vol/vol): ☐ yes ☒ no

_____ % water _____ % oil _____ % solids

pr : ☐ yes ☒ no

Stephen P. Rabb

Signed

9/11/89

VVV 000004147

Date

SAMPLE CHECK-IN FORM

V. 1011
Set # 2

EFF.

Chronic f.m. + C.d.

Retest C.v. only

86.15 -002 -039

EN 89270.03

DATE : 9/13/89

SALINITY :

5

✓

DO :

8.1

☒ YES

☐ NO

PH :

7.2

☒ YES

☐ NO

TEMP °C :

7

☒ YES

☐ NO

CONDUCTIVITY :

6900

☒ YES

☐ NO

LACK SPOTS :

☐ YES

☒ NO

FOUL ODOR :

☐ YES

☒ NO

SAMPLE ☐ POLY ☐ 1 gallon Letica pail ☐ OTHER 5 gallon cube

CONTAINER ☐ GLASS ☐ 500 ml ☐ 1000 ml ☐ OTHER

WATER KIT: SR ☒ yes ☒ no

IF not, describe: ☒ Igloo Cooler ☐ styrofoam cooler ☐

IGLOO ICE: ☐ frozen ☒ cool ☐ warm

☐ no Igloo ice

STORT % (vol/vol): ☐ yes ☒ no

% water

% oil

% solids

1)0 : ☐ yes ☒ no

A. B. 111

9/13/89

VVV 000004148

SAMPLE CHECK-IN FORM

Vista F3

#:

8615-MZ-D53

Effluent

:

89270.04

VE :

9/15/89

ALINITY :

4

☒ YES

☐ NO

8.6

☒ YES

☐ NO

7.4

°C :

13.6

☒ YES

☐ NO

DUCTIVITY :

5500

☒ YES

☐ NO

RISK SPOTS :

☐ YES

☒ NO

GE DOOR :

☐ YES

☒ NO

AMPLE

☐ POLY

☐ 1 gallon Letica pall

☒ OTHER 12 - Gallons of E.A.

AINER

☐ GLASS

☐ 500 ml

☐ 1000 ml

☐ OTHER

S KIT:

☒ yes

☐ no

not, describe:

☐ Igloo Cooler

☐ styrofoam cooler

☐ _____

OO ICE:

☐ frozen

☒ cool

☐ warm

☐ no Igloo ice

WT % (vol/vol):

☐ yes

☒ no

% water

% oil

% solids

IF :

☐ yes

☒ no

Signed

9/15/89

APPENDIX B
Chain-of-Custody

☐ Lake Charles Chemical Plant

☐ Lake Charles VCM Plant

☐ Lake Charles LAB Plant

R/A Control No. _____

Chain-of-Custody Record

C/C Control No. **01441**

PROJECT NAME/NUMBER Biototoxicity Study

LAB DESTINATION ENSR

SAMPLE TEAM MEMBERS Corkran / Peter

CARRIER/WAYBILL NO. _____

Sample Number	Sample Location and Description	Date and Time Collected	Sample Type	Container Type	Condition on Receipt (Name and Date)	Disposal Destination
1	001 Outfall	9-10-89-01130				
2	001 Outfall	9-10-89/16:45				
3	001 Outfall	9-10-89/20:45				
4	001 out Fall	9-11-89/00:35				
5	001 out Fall	9-11-89/04:35				
6	001 out Fall	9-11-89-0200				

Special Instructions: _____

Possible Sample Hazards: _____

SIGNATURES: (Name, Company, Date and Time)

1. Relinquished By: Bernice Z. Thomas

Received By: Kerby A. Savoir

2. Relinquished By: Ralph J. Ferguson

Received By: Peter

3. Relinquished By: David G. Yoss

Received By: George M. Ben

3. Relinquished By: Ralph J. Ferguson

Received By: David G. Yoss

4. Relinquished By: George M. Ben

Received By: Bernice Z. Thomas

5. Relinquished By: Bernice Z. Thomas

Received By: George M. Ben

The white copy is to be returned to the Environmental Coordinator at the plant of origination after the analysis is completed.

White - To Accompany Samples
Canary - Laboratory Copy
Pink - Sample Team Copy

DATE 9-11-89

VW 000004151

C/C Control

№ 01444

PROJECT NAME/NUMBER

NUMBER Bio Toxicity Testing

LAB DESTINATION

ENSR

SAMPLE TEAM MEMBERS

Cookman Fisher

CARRIER/WAYBILL NO.

[illegible]

Special Instructions:

Possible Sample Hazards:

SIGNATURES: (Name, Company, Date and Time)

1. Relinquished By:

P. P. P. V. 0850 9-11-87

Received By:

Blackman ⁰⁸⁵⁰ Arms 127 9-11-89

3. Relinquished By:

Received By:

2. Relinquished By:

By: [Signature] 0850 PCm 727 12:15 9-11-89

Received By:

W. Harris FNSP 12:15 9-11-80

4. Relinquished By:

Received By:

White - To Accompany Samples
Canary - Laboratory Copy
Pink - Sample Team Copy

The white copy is to be returned to the Environmental Coordinator at the plant of origination after the analysis is completed.

V8-65-X3

000004152

☐ Lake Charles Chemical Plant

☐ Lake Charles VCM Plant

☐ Lake Charles LAB Plant

R/A Control No. _____

C/C Control No. **01445**

Chain-of-Custody Record

PROJECT NAME/NUMBER

Bioactivity Study

LAB DESTINATION

ENSR

SAMPLE TEAM MEMBERS

Corkran / Fetzer

CARRIER/WAYBILL NO. _____

Sample Number	Sample Location and Description	Date and Time Collected	Sample Type	Container Type	Condition on Receipt (Name and Date)	Disposal Destination
—	Bayou Verdine	9-11-89	Grab	Plastic		
	Sample upstream from the	0830				
	Vaughn Road Bridge					

Special Instructions: _____

Possible Sample Hazards: _____

SIGNATURES: (Name, Company, Date and Time)

1. Relinquished By:

P. Fetzer USA 9-11-89 0850

3. Relinquished By: _____

Received By:

N. Blumhagen ACEN 9-11-89 0850

Received By: _____

2. Relinquished By:

N. Blumhagen ACEN 9-11-89 12:15

4. Relinquished By: _____

Received By:

ENSR 9-11-89 12:15 pm

Received By: _____

White - To Accompany Samples
Canary - Laboratory Copy
Pink - Sample Team Copy

The white copy is to be returned to the Environmental Coordinator at the plant of origination after the analysis is completed.

☐ Lake Charles Chemical Plant

☐ Lake Charles VCM Plant

☐ Lake Charles LAB Plant

R/A Control No. _____

C/C Control No. **01448**

Chain-of-Custody Record

PROJECT NAME/NUMBER Biototoxicity Study

LAB DESTINATION EN3R

SAMPLE TEAM MEMBERS S. Corkran P. Zepf

CARRIER/WAYBILL NO. _____

Sample Number	Sample Location and Description	Date and Time Collected	Sample Type	Container Type	Condition on Receipt (Name and Date)	Disposal Destination
1	001 Outfall	9-12-89/1350				
2	001 outfall	9-12-89/1915				
3	001 outfall	9-13-89 0150				
4	001 outfall	9-13-89-0700				

Special Instructions: _____

Possible Sample Hazards: _____

SIGNATURES: (Name, Company, Date and Time)

1. Relinquished By: L.D. Johnson 1350 9-12-89
Received By: Sue Didiot 1300 9-12-89
2. Relinquished By: Mary Riddick 1915 9-12-89
Received By: Doris Smith 1915 9-12-89

3. Relinquished By: David H. Gert 0150 9-13-89
Received By: George M. Don 0150 9-13-89
4. Relinquished By: Bernice Z. Thomas 0700-9-13-89
Received By: Paul Zepf 0730 -9-13-89

VVV 000004154

VR 65 Y7

The white copy is to be returned to the Environmental Coordinator at the plant of origination after the analysis is completed.

White - To Accompany Samples
Canary - Laboratory Copy
Pink - Sample Team Copy

☐ Lake Charles LAB Plant

C/C Control No 01450'

LAB DESTINATION ENSR

CARRIER/WAYBILL NO. _____

Received By: _____

V8-65-X3

VVV 000004155

☐ Lake Charles Chemical Plant

☐ Lake Charles VCM Plant

☐ Lake Charles LAB Plant

R/A Control No. _____

C/C Control No. **01451**

Chain-of-Custody Record

PROJECT NAME/NUMBER Protovicity

LAB DESTINATION ENSR

SAMPLE TEAM MEMBERS Corkran - Ector

CARRIER/WAYBILL NO. _____

Sample Number	Sample Location and Description	Date and Time Collected	Sample Type	Container Type	Condition on Receipt (Name and Date)	Disposal Destination
1	SECONDARY WASTE	9-14-89				
3	Secondary Waste #5001	9-15-89/0045				

Special Instructions: _____

Possible Sample Hazards: _____

SIGNATURES: (Name, Company, Date and Time)

1. Relinquished By: L.D. Johnson 9-14-89 1152

Received By: S. Dedeht 9-14-89 1152

2. Relinquished By: Mary Ridds 9-14-89 1830

Received By: Doris Smith 9-14-89 1830

3. Relinquished By: David M. Hess 9-15-89 0100

Received By: Pat Peterson 9-15-89 0100

4. Relinquished By: Robert L. Hering 9-15-89 0700

Received By: Doris Smith 9-15-89 0700

White - To Accompany Samples
Canary - Laboratory Copy
Pink - Sample Team Copy

The white copy is to be returned to the Environmental Coordinator at the plant of origination after the analysis is completed.

C/C Control No 01453

PROJECT NAME/NUMBER Bio Toxicity

LAB DESTINATION ENSIR

SAMPLE TEAM MEMBERS Lorkr m - Fctar -

CARRIER/WAYBILL NO. _____

[illegible]

Special Instructions: Don't forget to run the metals analyses

Possible Sample Hazards: _____

SIGNATURES: (Name, Company, Date and Time)

1. Relinquished By: PT Fehr Vista 9-15-89 @ 900

Received By: W. J. Adams Adms 9-15-89 0900

2. Relinquished By: W. L. Williams, Jr. 9-15-89 11:45 AM

Received By: Stephen V. Kalka 7/15/87 1145

3. Relinquished By: 1/1/19

Received By: 14.2/17/92

4. Relinquished By: _____

Received By: _____

White - To Accompany Samples
Canary - Laboratory Copy
Pink - Sample Team Copy

The white copy is to be returned to the Environmental Coordinator at the plant of origination after the analysis is completed.

000004151

APPENDIX C

Chemical Analysis of Tap Water, Deionized
Water, and Saltwater Used in ENSR
Environmental Toxicology Lab - Houston

VVV 000004158

Chemical analysis of tap water, deionized water, and saltwater used in ENSR Environmental Laboratory. Specific analytical references, detection limits and QA/QC results are available upon request. N.D. = Not Detected and N.M. = Not Measured.

PARAMETER	Units	Tap Water	Deionized Water	Saltwater (25 ‰)
<u>Inorganic Parameters</u>				
Alkalinity	mg/L	210	4	62
Hardness	mg/L	100	N.D.	4000
TDS	mg/L	280	N.D.	20,000
TSS	mg/L	N.D.	N.D.	4
Ammonia	mg/L	1.1	N.M.	N.M.
<u>ICP Metals/Elements</u>				
Aluminum	µg/L	N.D.	N.M.	N.D.
Cadmium	µg/L	N.D.	N.M.	N.D.
Hexavalent Chromium	mg/L	N.D.	N.M.	N.D.
Copper	µg/L	.04	N.D.	.03
Iron	µg/L	0.4	0.08	0.06
Lead	µg/L	N.D.	N.M.	53.4
Manganese	µg/L	4.4	N.M.	N.D.
Mercury	µg/L	N.D.	N.M.	N.D.
Selenium	µg/L	N.D.	N.M.	N.D.
Zinc	µg/L	N.D.	0.3	N.D.
<u>ORGANOCHLORINE, Pesticides</u>				
ALPHA-BHC	µg/L	N.D.	N.M.	N.M.
BETA-BHC	µg/L	N.D.	N.M.	N.M.
DELTA-BHC	µg/L	N.D.	N.M.	N.M.
GAMMA-BHC (LINDANE)	µg/L	N.D.	N.M.	N.M.
HEPTACHLOR	µg/L	N.D.	N.M.	N.M.
ALDRIN	µg/L	N.D.	N.M.	N.M.
HEPTACHLOR EPOXIDE	µg/L	N.D.	N.M.	N.M.
ENDOSULFAN I	µg/L	N.D.	N.M.	N.M.
DIELDRIN	µg/L	N.D.	N.M.	N.M.
4,4'-DDE	µg/L	N.D.	N.M.	N.M.
ENDRIN	µg/L	N.D.	N.M.	N.M.
ENDOSULFAN II	µg/L	N.D.	N.M.	N.M.
4,4'-DDD	µg/L	N.D.	N.M.	N.M.
ENDRIN ALDEHYDE	µg/L	N.D.	N.M.	N.M.
ENDOSULFAN SULFATE	µg/L	N.D.	N.M.	N.M.
4,4'-DDT	µg/L	N.D.	N.M.	N.M.
ENDRIN KETONE	µg/L	N.D.	N.M.	N.M.
METHOXYCHLOR	µg/L	N.D.	N.M.	N.M.
TOXAPHENE	µg/L	N.D.	N.M.	N.M.
AROCLOR-1016	µg/L	N.D.	N.M.	N.M.
AROCLOR-1221	µg/L	N.D.	N.M.	N.M.
AROCLOR-1232	µg/L	N.D.	N.M.	N.M.
AROCLOR-1242	µg/L	N.D.	N.M.	N.M.
AROCLOR-1248	µg/L	N.D.	N.M.	N.M.
AROCLOR-1254	µg/L	N.D.	N.M.	N.M.
AROCLOR-1260	µg/L	N.D.	N.M.	N.M.

PARAMETER	Units	Tap Water	Deionized Water	Saltwater (25 ‰)
<u>Organic Parameters, Volatiles</u>				
Chloromethane	µg/L	N.D.	N.D.	N.M.
Bromomethane	µg/L	N.D.	N.D.	N.M.
Vinyl Chloride	µg/L	N.D.	N.D.	N.M.
Chloroethane *	µg/L	*	N.D.	N.M.
Methylene Chloride	µg/L	N.D.	N.D.	N.M.
1,1-Dichloroethane	µg/L	N.D.	N.D.	N.M.
1,1-Dichloroethane	µg/L	N.D.	N.D.	N.M.
1,2-Dichloroethene (total)	µg/L	N.D.	N.D.	N.M.
Chloroform	µg/L	N.D.	N.D.	N.M.
1,2-Dichloroethane	µg/L	N.D.	N.D.	N.M.
1,1,1-Trichloroethane	µg/L	N.D.	N.D.	N.M.
Carbon Tetrachloride	µg/L	N.D.	N.D.	N.M.
Bromodichloromethane	µg/L	N.D.	N.D.	N.M.
1,2-Dichloropropane	µg/L	N.D.	N.D.	N.M.
Cis-1,3-Dichloropropene	µg/L	N.D.	N.D.	N.M.
Trichloroethene	µg/L	N.D.	N.D.	N.M.
Dibromochloromethane	µg/L	N.D.	N.D.	N.M.
1,1,2-Trichloroethane	µg/L	N.D.	N.D.	N.M.
Benzene	µg/L	N.D.	N.D.	N.M.
Trans-1,3,-Dichloropropene	µg/L	N.D.	N.D.	N.M.
2-Chloroethylvinylether	µg/L	N.D.	N.D.	N.M.
Bromoform	µg/L	N.D.	N.D.	N.M.
Tetrachloroethene	µg/L	N.D.	N.D.	N.M.
1,1,2,2-Tetrachloroethane	µg/L	N.D.	N.D.	N.M.
Tolvene	µg/L	N.D.	N.D.	N.M.
Chlorobenzene	µg/L	N.D.	N.D.	N.M.
Ethylbenzene	µg/L	N.D.	N.D.	N.M.
Trichlorofluoromethane	µg/L	N.D.	N.D.	N.M.

*Compound is present, but below the detection limit (10 µg/L).

Organic Parameters: Phthalate Esters

Dimethyl Phthalate	µg/L	N.M.	N.M.	N.D.
Diethyl Phthalate	µg/L	N.M.	N.M.	N.D.
DI-N-Butyl Phthalate	µg/L	N.M.	N.M.	N.D.
Butyl Benzyl Phthalate	µg/L	N.M.	N.M.	N.D.
Bis(2-Ethylhexyl)Phthalate	µg/L	N.M.	N.M.	N.D.
DI-N-Octyl Phthalate	µg/L	N.M.	N.M.	N.D.

Organic Parameters, Semivolatiles (Method 625)

Benzo(k)fluoranthene	µg/L	N.D.	N.D.	N.D.
bis(2-Chloroethoxy)methane	µg/L	N.D.	N.D.	N.D.
bis(2-Chloroethyl)ether	µg/L	N.D.	N.D.	N.D.
bis(2-Chloroisopropyl)ether	µg/L	N.D.	N.D.	N.D.
bis(2-Ethylhexyl)phthalate	µg/L	N.D.	N.D.	N.D.
4-Bromophenyl phenyl ether	µg/L	N.D.	N.D.	N.D.
Butyl benzyl phthalate	µg/L	N.D.	N.D.	N.D.
2-Chloronaphthalene	µg/L	N.D.	N.D.	N.D.
4-Chlorophenyl phenyl ether	µg/L	N.D.	N.D.	N.D.
Chrysene	µg/L	N.D.	N.D.	N.D.

PARAMETER	Units	Tap Water	Deionized Water	Saltwater (25 ‰)
Dibenzo(a,h)anthracene	µg/L	N.D.	N.D.	N.D.
1,2-Dichlorobenzene	µg/L	N.D.	N.D.	N.D.
1,3-Dichlorobenzene	µg/L	N.D.	N.D.	N.D.
1,4-Dichlorobenzene	µg/L	N.D.	N.D.	N.D.
3,3'-Dichlorobenzidine	µg/L	N.D.	N.D.	N.D.
Diethyl phthalate	µg/L	N.D.	N.D.	N.D.
Dimethyl phthalate	µg/L	N.D.	N.D.	N.D.
Di-n-butyl phthalate	µg/L	N.D.	N.D.	N.D.
2,4-Dinitrotoluene	µg/L	N.D.	N.D.	N.D.
2,6-Dinitrotoluene	µg/L	N.D.	N.D.	N.D.
Di-n-octyl phthalate	µg/L	N.D.	N.D.	N.D.
1,2-Diphenylhydrazine	µg/L	N.D.	N.D.	N.D.
Fluoranthene	µg/L	N.D.	N.D.	N.D.
Fluorene	µg/L	N.D.	N.D.	N.D.
Hexachlorobenzene	µg/L	N.D.	N.D.	N.D.
Hexachlorobutadiene	µg/L	N.D.	N.D.	N.D.
Hexachlorocyclopentadiene	µg/L	N.D.	N.D.	N.D.
Hexachloroethane	µg/L	N.D.	N.D.	N.D.
Indeno(1,2,3-c,d)pyrene	µg/L	N.D.	N.D.	N.D.
Isophorone	µg/L	N.D.	N.D.	N.D.
Naphthalene	µg/L	N.D.	N.D.	N.D.
Nitrobenzene	µg/L	N.D.	N.D.	N.D.
N-Nitroso-dipropylamine	µg/L	N.D.	N.D.	N.D.
N-Nitrosodiphenylamine	µg/L	N.D.	N.D.	N.D.
Phenanthrene	µg/L	N.D.	N.D.	N.D.
Pyrene	µg/L	N.D.	N.D.	N.D.
1,2,4-Trichlorobenzene	µg/L	N.D.	N.D.	N.D.
2-Chlorophenol	µg/L	N.D.	N.D.	N.D.
2,4-Dichlorophenol	µg/L	N.D.	N.D.	N.D.
2,4-Dimethylphenol	µg/L	N.D.	N.D.	N.D.
4,6-Dinitro-2-methylphenol	µg/L	N.D.	N.D.	N.D.
2,4-Dinitrophenol	µg/L	N.D.	N.D.	N.D.
2-Nitrophenol	µg/L	N.D.	N.D.	N.D.
4-Nitrophenol	µg/L	N.D.	N.D.	N.D.
4-Chloro-3-methylphenol	µg/L	N.D.	N.D.	N.D.
Pentachlorophenol	µg/L	N.D.	N.D.	N.D.
Phenol	µg/L	N.D.	N.D.	N.D.
2,4,6-Trichlorophenol	µg/L	N.D.	N.D.	N.D.

VVV 000004161

APPENDIX D
Initial Characterization of Effluent and Receiving Water

VVV 000004162

Initial characterization of effluent and receiving water upon receipt and prior to mixing test concentrations.

Sample (Date Rec'd)	Alkalinity (mg/L as CaCO ₃)	Hardness	Conductivity (μmhos/cm)	Temp. (°C)	pH (units)	D.O. (mg/L)	NH ₃ (mg/L)
<u>Effluent¹</u>							
EN89270.01 (9/11/89)	175	2674	5000	6.0	7.3	8.0	0.05
EN89270.03 (9/13/89)	164	2546	6900	7.0	7.2	8.1	0.26
EN89270.04 (9/15/89)	171	2525	5500	13.6	7.4	8.6	<0.01
<u>Receiving Water²</u>							
EN89270.02 (9/11/89)	155	1616	3250	7.0	7.3	4.9	0.05

¹Effluent is Vista Chemical Company, VCM Plant Outfall No.

²Dilution Water is Receiving Water.

³Receiving water is Bayou Verdine..

7
7
7
7
7
9
7
1
1
1
1
1
1
1
1
1

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

EPA METHOD No: 1000.00
ENSR EL/Houston SOP No. 2; Revision 00, 9/88

ENSR EL/HOUSTON PROJECT No. 8615-002-039

ENSR EL/HOUSTON SAMPLE ID No.'s

EFFLUENT	<u>EN89270.01</u>	RECEIVING	<u>EN89270.02</u>
	<u>EN89270.03</u>	WATERS	<u>EN89270.02</u>
	<u>EN89270.04</u>		<u>EN89270.02</u>

DATE OF TEST: 9/11 - 9/18
TIME OF TEST: 1730 - 1630

RESULTS CHECKED BY:

☐ H-5
☐ Stephen P. Kelly
☐ 1722

Page: _____ of _____
ENSR EL/H Form No.: 001
Revision: 01
Revision Date: 3/89

270

VVV 000004165

Y

SAMPLE LOG

CLIENT VISTA CHEMICAL

PROJECT NO. 8615-002-039

	<u>Sampling Period #1</u>	<u>Sampling Period #2</u>	<u>Sampling Period #3</u>
Sample ID (Effluent)	<u>EN89270.01</u>	<u>EN89270.03</u>	<u>EN89270.04</u>
Sample ID (Dilution)	<u>EN89270.02</u>	<u>EN89270.02</u>	<u>EN89270.02</u>
Date Rec'd:	<u>9/11</u>	<u>9/13</u>	<u>9/15</u>
Date(s) Used:	<u>9/11</u>	<u>9/14</u>	<u>9/16</u>
	<u>9/12</u>	<u>9/15</u>	<u>9/17</u>
	<u>9/13</u>		

Source of Dilution Water: RECEIVING WATER (CONTROL #1)
 Notes: CONTROL #2 - MHLW

Volumes of Effluent and dilution water (Receiving Water/Reconstituted Culture Water) used in preparation of test solutions.

Effluent Conc(%)	Effluent (ml)	Dilution Water (ml)	Total Vol. Prepared (ml)
0%	0	4000	4000
26%	1040	2960	"
52%	2080	1920	"
59%	2360	1640	"
67%	2680	1320	"
76%	3040	960	"
86%	3440	560	"
100%	4000	0	"

Signed: Stephen P. Dalke

CONC	TEST CONT. LETTER	NO. OF SURVIVING ORGANISMS										CONDUCTIVITY (umhos) NEW SOLUTIONS ONLY						(Meter: <u>Y3E</u>)	COMMENTS
		0	1	2	3	4	5	6	7			0	1	2	3	4	5	6	
0%	A	10	10	10	10	10	10	10	10	7		5000	5100	5200	5300	5400	5500	5600	
	B	10	10	10	10	10	10	10	10	6									
	C	10	10	10	10	10	10	10	10	5									
	D	10	10	10	10	10	10	10	10	4									
26%	A	10	10	10	10	10	10	10	10	3		6500	6600	6700	6800	6900	7000	7100	
	B	10	10	10	10	10	10	10	10	2									
	C	10	10	10	10	10	10	10	10	1									
	D	10	10	10	10	10	10	10	10	0									
52%	A	10	10	10	10	10	10	10	10	0		7000	7100	7200	7300	7400	7500	7600	
	B	10	10	10	10	10	10	10	10	0									
	C	10	10	10	10	10	10	10	10	0									
	D	10	10	10	10	10	10	10	10	0									
59%	A	10	10	10	10	10	10	10	10	0		7000	7100	7200	7300	7400	7500	7600	
	B	10	10	10	10	10	10	10	10	0									
	C	10	10	10	10	10	10	10	10	0									
	D	10	10	10	10	10	10	10	10	0									
67%	A	10	10	10	10	10	10	10	10	0		7200	7300	7400	7500	7600	7700	7800	
	B	10	10	10	10	10	10	10	10	0									
	C	10	10	10	10	10	10	10	10	0									
	D	10	10	10	10	10	10	10	10	0									
76%	A	10	10	10	10	10	10	10	10	0		7200	7300	7400	7500	7600	7700	7800	
	B	10	10	10	10	10	10	10	10	0									
	C	10	10	10	10	10	10	10	10	0									
	D	10	10	10	10	10	10	10	10	0									
86%	A	10	10	10	10	10	10	10	10	0		7200	7300	7400	7500	7600	7700	7800	
	B	10	10	10	10	10	10	10	10	0									
	C	10	10	10	10	10	10	10	10	0									
	D	10	10	10	10	10	10	10	10	0									
100%	A	10	10	10	10	10	10	10	10	0		8200	8300	8400	8500	8600	8700	8800	
	B	10	10	10	10	10	10	10	10	0									
	C	10	10	10	10	10	10	10	10	0									
	D	10	10	10	10	10	10	10	10	0									
CTRL# 2	A	10	10	10	10	10	10	10	10	0		580	600	620	640	660	680	700	
	B	10	10	10	10	10	10	10	10	0									
	C	10	10	10	10	10	10	10	10	0									
	D	10	10	10	10	10	10	10	10	0									
METER NO		711	712	713	714	715	716	717	718										
DATE		7/11	7/12	7/13	7/14	7/15	7/16	7/17	7/18										
TIME		1230	1400	1545	1700	1845	2000	2145	2300										
INITIALS		SPR	SPR	SPR	SPR	SPR	SPR	SPR	SPR										

EN89270

CONC	TEST CONT. LETTER	DISSOLVED OXYGEN (mg/L) (er: VSL)								COMMENTS:							
		*1		*2		*3		*4		*5		*6		*7		*8	
		NEW	OLD	NEW	OLD	NEW	OLD	NEW	OLD	NEW	OLD	NEW	OLD	NEW	OLD	NEW	OLD
0%	A	6.0	7.6	7.6	6.7	4.8	7.2	8.2	7.0	7.5	7.2	8.0	7.1	6.6	6.6		
	B																
	C																
	D																
26%	A	6.8	7.4	7.6	6.6	8.5	7.2	8.1	6.9	7.3	6.8	7.8	6.3	6.8	6.8		
	B																
	C																
	D																
52%	A	7.8	7.2	7.5	6.4	7.2	7.3	8.4	6.8	7.5	7.0	8.2	6.5	6.6	6.6		
	B																
	C																
	D																
59%	A	7.6	7.4	7.4	6.2	4.5	7.0	8.1	6.5	7.5	7.2	8.0	6.3				
	B																
	C																
	D																
67%	A	8.1	7.5	7.7	6.4	8.0	7.1	8.2	6.0	7.5	6.8	7.9	6.7				
	B																
	C																
	D																
76%	A	8.2	7.4	7.6	6.4	8.2	7.4	8.2	6.3								
	B																
	C																
	D																
86%	A	9.0	7.6	7.6	6.4												
	B																
	C																
	D																
100%	A	8.0	7.3	7.4	6.1												
	B																
	C																
	D																
CTRL #1	A	6.5	6.2	7.6	7.2	7.9	6.8	7.7	7.3	7.3	7.0	8.0	6.8	6.6	6.6		
	B																
	C																
	D																
METER NO		2	2	1	1	1	1	3	2	3	3	3	3	2	2		

* SAMPLES WERE
AERATED FOR
~~APPROX.~~ APPROX.
10 MIN. BEFORE
D.O.'S WERE TAKEN
SPR

CONC	TEST CONT. LETTER	pH (Meter: ORION) NEW SOLUTIONS ONLY							TEMPER. RE (°C) (Meter: ORION) NEW SOLUTIONS ONLY							COMMENTS
		0	1	2	3	4	5	6	0	1	2	3	4	5	6	
0%	A	7.2	7.2	7.5	7.1	7.3	8.1	8.1	24.1	25.8	25.8	25.8	25.5	25.8	25.8	
	B															
	C															
	D															
26%	A	7.4	7.1	7.3	7.1	7.2	8.0	7.9	24.1	25.8	25.8	25.8	25.9	25.5	25.8	
	B															
	C															
	D															
52%	A	7.2	7.2	7.3	7.1	7.2	8.1	8.0	24.2	25.8	25.8	25.9	25.9	25.5	25.8	
	B															
	C															
	D															
59%	A	7.5	7.2	7.3	7.1	7.2	8.1	8.0	24.1	25.8	25.8	25.9	25.9	25.5	25.8	
	B															
	C															
	D															
67%	A	7.5	7.3	7.4	7.1	7.2	8.0	7.9	24.0	25.8	25.8	25.9	25.9	25.5	25.8	
	B															
	C															
	D															
76%	A	7.5	7.3	7.3	7.2	7.2	-	-	24.3	25.8	25.8	25.9	25.9	25.5	-	
	B															
	C															
	D															
86%	A	7.6	7.3	7.4	7.2	-	-	-	24.5	25.8	25.8	25.9	25.9	25.5	-	
	B															
	C															
	D															
100%	A	7.6	7.3	7.4	7.1	-	-	-	25.0	25.8	25.8	25.9	25.9	25.5	-	
	B															
	C															
	D															
Control #2	A	8.4	8.1	8.1	8.5	8.5	8.7	8.6	24.1	25.8	25.8	25.9	25.9	25.5	25.8	
	B															
	C															
	D															
METER NO		7	7	7	7	7	7	7	7	2	7	2	7	7	7	

OBSERVATION: SAMPLE WEIGHT

DATE:

Test Organism: P. promelas Species Source Lot No. EE89174

Dried in Oven: to

Conc (%)	Rep	Boat #	TARE (gm)	GROSS (gm)	NET (gm)	No of Fish	Wt/fish (mg)	Notes
Control	A	25	.0088	.0093		1	0.50	
	B	26	.0097	.0097		1		
	C	27	.0112	.0113		1		
	D	28	.0112	.0113		1		
CTRL #1 0%	A	29	.0081	.0109	.0028	9	.31	
	B	30	.0098	.0134		10	0.36	
	C	31	.0095	.0113		6	0.30	
	D	32	.0079	.0101		9	0.24	
CTRL #2	A							Avg 0.30
	B							
	C							
	D							
	A							
	B							
	C							
	D							
	A							
	B							
	C							
	D							
	A							
	B							
	C							
	D							
	A							
	B							
	C							
	D							
	A							
	B							
	C							
	D							
	A							
	B							
	C							
	D							
	A							
	B							
	C							
	D							
Initials								