

This copy for Dr. M. F. Jones

PLAINTIFF'S
EXHIBIT
AL-1627



December 23, 1974

Mr. H. L. Kurtz
Occupational Safety and Health Administration
1015 Jackson Keller Road
San Antonio, Texas 78213

Dear Mr. Kurtz,

At Mr. Ray Skinner's (OSHA, Corpus Christi) request, and in accordance with my December 13, 1974 letter to you, the following is a description of the procedure used to conclude the use of asbestos containing materials and to clean up the area (54E quonset bldg.) where Johns-Manville 7M-90 and molasses were previously mixed:

1. On November 22, during the evening shift, a worker used a Dustfoe respirator and disposable coveralls.
2. Removed and dismantled the wooden Johns-Manville 7M-90 mixing box.
3. Removed metal mixing box.
4. The above mix boxes were discarded in the special Marinite disposal Dempster bucket.
5. The remaining four sacks of Johns-Manville 7M-90 were discarded into the special Marinite disposal bucket. (The one open sack was put into a plastic bag and similarly disposed.)
6. The walls and floor were thoroughly cleaned and washed down.
7. The clean-up dirt and trash were deposited in plastic bags.
8. All plastic bags were sealed with tape, marked and deposited in the special Marinite disposal bucket.
9. The above debris was dumped into the special waste pit for asbestos containing materials.
10. On Saturday, November 23, 1974, a crew removed and similarly disposed the remaining stores Johns-Manville 7M-90 inventory. (some 30 to 40 bags)

APC 004539

11. The asbestos containing waste in the special asbestos area in Alcoa's solid waste disposal site was promptly covered with land fill.

12. The use of Johns-Manville 7M-90 was officially discontinued November 25, 1974. A substitute asbestos free material is currently being used.

If we can be of further assistance please advise.

Sincerely,

Rudy E. Podhora
Environmental Control & Industrial
Hygienist
Point Comfort Operations

REP/eg

bcc: Mr. R. G. Kuerner
Mr. F. A. Sharkey
Mr. F. J. Mabry
Mr. W. W. Browne
Mr. C. L. Green
→ Dr. M. F. Jones
Mr. L. E. Gibson

route one copy: Mr. O. L. Royer/ Dr. L. F. Brennecke/A. A. Rambikur

route one copy: Mr. W. Martin Hillis

route one copy: Mr. Norris Neeley/Mr. Cliff Watson

APC 004540