

Monsanto

FROM (NAME & LOCATION) R. L. Whitehead - Texas City (3676)

PLAINTIFF'S EXHIBIT

MON-2164

on top of P. 2
Bub

DATE September 16, 1983
SUBJECT Tech Center Safety Committee
September 15, 1983 Meeting Minutes
REFERENCE

cc: R. Baca
D. N. Campbell
A. H. Conrad
R. M. Fritz
R. T. Hammann
W. M. Haynes
W. G. Howe
W. G. Juhl
W. W. Latimer
L. C. McCune
A. M. Patterson
M. A. Riddle
G. L. Wofford

TO : J. H. Cross
J. Garton
J. R. McGinty

SAFETY & HOUSEKEEPING INSPECTIONS

There are three inspections coming up in October which the Tech Center needs to prepare for.

- 1) PT Semi-Annual Inspection ----- October 10
TCSC will assign inspectors
and conduct inspection of
Labs and Office Annex.
- 2) S&PP Survey ----- October 13
TCSC will provide tour
guides for Lab inspection.
- 3) Annual Safety & Housekeeping
Inspection ----- October 26
TCSC will make a five
minute presentation to
inspectors before touring
the Lab.

PLANT LABORATORY AUDITS

John Garton has prepared the audit check list. All requests for Lab inspections should be made to Jay Cross (3673).

SC 001687

LAM002889

September 16, 1983

FAILURE OF PLASTIC ACETONE CONTAINERS

Safety has ruled that plastic containers larger than one quart for storage of solvents is unacceptable. A TCSC bulletin will be issued.

DISPOSAL OF LAB CHEMICAL WASTES

Our Library has a book by the National Academy of Sciences on disposal of lab chemical wastes. A new revised edition has been ordered and will be available soon.

RESEARCH II BUILDING CONSTRUCTION

Construction in the Research II lobby near the large conference room will begin this month. Building access thru the lobby doors will be limited. Be advised!

RESEARCH II BUILDING EVACUATION ALARM TEST

J. R. McGinty will coordinate a test of the revised building evacuation alarms in the near future.

NEXT MEETING

The next TCSC meeting will be held October 20, 1983 in Research I conference room at 8:30 am.

R. L. Whitehead

R. L. Whitehead

trb

SC

001688

LAM002890