PACKAGE TICKET (DRY AND PASTE ONLY)

CODE YT808 LOT 37345

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
	18	2244	13	
	STUMP	Lumpwit	2199	

TOTAL NET WT. 2244 PKG. N-CODE

PROD. SPVR.	DATE	WHSE. OPER.
[illegible]	10/9	292

O.T

134.+
114.+
132.+
134.+
135.+
119.+
117.+
133.+
147.+
121.+
129.+
130.+
147.+
132.+
120.+
131.+
154.+
15.+
2244.T

N35194

DUP050108104

33/106

CG 46 CODE YT-808-D PKG. ____

→ OCT 3 80 37345

EST. WGT. 2238 LBS.

228

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
YT-808-D (D)	EWK 9/28/77
	BBK 10/17/77
	DCG 10/17/77
TYPED BY	
JLC 10/26/77	

MAKING NOTES

REMARKS

ME: DALAMAR® YELLOW

BLEEDING

-PRESSING-

INSTRUCTIONS						RECORD					
T	106					PRESSLOAD	1ST	2ND	3RD	4TH	5TH
TE	10/4/80	TM				STARTED	5PM				
ME	2:30					CAKES USED	62				
LEASED BY						WATER ON	9PM				
ESS	32	33	35			HRS. WASHED	7				
. OF CAKES	60	62	60			OHMS	4000				
ESS	WITHOUT	AGITATION				HRS. WASHED					
SH TO	4000	OHMS	with 35-75°F water			OHMS					
ST AFTER	4	HOURS				HRS. WASHED					
AD	on 9 cars					OHMS					
						CAKE CONDITION					
						NO. CARS LOADED	9				
						EXPLAIN LOSSES					

MPLES

ELIVER TO

SAMPLED BY RELEASED BY

-DRYING-

DRY 24 HOURS AT 200°F

LUMP: - OK - WET - SALTS - CONTAMINAT

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS 16

MPLES

ELIVER TO

NO. CARS PULLED LUMP WGT. 2199

SAMPLED BY RELEASED BY BLL

-GRINDING-

LL 4 or 10 HSP 1/8"RB SCREEN 3500 RPM

AX. TEMP. 190 °F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

AMPLE WITHOUT MIXING

AMPLES 1 env + 1 Pint can

ELIVER TO C T L

DATE MIXED 10-9-80

SAMPLED BY 1174 RELEASED BY

DUP050108105

33
106

37345
124
51

1.55	+
0.14	-
1.60	+
0.14	-
1.45	+
0.14	-
1.60	+
0.14	-
1.56	+
0.14	-
1.45	+
0.14	-
1.57	+
0.14	-
1.66	+
0.14	-
1.58	+
0.14	-
1.61	+
0.14	-
1.49	+
0.14	-
1.50	+
0.14	-
1.65	+
0.14	-
1.63	+
0.14	-
1.50	+
0.14	-
0.83	+
0.14	-
21.99	*

DWP-9-CARS-16 DRUMS