

Message

---

**From:** Bostick, Thomas [TBostick@dna.com]  
**Sent:** 6/2/2018 3:12:43 PM  
**To:** Beck, Nancy [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=168ecb5184ac44de95a913297f353745-Beck, Nancy]  
**Subject:** EUP  
**Attachments:** Oficio Oxitec PDF.PDF

Dear Nancy, greetings and trust that you and the EPA team are well.

I appreciate the ongoing efforts by EPA to process our EUP and Section 3 requests. Given all of the comments on the EUP, I wanted to be sure that you saw the attached letter from Health Secretary Pedro Mello from Piracicaba, Brazil. Following submission to the EUP docket, Secretary Pedro Mello provided my team with this courtesy copy that I'd also like to share with you. As noted in Secretary Mello's letter, we have successfully and safely deployed our OX513A mosquitoes in Piracicaba over the last few years.

Thank you again!

Best,  
Tom

**Thomas P Bostick, PhD, PE, NAE**

Chief Operating Officer

**intrexon**

20374 Seneca Meadows Pkwy | Germantown, MD 20876

M: [REDACTED] | O: XXX-XXX-XXXX | [tbostick@dna.com](mailto:tbostick@dna.com)



[www.dna.com](http://www.dna.com)

---

CONFIDENTIAL TRANSMISSION - To the extent this electronic communication or any of its attachments contain information that is not in the public domain, such information is considered by Intrexon Corporation to be confidential and proprietary. This communication is expected to be read and/or used only by the individual(s) for whom it is intended. If you have received this electronic communication in error, please reply to the sender advising of the error in transmission and delete the original message and any accompanying documents from your system immediately, without copying, reviewing or otherwise using them for any purpose. Thank you for your cooperation.