

Exhibit 29

PLAINTIFF'S
EXHIBIT

WH-973

EQUIPMENT LISTS

Items approved or accepted under Marine
Inspection and Navigation Laws

AUGUST 1, 1972

DEPARTMENT OF TRANSPORTATION

UNITED STATES COAST GUARD

CG-190

W75
FILED

FEB 8 1995

Vanderveer
DEPUTY CLERK

424-010

164.006 DECK COVERINGS

NOTE.—The Information Noted are approved for Class A-60 deck construction unless otherwise noted.

a. b. c. d. e. f. g. h. i. j. k. l. m. n. o. p. q. r. s. t. u. v. w. x. y. z. aa. ab. ac. ad. ae. af. ag. ah. ai. aj. ak. al. am. an. ao. ap. aq. ar. as. at. au. av. aw. ax. ay. az. ba. bb. bc. bd. be. bf. bg. bh. bi. bj. bk. bl. bm. bn. bo. bp. bq. br. bs. bt. bu. bv. bw. bx. by. bz. ca. cb. cc. cd. ce. cf. cg. ch. ci. cj. ck. cl. cm. cn. co. cp. cq. cr. cs. ct. cu. cv. cw. cx. cy. cz. da. db. dc. dd. de. df. dg. dh. di. dj. dk. dl. dm. dn. do. dp. dq. dr. ds. dt. du. dv. dw. dx. dy. dz. ea. eb. ec. ed. ee. ef. eg. eh. ei. ej. ek. el. em. en. eo. ep. eq. er. es. et. eu. ev. ew. ex. ey. ez. fa. fb. fc. fd. fe. ff. fg. fh. fi. fj. fk. fl. fm. fn. fo. fp. fq. fr. fs. ft. fu. fv. fw. fx. fy. fz. ga. gb. gc. gd. ge. gf. gg. gh. gi. gj. gk. gl. gm. gn. go. gp. gq. gr. gs. gt. gu. gv. gw. gx. gy. gz. ha. hb. hc. hd. he. hf. hg. hh. hi. hj. hk. hl. hm. hn. ho. hp. hq. hr. hs. ht. hu. hv. hw. hx. hy. hz. ia. ib. ic. id. ie. if. ig. ih. ii. ij. ik. il. im. in. io. ip. iq. ir. is. it. iu. iv. iw. ix. iy. iz. ja. jb. jc. jd. je. jf. jg. jh. ji. jj. jk. jl. jm. jn. jo. jp. jq. jr. js. jt. ju. jv. jw. jx. jy. jz. ka. kb. kc. kd. ke. kf. kg. kh. ki. kj. kk. kl. km. kn. ko. kp. kq. kr. ks. kt. ku. kv. kw. kx. ky. kz. la. lb. lc. ld. le. lf. lg. lh. li. lj. lk. ll. lm. ln. lo. lp. lq. lr. ls. lt. lu. lv. lw. lx. ly. lz. ma. mb. mc. md. me. mf. mg. mh. mi. mj. mk. ml. mm. mn. mo. mp. mq. mr. ms. mt. mu. mv. mw. mx. my. mz. na. nb. nc. nd. ne. nf. ng. nh. ni. nj. nk. nl. nm. no. np. nq. nr. ns. nt. nu. nv. nw. nx. ny. nz. oa. ob. oc. od. oe. of. og. oh. oi. oj. ok. ol. om. on. oo. op. oq. or. os. ot. ou. ov. ow. ox. oy. oz. pa. pb. pc. pd. pe. pf. pg. ph. pi. pj. pk. pl. pm. pn. po. pp. pq. pr. ps. pt. pu. pv. pw. px. py. pz. qa. qb. qc. qd. qe. qf. qg. qh. qi. qj. qk. ql. qm. qn. qo. qp. qq. qr. qs. qt. qu. qv. qw. qx. qy. qz. ra. rb. rc. rd. re. rf. rg. rh. ri. rj. rk. rl. rm. rn. ro. rp. rq. rr. rs. rt. ru. rv. rw. rx. ry. rz. sa. sb. sc. sd. se. sf. sg. sh. si. sj. sk. sl. sm. sn. so. sp. sq. sr. ss. st. su. sv. sw. sx. sy. sz. ta. tb. tc. td. te. tf. tg. th. ti. tj. tk. tl. tm. tn. to. tp. tq. tr. ts. tt. tu. tv. tw. tx. ty. tz. ua. ub. uc. ud. ue. uf. ug. uh. ui. uj. uk. ul. um. un. uo. up. uq. ur. us. ut. uu. uv. uw. ux. uy. uz. va. vb. vc. vd. ve. vf. vg. vh. vi. vj. vk. vl. vm. vn. vo. vp. vq. vr. vs. vt. vu. vv. vw. vx. vy. vz. wa. wb. wc. wd. we. wf. wg. wh. wi. wj. wk. wl. wm. wn. wo. wp. wq. wr. ws. wt. wu. wv. ww. wx. wy. wz. xa. xb. xc. xd. xe. xf. xg. xh. xi. xj. xk. xl. xm. xn. xo. xp. xq. xr. xs. xt. xu. xv. xw. xx. xy. xz. ya. yb. yc. yd. ye. yf. yg. yh. yi. yj. yk. yl. ym. yn. yo. yp. yq. yr. ys. yt. yu. yv. yw. yx. yy. yz. za. zb. zc. zd. ze. zf. zg. zh. zi. zj. zk. zl. zm. zn. zo. zp. zq. zr. zs. zt. zu. zv. zw. zx. zy. zz.

161.000/25/A ANILINTUJATTI magad.
Magad. 14%
161.000/25/A MARBLELOID, magad.
Magad. 14%

2121 Chantree Rd.,
 Merivale Floor Co., 6701 18th Avenue,
 N.W. Seattle, Wash. 98107

[illegible]

Wm. H. O'Reilly Products Corp., 140 Valley O'Reilly Floor Co., R. H., 2328 South 26th

Head, Koorila Park, N.J. 07244.
401-984-2218. DMX-Q-TEX NADYA.
A member, Cambridge, Ill. 62834.
104-008-708/8. "O'Neil Incollating Un-

pink fls, composite needle and
surgate, 1/2" tubule fl under
dermyrm., perile aggregate
onychide crust, 1" thickens.

5" magnets for class A-18 re-
sistivity. 104.com/51/A, "Fact-O-Crete" magazine.
17ms, 14" (thickness).

11111 Northern Chemical Co., 3100 Bay St.,
Recreath Floorng Co., 1622 Carson Ave.,
Seattle Wash 98106

104-00879/A RAZCOLITIL, magnetic

Food and Oil and Taps, Magnetics
17th, 14th.
Bath, Batterby & Co., 5220 Whiting Ave.,
17th, 14th.

**Kempette Co., Inc., 85 Webster Avenue,
Philadelphia, Pa. 19143.
194-008-2/4. SFL-BALITE, mawedto**

MILWAUKEE KOMPOLITE PLASTIC
Type 14"
104 608-11/A FORWART 41 1987.

COMPOSITION FLOORING, mag-
netic (7/88, 13").

MI 600/23/4, OAKTRED, magnetic class A-15 requires local.

11/16, 155: 181 004/24/A KONTOPLEX, magne-
101 006/22/A HIALITIN 1K-FK magnesium oxychloride cement 1714.

Nitro term 1250 type, 1 1/2".
 Class A-66, 1 1/2".

164.007 STRUCTURAL INSULATIONS

144.007 STRUCTURAL INSULATIONS

Note.—The information and Good the listed are reserved for class A-60 motorcycles.

California Electric Co., 714 Ocotoma 104 007/7/1, 6100 OMBIENT, mineral

Blvd., Los Angeles, Calif. 90011.
 141.007/34A MUNG-KOTR covered
 wood cement type, 3 1/4" at 20 g/cu.
 ft.

vermiculite, 2" at 18 to 23 #/cu. ft.
Twir-Night Vermiculite, Inc., Akron,
181012/2/1, RANDOLPH 324A, informal
John-Meritt Sales Corp.—Continued

Wool type blankets, 3" at 10 ¢/cu. ft.

need type sets or blankets

[illegible]

10160/201. VERNY SUPEN 46
INSULATING CHAMF. plaster
Berkline S.A. 7, rue du Cirque, Paris-
VIII Marquet

1970, 3 1/2" at approx. 28 g/cm. ft.
104.007/30/0. BX-3platex Type 012, 3"
100, 1000.

Washington, D.C. 20002
191.007/23/A. None-kale. awarded via
at 0.0/cv. ft. 191.007/12/0. N.Y.-Ripley Type 002. B."

microfilm type, 3" at 10 to 23 g/cm. ft. at 2 g/cm. ft.

100.00/100 g. dry spinning type and
 at 0.2 g/cm. ft.
 100.00/100 g. dry spinning type and
 at 0.2 g/cm. ft.

1

[illegible]

TRUCKLYN

Quilones Fibres, Eastern Cold Storage
Foundation Co., Inc., 630 3rd Ave.
New York, N.Y. 10017.

194 008/181/A "Laval No. 00" acrylic
knitted fibrous glass foundation type,
4.1 g./cm. fl. density.

194 009/113/A "Laval No. 00-007"
acrylic type, 4.3 g./cm. fl. density to
3" thickens.

INTERMED
Alcornoque **Protección** **2000** **1000** **MM** **Ed.**

Mayrville, N.J., 68172.
 101/100/144/4. -Mirra
 (1) Inconspicuous, thymus gland involu-
 crine, 1/2 through 3/4 thickens, 4.5
 g/m, 1/2, density.
 101/100/153/4. -Mirra Spinal Cord
 (injection -Aluminum feed).
 Gary Co., The Philip, Lachland, Clack-
 mail, Idaho 40318.
 101/100/72/4. Corvair Waltham, suber-
 tin covered head type, 1/2" mil-
 lion.

Articles.
191 000/2/3, Industrial A-O Board, covered board type, 3/4" minimum.
Certain-Tied/Red Gable Insulation Corp., 100 Frederick St., Baltimore, Md. 19004.

[illegible]

cellular type, 3 g./cc. in growth,
104 cm²/cm. No. 78 U.S. PATENT OFFICE
INITIATION, glass wool inoculation

1770. 40 1/2 cu ft. dead.

104 NEWTON ST., NEWTON, MASS 02459
 617 552-1111 ext. 211
 104 NEWTON ST., NEWTON, MASS 02459
 617 552-1111 ext. 211

(U) 37. 4 through 8 p/m. 11.

California Products Co., P.O. Box 364,
Irvine, Pa. 15037.

104.000/102.000 (2) Ceiling 1701, east
position 17 per.

• 101.0000/102.00 (73) Additive (1992)

103 MW/117A. Three stress glass cloth faced thermal insulation board 17 1/2" x 43 3/4" x 1/2" thick.

- | | | | |
|--------------|--|---|---|
| 164-005/10/A | "P-ANCO"
Mildred's "Alltemp" submersible dry-draw
carbonium chloride, 11.5 to 12.5 g/cm. at
dewpoint. | "P-ANCO"
Mildred's "Alltemp" Type NA
carbonium chloride, 11.5 to 12.5 g/cm. at
dewpoint. | "P-ANCO"
Mildred's "Alltemp" Type NA
carbonium chloride, 11.5 to 12.5 g/cm. at
dewpoint. |
|--------------|--|---|---|

DIATRINIA

[illegible]

National Gypsum Co., Buffalo, N. Y. 12202.
181 606/7/A, GOLD BOND A-G
INJANT, asbestos cement board type.
Nicrotel Industries, Inc., Wheelington
Ave., Andover, Pa. 16002.
181 606/8/A, Nicrotel "4410 No. 801, K
Board", asbestos hydrous calcium
silicate type, $\frac{1}{8}$ " thick.
area, 25 sq. ft. density.

Owens Corning Fiberglas Corp., Toledo, Ohio 43106.
164 MM/21/2. FIBERGLAS, INC. U.S.A.
TIN Type F-32 through F-38, glass wool insulation type, 1/2 to 1 1/2 in. ft. density.

100 gm./cu. l., KAYLO MISC. IN-
FLATION, asbestos-hydrate calcium
silicate type, 12.3 g./cu. ft. density.
100 gm./cu. l., KAYLO 20 MISC. IN-
FLATION, asbestos-hydrate cal-
cium silicate type, 12.8 g./cu. ft.
density.

100000010, "Fiberless Marine Insulating Board (Bent-Night)", Fibrous glass type.
100000000, FIBERGLAS INSULATION 1F-CH, glass wool type, 6 1/2" x 6"

infant/tm/2. "Pyberging incubator
little barlow bigg tyen j". Altronic
class byre. 4% 145 2/ru 11.
dewell.

100-111110, "Overcoming the
the fundamental barrier toward
conflict", Atomic Energy, 1951.

1410 NEW BRUNSWICK

104 and 110/A, Phosphate Salt Board
MCA, Brown glass cloth faced in-
sulation board incandescent type,
2 1/2 #/sq. ft. density.

004 410/130/A Ther-glas Hott Board
M-3A, Abras glass ionization board
Incombustible type, 277 g/cm. sq.
Gravim.

104 mm/1.26 m, 31-1000, Type 1, above
glass ionization, 1-6 inches thick-
ness, 1.000 g/cm. 51, density.

101 cm/137 μ . Al-10 μ , type 2, shows
glass inclusions, 1-3 μ (dark black-
brown, 0 to 2.0 μ /cm. N. density.
101 cm/137 μ . Infrared: 101 cm/137 μ .

tinued, chronic glass insulation, 1-2 1/2 inches thick now, 3 g/cm. of density. Although breaking 'exp., these insu-

way (Votco, Pittsburgh, Pa. 15022)
164 exp/79/0, MINIMUM, shows
solid type substrate, 148 to 198/cm.
ft. diameter

104 east 91st, Pittsburgh Corning
"Temp-lat", Shreve glass type, 15.
through 100 (bottom, 8 through 114

5/cu. ft. density.
101 029/101/A. "FOAMOLAB", cathe-
dral glass type, 7 through 10 g/cu.
ft. density.

**H. Arnold,
Printer Co., Inc., 11 E. Thermo-
plan, 1250 Porter Building, Pitts-
burgh, Pa. 15219**

364 cm³/mol, Foster Style CDAO,
(2.5% lubricant or less) incombust-
ible material type, 1/4 through 2 1/2

pounds per square yard.
164 mm/100% Polyester Rayon "QWVL-
100" 600A-87 Custom-Lag", treated
abrasion cloth. 75 through 88 pounds

104 ans/101/9. Porter 8076 -HWL-
100) 200-40 Custom-82", treated

absorbent cloth, .75 through 2.5 pounds
per square yard.
PO Industries, Inc., One Gateway Cen-
ter, Pittsburgh, Pa. 15222

104 000/47/A. K1115319100 1970
 111:20 CLAMM along road 1970. 1/2
 to 1 1/2 m/cm N. directly.

101 mm/75 μ , 11-13 TTXTRAPING, B.
brown glass (mullion-type, 26 #/ca.
61. closed).

164 cm/111A "P.H.C.I." sodium-
hydroxide sodium silicate type, 11.5 to
12.5 g/cm. density.

1011200/1350/A. Telephone number 1350-
 1011200. Address: 1350-1011200.
 1011200/1350/A. Telephone number 1350-
 1011200. Address: 1350-1011200.

[illegible]

100

144.012 INTERIOR FINISH

Conover Corp., 769 Stocker St., Waukegan, Ill. 54984
181012/2/a, "Conover" laminated plastic interior panels, type TR.
Rayco Fibers & Laminates Co., A Division of Rayco Chemical Co., Orléans, Md. 21113

906.012/1/A, "NIVAMAR" laminated plastic interior finish, type FR-1.
Mitsubishi Electric Corp., December
1974

104.012/1/A, "Mirra" laminated plastic interior finish, type FR-1.
The Interior Shop, Inc.
906.012/1/A, "Mirra" laminated plastic interior finish, type FR-1.

Terminated