

MEGA Disposal

Clean Water Act Inspection

July 21, 2023

EPA Inspectors: Damian Bednarz & Jeremy Rolfe

19 Industrial Way


Seekonk, MA 02771




07/21/2023

07/21/2023









07/21/2023



07/21/2023



07/21/2023







07/21/2023

WESTERN
OIL









07/21/2023





07/21/2023







07/21/2023





United States
Environmental Protection
Agency

07/21/2023

CB1





07/21/2023



07/21/2023



07/21/2023



07/21/2023

CB2





07/21/2023



07/21/2023





07/21/2023





07/21/2023



07/21/2023

VIRON TM/MC MV 32


07/21/2023








07/21/2023





07/21/2023










United States
Environmental Protection
Agency



07/21/2023







07/21/2023





07/21/2023



United States
Environmental Protection
Agency



07/21/2023



United States
Environmental Protection
Agency



07/21/2023





07/21/2023



07/21/2023







07/21/2023



07/21/



Highland Tank
www.highlandtank.com
unmatched quality & service

S - Skidmount NY - New York F - Friedmans
B - Bigha NC - North Carolina

DATE: 6/10
CUSTOMER: S.M.E.
WORK ORDER #: 1324
SERIAL #:
LIC # 354678
VOLUME: 110
DIA: 2 LENGTH: 20.3
SW - DW1 - DW2 GAUGE 1/2

Serial No. FS 039464
Flameshield®
SwRI I.D. 00077-01100-01-0102

ation instructions:
ed for stationary installation.
e primary tank when
ing the annular space of
anks.
uilt in accordance with
evaluated by SwRI
sted to SwRI 97-04 to
3000°F fire for 2 hours without
primary tank or supporting
impairment of the venting



07/21/2023

**DEF
ONLY**

1350 GALLONS

MAX

07/21/2023







07/21/2023










07/21/2023











United States
Environmental Protection
Agency


STI Steel
Tank
Institute

I DID
THAT!

07/21/2023



United States
Environmental Protection
Agency



07/21/2023



Serial No. FS 039464

SwRI

STI Steel
Tank
Institute

Flameshield®
SwRI I.D. 00077-01/100-01-01/02


Listed by:
**Southwest
Research
Institute®**
San Antonio, Texas

SwRI is an Accredited Testing
Laboratory and Inspection
Agency by International
Accreditation Service (IAS)

SwRI's QMS is Registered by
VSE International Strategic
Registrations (ISR)

150-40-0000

- Follow installation instructions.
- Tank is intended for stationary installation.
- Pressurize the primary tank when pressure testing the annular space of double wall tanks.
- This tank is built in accordance with UL 142, as evaluated by SwRI.
- This tank is listed to SwRI 97-04 to withstand a 2000°F fire for 2 hours without failure of the primary tank or supporting structure, or impairment of the venting system.



CommTank

Installation | Maintenance | Removal

Tank Service Installed on _____

For Service or Repairs call: 1-800-628-0090
or contact the nearest SwRI Institute or
authorized distributor.

MESHIELD

STI Steel
Tank
Institute

07/21/2023

07/21/2023





07/21/2023

CB3



07/21/2023







07/21/2023



ATLANTIC CONTAINMENT LLC
JMGHAEYSVILLE, VA 22840
WWW.ATLANTICCONTAINMENT.COM

SECONDARY CONTAINMENT
ABOVEGROUND TANK FOR FLAMMABLE LIQUIDS
NO. E11752818


LIMITED WARRANTY

Provided that the following conditions are satisfied, Atlantic Containment warrants the tank against failure due to defective materials & workmanship & is free of leaks upon installation by original purchaser.

Conditions to Warranty Effectiveness

1. Tank must be (a) the original above ground installation within the United States of America; (2) installed & used as the photos in accordance with attached installation instructions & all applicable federal state & local regulations.
2. This limited warranty is not valid unless it and the tank is tested for leaks at the jobsite before being placed into service. No warranty claims will be honored before this time.
3. To permit Atlantic Containment to fulfill the terms of this limited warranty, the purchaser represents & agrees, that upon discovery of a suspected tank failure or leak covered by the warranty, the purchaser shall give written notice thereof sufficient to permit Atlantic Containment to inspect the tank.
4. Atlantic Containment obligations under this warranty shall be limited to, as a Atlantic Containment option: (a) repair of the original tank; or (b) delivery of a replacement tank of approximately the same size. Design & quality of material & workmanship on the original tank. Atlantic Containment shall not be liable for: (a) failure of the piping system connected to the tank; (b) labor or other installation costs of any replacement tank; (c) any loss of profits, indirect, incidental, special, consequential, or other similar damages; nor (d) any leaks or defects arising from damage in transit, improper handling, or improper installation. Cutting or welding on this tank will void this limited warranty. In no event, whether as a result of breach of contract or warranty, alleged negligence or otherwise, shall Atlantic Containment be liable for personal injury.
5. THE FOREGOING LIMITED WARRANTY IS THE ONLY WARRANTY MADE. NO OTHER WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, AND ALL WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE WHICH EXCEED THE AFORESAID OBLIGATIONS ARE HEREBY DISCLAIMED BY ATLANTIC CONTAINMENT AND EXCLUDED FROM THIS AGREEMENT. THIS LIMITED WARRANTY IS NOT A CONTRACT.

07/21/2023






United States
Environmental Protection
Agency



07/21/2023



07/21/2023


OVS



OWS

07/21/2023

OWS



Outfall 001




07/21/2023



United States
Environmental Protection
Agency

-  Catch basin
-  Stormwater pipe
(from site SWPPP)
-  9990 Gal Diesel Tank
-  1500 Gal DEF Tank
-  Tarpred beige truck bay





2. INTERIOR FEATURES AND STORAGE TANK LOCATIONS SHOWN ON THIS PLAN ARE APPROXIMATE AND ARE BASED ON OBSERVATIONS MADE DURING THE SITE INSPECTION PERFORMED BY EEC ON MAY 3, 2001.



FOR POLLUTION PREVENTION PLAN
SITE PLAN