

WASHINGTON WORKS
INDUSTRIAL HYGIENE REPORT
FROM 1-Jan-1988 TO 31-Oct-1991

31-Oct-1991
Page 1

AREA: FLUOROCARBONS - HOMOPOLYMERS

CHEMICAL	SAMPLE LOCATION		*:CONTROL
C-8/FC-143	104 P/S-FINE POWDER AUTOCLAVE	OPER	*: DATE: 25-Apr-1988 NOTEBOOK: 31241,P129 EMPLOYEE #03485 DURATION: 0420 CONC: <0.005 MPB PERS CODE: SAMPLE TYPE: P PERCENTAGE: 1%
C-8/FC-143	104 P/S-FINE POWDER AUTOCLAVE	OPER	*: DATE: 4-May-1988 NOTEBOOK: 31241,P132 EMPLOYEE #03022 DURATION: 0420 CONC: 0.215 MPB PERS CODE: SAMPLE TYPE: P PERCENTAGE: 38%
C-8/FC-143	104 P/S-FINE POWDER AUTOCLAVE	OPER	*: DATE: 9-Jun-1988 NOTEBOOK: 31241,P137 EMPLOYEE #04400 DURATION: 0420 CONC: 0.053 MPB PERS CODE: SAMPLE TYPE: P PERCENTAGE: 9%
C-8/FC-143	104 P/S-FINE POWDER AUTOCLAVE	OPER	*: DATE: 17-Jun-1988 NOTEBOOK: 31241,P139 EMPLOYEE #01951 DURATION: 0420 CONC: 0.198 MPB PERS CODE: SAMPLE TYPE: P PERCENTAGE: 35%
C-8/FC-143	104 P/S-FINE POWDER AUTOCLAVE	OPER	*: DATE: 6-Jul-1988 NOTEBOOK: 31241,P142 EMPLOYEE #00953 DURATION: 0420 CONC: 0.137 MPB PERS CODE: SAMPLE TYPE: P PERCENTAGE: 24%
C-8/FC-143	104 P/S-FINE POWDER AUTOCLAVE	OPER	*: DATE: 11-Jul-1988 NOTEBOOK: 31241,P143 EMPLOYEE #03520 DURATION: 0420 CONC: 0.05 MPB PERS CODE: SAMPLE TYPE: P PERCENTAGE: 9%
C-8/FC-143	104 P/S-FINE POWDER AUTOCLAVE	OPER	*: DATE: 13-Jul-1988 NOTEBOOK: 31241,P143 EMPLOYEE #03529 DURATION: 0420 CONC: 0.30 MPB PERS CODE: SAMPLE TYPE: P PERCENTAGE: 54%
C-8/FC-143	104 P/S-FINE POWDER AUTOCLAVE	OPER	*: DATE: 20-Jul-1988 NOTEBOOK: 31241,P144 EMPLOYEE #04202 DURATION: 0420 CONC: <0.03 MPB PERS CODE: SAMPLE TYPE: P PERCENTAGE: 5%
C-8/FC-143	104 P/S-FINE POWDER AUTOCLAVE	OPER	*: DATE: 21-Jul-1988 NOTEBOOK: 31241,P145 EMPLOYEE #04248 DURATION: 0420 CONC: <0.03 MPB PERS CODE: SAMPLE TYPE: P PERCENTAGE: 5%
C-8/FC-143	104 P/S-FINE POWDER AUTOCLAVE	OPER	*: DATE: 26-Jul-1988 NOTEBOOK: 31241,P145 EMPLOYEE #04542 DURATION: 0420 CONC: <0.03 MPB PERS CODE: SAMPLE TYPE: P PERCENTAGE: 5%

ALP002136

EID079772

WASHINGTON WORKS
INDUSTRIAL HYGIENE REPORT
FROM 1-Jan-1988 TO 31-Oct-1991

31-Oct-1991
Page 2

AREA: FLUOROCARBONS - HOMOPOLYMERS

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER **
DATE: 4-Aug-1988 NOTEBOOK: 31241,P148 EMPLOYEE #03417
DURATION: 0420 CONC: 0.05 MPB PERS CODE:
SAMPLE TYPE: P PERCENTAGE: 9%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER **
DATE: 21-Jun-1989 NOTEBOOK: 53235,P020 EMPLOYEE #04542
DURATION: 360 CONC: <0.03 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER **
DATE: 17-Aug-1989 NOTEBOOK: 53235,P023 EMPLOYEE #03872
DURATION: 390 CONC: .07 MPB PERS CODE: PE
SAMPLE TYPE: P PERCENTAGE: 13%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER **
DATE: 21-Aug-1989 NOTEBOOK: 53235,P024 EMPLOYEE #04542
DURATION: 405 CONC: .32 MPB PERS CODE: PE
SAMPLE TYPE: P PERCENTAGE: 57%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER **
DATE: 21-Aug-1989 NOTEBOOK: 53235,P024 EMPLOYEE #03022
DURATION: 420 CONC: .17 MPB PERS CODE: PE
SAMPLE TYPE: P PERCENTAGE: 30%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER **
DATE: 23-Aug-1989 NOTEBOOK: 53235,P025 EMPLOYEE #03485
DURATION: 405 CONC: .11 MPB PERS CODE: PE
SAMPLE TYPE: P PERCENTAGE: 20%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER **
DATE: 28-Aug-1989 NOTEBOOK: 53235,P026 EMPLOYEE #03022
DURATION: 405 CONC: 0.14 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 25%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER **
DATE: 29-Aug-1989 NOTEBOOK: 53235,P026 EMPLOYEE #00953
DURATION: 405 CONC: 1.09 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 195% *****

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER **
DATE: 6-Sep-1989 NOTEBOOK: 53235,P027 EMPLOYEE #03496
DURATION: 405 CONC: 0.08 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 14%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER **
DATE: 7-Sep-1989 NOTEBOOK: 53235,P028 EMPLOYEE #03529
DURATION: 405 CONC: <0.03 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 5%

AP002137

EID079773

WASHINGTON WORKS
INDUSTRIAL HYGIENE REPORT
FROM 1-Jan-1988 TO 31-Oct-1991

31-Oct-1991
Page 3

AREA: FLUOROCARBONS - HOMOPOLYMERS

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 8-Sep-1989 NOTEBOOK: 53235,P028 EMPLOYEE #04560
DURATION: 405 CONC: 0.05 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 9%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 14-Jan-1991 NOTEBOOK: 53235,P046 EMPLOYEE #04248
DURATION: 450 CONC: <0.03 MPB PERS CODE: 08PF
SAMPLE TYPE: P PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 18-Jan-1991 NOTEBOOK: 53235,P047 EMPLOYEE #04631
DURATION: 420 CONC: <0.03 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 22-Jan-1991 NOTEBOOK: 53235,P047 EMPLOYEE #10040
DURATION: 450 CONC: <0.03 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 29-Jan-1991 NOTEBOOK: 53235,P048 EMPLOYEE #03417
DURATION: 450 CONC: 0.076 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 14%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 30-Jan-1991 NOTEBOOK: 53235,P048 EMPLOYEE #04667
DURATION: 450 CONC: <0.03 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 1-Feb-1991 NOTEBOOK: 53235,P049 EMPLOYEE #04202
DURATION: 450 CONC: 0.107 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 19%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 7-Feb-1991 NOTEBOOK: 53235,P050 EMPLOYEE #03278
DURATION: 450 CONC: 0.097 MPB PERS CODE: 08PF
SAMPLE TYPE: P PERCENTAGE: 17%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 8-Feb-1991 NOTEBOOK: 53235,P050 EMPLOYEE #04542
DURATION: 450 CONC: 0.043 MPB PERS CODE: 08PE
SAMPLE TYPE: P PERCENTAGE: 8%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 12-Feb-1991 NOTEBOOK: 53235,P050 EMPLOYEE #04373
DURATION: 450 CONC: <0.03 MPB PERS CODE: 08PF
SAMPLE TYPE: P PERCENTAGE: 5%

ALP002138

EID079774

WASHINGTON WORKS
INDUSTRIAL HYGIENE REPORT
FROM 1-Jan-1988 TO 31-Oct-1991

31-Oct-1991
Page 4

AREA: FLUOROCARBONS - HOMOPOLYMERS

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 14-Feb-1991 NOTEBOOK: 53235,P050 EMPLOYEE #04924
DURATION: 450 CONC: 0.048 MPB PERS CODE: 0BPE
SAMPLE TYPE: P PERCENTAGE: 8%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 20-Feb-1991 NOTEBOOK: 53235,P051 EMPLOYEE #03120
DURATION: 450 CONC: 0.029 MPB PERS CODE: 0BPF
SAMPLE TYPE: P PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 21-Feb-1991 NOTEBOOK: 53235,P051 EMPLOYEE #03476
DURATION: 450 CONC: 0.101 MPB PERS CODE: 0BPE
SAMPLE TYPE: P PERCENTAGE: 18%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 22-Feb-1991 NOTEBOOK: 53235,P051 EMPLOYEE #03520
DURATION: 450 CONC: 0.052 MPB PERS CODE: 0BPF
SAMPLE TYPE: P PERCENTAGE: 9%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 26-Feb-1991 NOTEBOOK: 53235,051 EMPLOYEE #04553
DURATION: 450 CONC: 0.042 MPB PERS CODE: 0BPE
SAMPLE TYPE: P PERCENTAGE: 8%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 4-Mar-1991 NOTEBOOK: 53235,P052 EMPLOYEE #04234
DURATION: 450 CONC: 0.051 MPB PERS CODE: 0BPF
SAMPLE TYPE: P PERCENTAGE: 9%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 12-Mar-1991 NOTEBOOK: 53235,P052 EMPLOYEE #04631
DURATION: 450 CONC: 0.207 MPB PERS CODE: 0BPF
SAMPLE TYPE: P PERCENTAGE: 37%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 19-Mar-1991 NOTEBOOK: 53235,P053 EMPLOYEE #03120
DURATION: 450 CONC: <0.03 MPB PERS CODE: 0BPF
SAMPLE TYPE: P PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 3-Jun-1991 NOTEBOOK: 53235,P058 EMPLOYEE #00000
DURATION: 480 CONC: <.03 MPB PERS CODE:
SAMPLE TYPE: A PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 3-Jun-1991 NOTEBOOK: 53235,P058 EMPLOYEE #00000
DURATION: 360 CONC: .752 MPB PERS CODE:
SAMPLE TYPE: A PERCENTAGE: 134% *****

AF002139

EID079775

WASHINGTON WORKS
INDUSTRIAL HYGIENE REPORT
FROM 1-Jan-1988 TO 31-Oct-1991

31-Oct-1991
Page 5

AREA: FLUOROCARBONS - HOMOPOLYMERS

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 4-Jun-1991 NOTEBOOK: 53235,P058 EMPLOYEE #00000
DURATION: 480 CONC: .474 MPB PERS CODE:
SAMPLE TYPE: A PERCENTAGE: 85%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 4-Jun-1991 NOTEBOOK: 53235,P058 EMPLOYEE #00000
DURATION: 480 CONC: <.03 MPB PERS CODE:
SAMPLE TYPE: A PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 5-Jun-1991 NOTEBOOK: 53235,P059 EMPLOYEE #00000
DURATION: 430 CONC: .397 MPB PERS CODE:
SAMPLE TYPE: A PERCENTAGE: 71%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 5-Jun-1991 NOTEBOOK: 53235,P058 EMPLOYEE #00000
DURATION: 480 CONC: <.03 MPB PERS CODE:
SAMPLE TYPE: A PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 6-Jun-1991 NOTEBOOK: 53235,P059 EMPLOYEE #00000
DURATION: 480 CONC: <.03 MPB PERS CODE:
SAMPLE TYPE: A PERCENTAGE: 5%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 6-Jun-1991 NOTEBOOK: 53235,P059 EMPLOYEE #00000
DURATION: 480 CONC: .450 MPB PERS CODE:
SAMPLE TYPE: A PERCENTAGE: 80%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 7-Jun-1991 NOTEBOOK: 53235,P059 EMPLOYEE #00000
DURATION: 480 CONC: .186 MPB PERS CODE:
SAMPLE TYPE: A PERCENTAGE: 33%

C-8/FC-143 104 P/S-FINE POWDER AUTOCLAVE OPER *:
DATE: 7-Jun-1991 NOTEBOOK: 53235,P059 EMPLOYEE #00000
DURATION: 480 CONC: <.03 MPB PERS CODE:
SAMPLE TYPE: A PERCENTAGE: 5%

AJP002140

EID079776