

GEORGIA PACIFIC



intracompany memo

EXHIBIT "F"

PLAINTIFF'S
EXHIBIT

GP 279

to Mr. Irvin F. Weibel

location Akron, NY

from Lance Ryder

location Darien, CT

subject Safety Inspection - June 2, 1981
-- Akron, NY (Gypsum Division)

date June 9, 1981

FILE

This will confirm my visit of June 2, 1981 to the Akron, NY joint systems plant of the Gypsum Division. I found the plant to be in very good shape and I am confident that an OSHA inspector would find very little to complain about.

The last OSHA inspection was conducted in June, 1973 and addressed itself primarily to airborne concentrations of asbestos fibers, respiratory protection, special protective clothing and a personal monitoring program for employees. Asbestos fibers are no longer used in the manufacture of joint system compounds and the annual pulmonary function tests, inspections, etc. relating to asbestos exposure have been discontinued with the last tests completed on February 7, 1978.

Annual audiometric tests for employees are given with the most recent tests completed on December 17, 1980. The operation have experienced only one disabling injury since August 2, 1977; a hernia sustained by employee John Sowinski on August 18, 1980. Housekeeping in the manufacturing and warehouse areas was judged to be excellent. There is need for improvement in the plant laboratory which may be caused by space limitations. Notices of Compliance with OSHA, self-insured workers' compensation and N.Y. state disability benefits are properly posted. A weekly fire prevention inspection is conducted by Mr. John Mazza with records of inspection properly distributed and filed.

Lift truck drivers have not been issued a G-P Operator's Identification Card which certifies qualification to operate specified vehicles and/or equipment. A supply is enclosed herewith for your use. One or two portable ladders that were not in use were observed to be improperly stored. I suggest a safe horizontal storage arrangement be provided and used.

Communications between the plant and the northeast regional claims office in Darien regarding N.Y. State disability and workers' compensation benefits is reported to be extremely satisfactory. In summary, you and your people are to be congratulated for the various manufacturing innovations that have been developed and for providing a safe and healthy environment in which to work. Thank you for your cooperation, courtesy and hospitality. It was very much appreciated. Please feel free to give me a call anytime you have questions or I can be of assistance.


L. K. R.

JUN 22 1981

LKR:bmr

Enclosures

cc: Mr. D. C. Corkill, Portland
Mr. J. D. Hurd, Portland
Mr. H. W. Peele, Wilmington
Mr. K. L. Gipson, Portland

JUN 12 1981