



A/C Pipe
Producers Association
Executive Committee
International Affairs Committee

Internal Correspondence

TO *J. F. Welch*
J. F. Welch, Vice President

July 9, 1982

DATE

FROM

Saudi Arabia

SUBJECT

ACTION REQUIRED: Review for information

On June 21 and June 22, 1982, Staff responded to a number of telephone inquiries from Morgan-Newman Associates, Inc., a Washington, D.C. consulting firm, regarding the estimated cost of A/C pipe manufacturing facilities, the manufacturing process, employee levels, occupational and environmental regulations and market outlook. Morgan-Newman made the inquiries at the request of Ministry of Industries in Saudi Arabia. The individual who contacted the Association, Ms. Lisa Carle, stated it was the role of this particular Ministry to approve the construction of new plants in Saudi Arabia. This information is transmitted for reference only.

If you have any questions, please do not hesitate to call.


JFW/ajb

cc: A. Kahn, Esq.

copies to: Executive Committee International Affairs Committee

L. Ambler
J. Cran
L. Taylor

E. van der Rest
R. Dorner
L. Giannitrapani
N. Officer
P. Hart
A. Saoulis
R. Jalan
V. Pattabhi
H. Hudson
C. Barton
S. Al-Tarkait
M. Delcourt
J. Cuvelier
B. Giboin
G. Zaviezo
J. Rodrigues
Dimatit
J. Schmaus



H01EI20604
Chrono



A/C Pipe
Producers Association
Public Affairs Committee
International Affairs Committee

Internal Correspondence

TO *J. F. Welch*
J. F. Welch, Vice President
FROM

DATE February 25, 1982

SUBJECT Saudi Arabia - Inquiry About Safety of A/C Pipe

REF: JFW correspondence, same title, December 11, 1981

ACTION REQUIRED: Review for information

On February 16, 1982, Staff contacted the United States Department of Commerce to determine the status of the Western Saudi Arabia Water and Sewage Authority inquiry on the safety of A/C water pipe. Carl Reiner reported that information provided by AACPP and the National Bureau of Standards was sent to the U.S. Embassy. The Embassy acknowledged the suitability of the information and reported that doubts about product use were resolved. It is Reiner's understanding that the Authority continues to use A/C pipe and there are no bans or engineering restrictions on its use in that country.

If any Member Companies learn of information contrary to that reported, please advise Staff as soon as possible. No further action is planned at this time.

JFW/ajb

cc: A. Kahn, Esq.
N. Rahn, Esq.
Asbestos International Association
Asbestos Information Association/NA


copies to: Public Affairs Committee

H. Olson
B. Cook
R. LeGault
W. Perrell
J. Woods
J. Baker
T. Dougherty
D. Stinson
W. McCallie
B. Collier

International Affairs Committee

R. Dorner
E. van der Rest
B. Giboin
N. Officer
R. Hobbs
A. Saoulis
R. Jalan
V. Pattabhi
H. Hudson
C. Barton
S. Al-Tarkait

H01PI22301
Chrono



CAPCO JEN 0032995