

Industrial Hygiene

Test Results

Sample Date Range 2/26/73 8/12/81
Concentration Range
Action Level 100%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO : 04 POWER & SERVICES									
LOC : 074 INCINERATOR AREA - GENERAL									
4/15/81	52165		Z			C-8	0.0005	PPM	0.0%
4/20/81	52166		Z			C-8	0.0011	PPM	0.0%
4/20/81	52167		Z			C-8	0.0002	PPM	0.0%
BTO : 07 TECHNICAL									
LOC : 406 TFE-FEP-MELT INDEXER-ON BENCH									
10/23/80	57333		Z			C-8	<0.0001	PPM	0.0%
10/28/80	57334		Z			C-8	0.0011	PPM	0.0%
10/31/80	57335		Z			C-8	0.0008	PPM	0.0%
BTO : 07 TECHNICAL									
LOC : 411 BLDG. 163 - LAB GENERAL AREA									
4/10/81	47508		Z			C-8	<0.0001	PPM	0.0%
BTO : 07 TECHNICAL									
LOC : 435 BLDG 212-CHECK VISUAL CONTAMINATION CUBES									
2/25/81	60866		Z			C-8	0.0003	PPM	0.0%
BTO : 07 TECHNICAL									
LOC : 436 BLDG 212-FEP-MELT INDEXER-ON BENCH									
2/25/81	52683		Z			C-8	0.0015	PPM	0.0%

AJP006235

2/25/81	52684	Z	C-8	0.0015	PPM	0.0%
---------	-------	---	-----	--------	-----	------

BTO: 07 TECHNICAL

LOC: 438 BLDG 212 GENERAL

2/25/81	49761	Z	C-8	0.0003	PPM	0.0%
---------	-------	---	-----	--------	-----	------

BTO: 08 TEFLON@

LOC: 016 MONOMER ANALYZER COMPUTER ROOM

11/15/79	61389	Z	C-8	0.0006	PPM	0.0%
----------	-------	---	-----	--------	-----	------

11/26/79	61390	Z	C-8	0.0003	PPM	0.0%
----------	-------	---	-----	--------	-----	------

11/29/79	61391	Z	C-8	0.0004	PPM	0.0%
----------	-------	---	-----	--------	-----	------

Thursday, August 09, 2001 2:51:24 PM

Page 1 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 023 TRAINING FACILITY (OLD PROD C.C.)									
3/3/81	54817		Z			C-8	0.0004	PPM	0.0%
3/3/81	54818		Z			C-8	0.0005	PPM	0.0%
3/16/81	54819		Z			C-8	0.0002	PPM	0.0%
3/17/81	54820		Z			C-8	0.0006	PPM	0.0%
3/18/81	54821		Z			C-8	0.0002	PPM	0.0%
3/18/81	54822		Z			C-8	<0.0001	PPM	0.0%
3/19/81	54823		Z			C-8	0.0003	PPM	

AJP006236

3/19/81	54824	Z	C-8	0.0004 PPM	0.0%
3/27/81	54825	Z	C-8	<0.0001 PPM	0.0%
					0.0%
BTO: 08 TEFLON@					
LOC: 701 FINE POWDER DRYER-EAST SIDE #2					
2/26/73	62670	Z	C-8	<0.1 PPM	0.0%
9/3/74	62671	Z	C-8	<0.1 PPM	0.0%
2/3/77	62672	Z	C-8	<0.1 PPM	0.0%
2/16/78	62673	Z	C-8	<0.1 PPM	0.0%
2/12/79	62674	Z	C-8	<0.1 PPM	0.0%
12/13/79	62675	Z	C-8	<0.0001 PPM	0.0%
12/31/80	62676	Z	C-8	0.0073 PPM	0.0%
8/5/81	62677	Z	C-8	0.0091 PPM	0.0%
8/5/81	62678	Z	C-8	0.0005 PPM	0.0%

BTO: 08 TEFLON@					
LOC: 702 FINE POWDER DRYER CONTROL ROOM (ALSO SEE TTF031)					
2/26/73	57136	Z	C-8	<0.1 PPM	0.0%
9/3/74	57137	Z	C-8	<0.1 PPM	0.0%
2/3/77	57138	Z	C-8	<0.1 PPM	0.0%
2/16/78	57139	Z	C-8	<0.1 PPM	0.0%
2/12/79	57140	Z	C-8	<0.1 PPM	0.0%
11/28/79	57141	Z	C-8	0.0002 PPM	0.0%
11/29/79	57142	Z	C-8	0.0005 PPM	0.0%
7/9/80	57143	Z	C-8	0.0009 PPM	0.0%

AJP006237

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/14/80	57144		Z			C-8	0.0022	PPM	0.0%
7/16/80	57145		Z			C-8	0.0001	PPM	0.0%
8/28/80	57146		Z			C-8	<0.0001	PPM	0.0%
6/9/81	57147		Z			C-8	0.0004	PPM	0.0%
6/13/81	57148		Z			C-8	0.0004	PPM	0.0%
7/21/81	57149		Z			C-8	0.0002	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 2 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/23/81	57150		Z			C-8	0.0003	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 703 FINE POWDER PACKOUT ROOM									
2/3/77	49590		Z			C-8	<0.1	PPM	0.0%
2/16/78	49591		Z			C-8	<0.1	PPM	0.0%
2/12/79	49592		Z			C-8	<0.1	PPM	0.0%
11/12/79	49593		Z			C-8	0.0003	PPM	0.0%
11/14/79	49594		Z			C-8	0.0001	PPM	0.0%
12/31/80	49595		Z			C-8	<0.0001	PPM	0.0%
6/16/81	49596		Z			C-8	<0.0001	PPM	0.0%

AJP006238

BTO: 08 TEFLON@

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

LOC: 704 A/S - FINE POWDER C-8 WEIGH HOOD

2/3/77	51169	Z	C-8	<0.1 PPM	0.0%
2/16/78	51170	Z	C-8	<0.1 PPM	0.0%
2/12/79	51171	Z	C-8	<0.1 PPM	0.0%
12/3/79	51172	Z	C-8	0.0008 PPM	0.0%
12/31/80	51173	Z	C-8	0.0004 PPM	0.0%

BTO: 08 TEFLON@

LOC: 705 DISPERSION PACK OUT AREA

1/16/80	60378	Z	C-8	0.0017 PPM	0.0%
1/17/80	60379	Z	C-8	0.0002 PPM	0.0%
3/31/80	60380	Z	C-8	<0.0001 PPM	0.0%
6/16/81	60381	Z	C-8	0.0002 PPM	0.0%

BTO: 08 TEFLON@

LOC: 706 FINE POWDER DRYER #3

10/5/79	48575	Z	C-8	0.002 PPM	0.0%
10/15/79	48576	Z	C-8	0.0002 PPM	0.0%
10/17/79	48577	Z	C-8	0.0044 PPM	0.0%
11/14/79	48578	Z	C-8	0.004 PPM	0.0%
1/30/80	48580	Z	C-8	0.0065 PPM	0.0%
4/29/80	48581	Z	C-8	0.029 PPM	0.0%
4/29/80	48582	Z	C-8	0.005 PPM	0.0%
7/14/80	48583	Z	C-8	0.0095 PPM	0.0%
7/23/80	48584	Z	C-8	0.0039 PPM	0.0%
7/23/80	48585	Z	C-8	0.0009 PPM	0.0%

AJP006239

7/29/80 48586

Z

C-8

0.0055 PPM

0.0%

0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 3 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/29/80	48587		Z			C-8	0.0051	PPM	0.0%
6/5/81	48588		Z			C-8	0.0081	PPM	0.0%
6/5/81	48589		Z			C-8	0.0043	PPM	0.0%
6/9/81	48590		Z			C-8	0.0015	PPM	0.0%
6/9/81	48591		Z			C-8	0.0016	PPM	0.0%
6/13/81	48592		Z			C-8	0.0015	PPM	0.0%

BTO : 08 TEFLON@
LOC : 707 FINE POWDER DRYER #2

10/15/79	60137		Z			C-8	0.0003	PPM	0.0%
10/17/79	60138		Z			C-8	0.0047	PPM	0.0%
12/11/79	60140		Z			C-8	0.0038	PPM	0.0%
4/17/80	60141		Z			C-8	0.0051	PPM	0.0%
4/17/80	60142		Z			C-8	0.0035	PPM	0.0%
6/3/81	60143		Z			C-8	0.0946	PPM	0.0%
6/3/81	60144		Z			C-8	0.0061	PPM	0.0%
6/13/81	60145		Z			C-8	0.0014	PPM	0.0%

AJP006240

						0.0%
7/21/81	60146	Z	C-8	0.0358	PPM	0.0%
7/21/81	60147	Z	C-8	0.0056	PPM	0.0%
7/22/81	60148	Z	C-8	0.0445	PPM	0.0%
7/22/81	60149	Z	C-8	0.0058	PPM	0.0%
BTO: 08 TEFLON@						
LOC: 708 P/S - FINE POWDER PACKOUT (08PJ)						
10/17/79	49585	Z	C-8	<0.0001	PPM	0.0%
12/11/79	49586	Z	C-8	0.0032	PPM	0.0%
1/16/80	49587	Z	C-8	0.0006	PPM	0.0%
BTO: 08 TEFLON@						
LOC: 709 DRYER FLOATATION TANK						
12/11/79	48867	Z	C-8	0.0012	PPM	0.0%
BTO: 08 TEFLON@						
LOC: 710 FP&D AUTOCLAVE CONTROL ROOM						
11/13/79	62583	Z	C-8	0.0006	PPM	0.0%
11/15/79	62584	Z	C-8	0.0007	PPM	0.0%
12/10/79	62585	Z	C-8	0.0004	PPM	0.0%
12/13/79	62586	Z	C-8	<0.0001	PPM	0.0%
1/25/80	62587	Z	C-8	0.0012	PPM	0.0%
2/11/80	62588	Z	C-8	0.0008	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 4 of 28

ALP006241

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/26/80	62589		Z			C-8	0.0004	PPM	0.0%
6/26/80	62590		Z			C-8	0.001	PPM	0.0%
7/14/80	62591		Z			C-8	0.0024	PPM	0.0%
7/16/80	62592		Z			C-8	<0.0001	PPM	0.0%
7/31/80	62593		Z			C-8	0.0005	PPM	0.0%
7/31/80	62594		Z			C-8	0.0009	PPM	0.0%
8/4/80	62595		Z			C-8	0.0026	PPM	0.0%
8/25/80	62596		Z			C-8	0.0001	PPM	0.0%
1/8/81	62597		Z			C-8	<0.0001	PPM	0.0%
3/5/81	62598		Z			C-8	0.0004	PPM	0.0%
6/13/81	62599		Z			C-8	0.0009	PPM	0.0%
7/23/81	62600		Z			C-8	0.0002	PPM	0.0%
BTO : 08 TEFLON@									
LOC : 711 CLAVE AREA - GENERAL									
11/14/79	62827		Z			C-8	0.0002	PPM	0.0%
12/13/79	62828		Z			C-8	<0.0001	PPM	0.0%
BTO : 08 TEFLON@									
LOC : 712 NORTH END OF DRYER #3									
1/7/80	62831		Z			C-8	0.0023	PPM	0.0%
1/9/80	62832		Z			C-8	0.0021	PPM	0.0%
1/25/80	62833		Z			C-8	0.0007	PPM	0.0%

AJP006242

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

1/29/80	62834	Z	C-8	0.0007	PPM	0.0%
2/7/80	62835	Z	C-8	0.0016	PPM	0.0%
2/26/80	62836	Z	C-8	0.0005	PPM	0.0%
3/6/80	62837	Z	C-8	0.0005	PPM	0.0%
3/18/80	62838	Z	C-8	0.0034	PPM	0.0%
6/12/80	62839	Z	C-8	<0.0001	PPM	0.0%
7/9/80	62840	Z	C-8	0.0015	PPM	0.0%
8/28/80	62841	Z	C-8	0.0004	PPM	0.0%

BTD: 08 TEFLON@

LOC: 713 FINE POWDER OFFICE AREA-GENERAL

1/23/80	62620	Z	C-8	0.0004	PPM	0.0%
1/23/80	62621	Z	C-8	0.001	PPM	0.0%
2/11/80	62622	Z	C-8	0.0007	PPM	0.0%
2/11/80	62623	Z	C-8	0.0011	PPM	0.0%
2/26/80	62624	Z	C-8	0.0003	PPM	0.0%
7/10/80	62625	Z	C-8	0.0004	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 5 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/28/81	62626		Z			C-8	0.0004	PPM	0.0%

AJP006243

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

4/28/81	62627	Z	C-8	0.0005	PPM	0.0%
4/28/81	62628	Z	C-8	0.0002	PPM	0.0%
BTO: 08 TEFLON@						
LOC: 714 C-8 STORAGE ROOM						
12/11/79	62645	Z	C-8	0.0032	PPM	0.0%
3/3/81	62646	Z	C-8	0.0004	PPM	0.0%
3/17/81	62647	Z	C-8	<0.0001	PPM	0.0%
BTO: 08 TEFLON@						
LOC: 715 SOUTH END DRYER #2						
1/23/80	62530	Z	C-8	0.0042	PPM	0.0%
7/9/80	62531	Z	C-8	0.0129	PPM	0.0%
8/28/80	62532	Z	C-8	0.0003	PPM	0.0%
BTO: 08 TEFLON@						
LOC: 716 FINE POWDER C-8 PUMP AREA						
12/13/79	62629	Z	C-8	<0.0001	PPM	0.0%
6/11/80	62630	Z	C-8	0.0064	PPM	0.0%
7/10/80	62631	Z	C-8	0.0034	PPM	0.0%
7/10/80	62632	Z	C-8	0.0019	PPM	0.0%
7/16/80	62633	Z	C-8	0.012	PPM	0.0%
7/16/80	62634	Z	C-8	0.0066	PPM	0.0%
7/17/80	62635	Z	C-8	0.0056	PPM	0.0%
7/17/80	62636	Z	C-8	0.0041	PPM	0.0%
7/22/80	62637	Z	C-8	0.0024	PPM	0.0%
8/26/80	62638	Z	C-8	0.0005	PPM	0.0%

AJP006244

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

8/26/80	62639	Z	C-8	0.0001	PPM	0.0%
8/26/80	62640	Z	C-8	0.0001	PPM	0.0%
1/5/81	62641	Z	C-8	<0.0001	PPM	0.0%

BTO: 08 TEFLON@

LOC: 717 ROOF AREA-GENERAL

1/18/80	62601	Z	C-8	<0.0001	PPM	0.0%
1/18/80	62602	Z	C-8	0.0003	PPM	0.0%
1/18/80	62603	Z	C-8	0.0013	PPM	0.0%
3/27/81	62604	Z	C-8	0.0015	PPM	0.0%
6/16/81	62605	Z	C-8	0.0022	PPM	0.0%
6/16/81	62606	Z	C-8	0.0013	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 6 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/17/81	62607		Z			C-8	0.0009	PPM	0.0%
6/17/81	62608		Z			C-8	0.0022	PPM	0.0%
6/18/81	62609		Z			C-8	0.0002	PPM	0.0%
6/18/81	62610		Z			C-8	0.0006	PPM	0.0%
7/9/81	62611		Z			C-8	0.0001	PPM	0.0%
7/9/81	62612		Z			C-8	<0.0001	PPM	0.0%

AP006245

7/9/81	62613	Z	C-8	<0.0001	PPM	0.0%
BTO : 08 TEFLON@						
LOC : 718 FINE POWDER DRYER AREA						
1/29/80	62770	Z	C-8	0.0011	PPM	0.0%
6/4/81	62771	Z	C-8	0.0019	PPM	0.0%
6/4/81	62772	Z	C-8	0.0029	PPM	0.0%
6/13/81	62773	Z	C-8	0.0018	PPM	0.0%
7/27/81	62774	Z	C-8	0.0079	PPM	0.0%
7/27/81	62775	Z	C-8	0.0091	PPM	0.0%
7/28/81	62776	Z	C-8	0.003	PPM	0.0%
7/29/81	62777	Z	C-8	0.0028	PPM	0.0%
7/29/81	62778	Z	C-8	0.0027	PPM	0.0%
7/29/81	62779	Z	C-8	0.0024	PPM	0.0%
7/29/81	62780	Z	C-8	0.0029	PPM	0.0%
7/29/81	62781	Z	C-8	0.0025	PPM	0.0%
7/29/81	62782	Z	C-8	0.004	PPM	0.0%

BTO : 08 TEFLON@						
LOC : 723 AROUND FULL STAB TANK						
1/23/80	49653	Z	C-8	0.0004	PPM	0.0%
3/6/80	49654	Z	C-8	<0.0001	PPM	0.0%

BTO : 08 TEFLON@						
LOC : 726 AISLE IN FRONT OF WAX SEPARATOR						
12/10/79	53128	Z	C-8	0.0002	PPM	0.0%

AJP006246

BTO: 08 TEFLON@
LOC: 727 FINE POWDER CELL AREA

1/30/80	52114	Z	C-8	<0.0001	PPM	0.0%
---------	-------	---	-----	---------	-----	------

BTO: 08 TEFLON@
LOC: 728 WAX ROOM - B-162 - 1ST FLOOR

3/5/81	60112	Z	C-8	0.0012	PPM	0.0%
--------	-------	---	-----	--------	-----	------

Thursday, August 09, 2001 2:51:24 PM

Page 7 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/5/81	60113		Z			C-8	0.001	PPM	0.0%

BTO: 08 TEFLON@
LOC: 729 HOLDUP TANK ROOM - B162

3/27/81	60110		Z			C-8	0.0002	PPM	0.0%
3/27/81	60111		Z			C-8	<0.0001	PPM	0.0%

BTO: 08 TEFLON@
LOC: 737 CARR BLDG - GENRAL AREAS

4/8/81	61581		Z			C-8	<0.0001	PPM	0.0%
4/8/81	61582		Z			C-8	0.0002	PPM	0.0%
4/8/81	61583		Z			C-8	<0.0001	PPM	0.0%
4/14/81	61584		Z			C-8	0.0002	PPM	0.0%
4/14/81	61585		Z			C-8	0.001	PPM	0.0%
4/15/81	61586		Z			C-8	<0.0001	PPM	0.0%

AJP006247

BTO: 08 TEFLON@
LOC: 747 B-162 WEST WAREHOUSE

4/29/81	49551	Z	C-8	0.0002	PPM	0.0%
4/29/81	49552	Z	C-8	0.001	PPM	0.0%

BTO: 08 TEFLON@
LOC: 748 B-162 EAST WAREHOUSE

1/16/80	57615	Z	C-8	0.0002	PPM	0.0%
7/20/81	57616	Z	C-8	0.003	PPM	0.0%
7/20/81	57617	Z	C-8	0.0009	PPM	0.0%
7/20/81	57618	Z	C-8	0.0006	PPM	0.0%

BTO: 08 TEFLON@
LOC: 752 TA BLDG-HEAT TREATER

12/12/79	47597	Z	C-8	<0.0001	PPM	0.0%
----------	-------	---	-----	---------	-----	------

BTO: 08 TEFLON@
LOC: 755 TA BLDG-3RD FLOOR

12/12/79	50198	Z	C-8	<0.0001	PPM	0.0%
----------	-------	---	-----	---------	-----	------

BTO: 17 RESEARCH
LOC: 019 WEIGH AND ADD C-8 TO POLYKETTLE

1/3/79	47531	Z	C-8	<0.05	PPM	0.0%
1/4/79	47532	Z	C-8	<0.05	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 8 of 28

AJP006248

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 17	RESEARCH								
LOC: 065	PPD SEMIWORKS								
4/8/81	57356		Z			C-8	<0.0001	PPM	0.0%
BTO: 17	RESEARCH								
LOC: 100	P/S - EPM WAREHOUSE - FORK TRUCK OPERATION								
4/30/81	60221		Z			C-8	0.0001	PPM	0.0%
BTO: 17	RESEARCH								
LOC: 103	P/S FP POLLYKETTLE OPERATOR (17LG)								
1/19/79	48192		Z			C-8	0.05	PPM	0.0%
1/26/79	48193		Z			C-8	<0.01	PPM	0.0%
BTO: 18	TEFLON@ COPOLYMERS								
LOC: 001	FEP OVENS NORTH SIDE								
12/19/79	47723		Z			C-8	0.0005	PPM	0.0%
1/15/80	47724		Z			C-8	0.0006	PPM	0.0%
1/22/80	47725		Z			C-8	0.0009	PPM	0.0%
8/8/80	47726		Z			C-8	0.0095	PPM	0.0%
BTO: 18	TEFLON@ COPOLYMERS								
LOC: 002	FEP OVENS SOUTH SIDE								
12/19/79	47601		Z			C-8	0.0001	PPM	0.0%
1/25/80	47602		Z			C-8	0.0031	PPM	0.0%
BTO: 18	TEFLON@ COPOLYMERS								
LOC: 003	#1 OVEN COOLING TOWER								
2/5/81	54696		Z			C-8	0.0001	PPM	0.0%
2/11/81	54697		Z			C-8	<0.0001	PPM	0.0%

AJP006249

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

3/17/81	54698	Z	C-8	0.0002	PPM	0.0%
5/23/81	54699	Z	C-8	<0.0001	PPM	0.0%
8/10/81	54700	Z	C-8	0.0001	PPM	0.0%
8/11/81	54701	Z	C-8	<0.0001	PPM	0.0%
8/12/81	54702	Z	C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 004 #2 OVEN COOLING TOWER

2/5/81	61788	Z	C-8	0.0002	PPM	0.0%
2/11/81	61789	Z	C-8	0.0001	PPM	0.0%
3/17/81	61790	Z	C-8	0.0002	PPM	0.0%
8/10/81	61791	Z	C-8	0.0001	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 9 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/11/81	61792		Z			C-8	0.0001	PPM	0.0%
8/12/81	61793		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 183 FEP SHUTDOWN SAMPLES

5/12/81	61936		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61937		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61938		Z			C-8	<0.0001	PPM	0.0%

AJP006250

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

5/12/81	61939	Z	C-8	<0.0001	PPM	0.0%
5/12/81	61940	Z	C-8	<0.0001	PPM	0.0%
5/12/81	61941	Z	C-8	<0.0001	PPM	0.0%
5/12/81	61942	Z	C-8	<0.0001	PPM	0.0%
5/13/81	61943	Z	C-8	<0.0001	PPM	0.0%
5/13/81	61944	Z	C-8	<0.0001	PPM	0.0%
5/13/81	61945	Z	C-8	<0.0001	PPM	0.0%
5/13/81	61946	Z	C-8	0.0001	PPM	0.0%
5/14/81	61947	Z	C-8	<0.0001	PPM	0.0%
5/14/81	61948	Z	C-8	<0.0001	PPM	0.0%
5/14/81	61949	Z	C-8	<0.0001	PPM	0.0%
5/14/81	61950	Z	C-8	<0.0001	PPM	0.0%
5/14/81	61951	Z	C-8	<0.0001	PPM	0.0%
5/15/81	61952	Z	C-8	<0.0001	PPM	0.0%
5/15/81	61953	Z	C-8	<0.0001	PPM	0.0%
5/15/81	61954	Z	C-8	<0.0001	PPM	0.0%
5/15/81	61955	Z	C-8	<0.0001	PPM	0.0%
5/15/81	61956	Z	C-8	<0.0001	PPM	0.0%
5/18/81	61957	Z	C-8	<0.0001	PPM	0.0%
5/18/81	61958	Z	C-8	<0.0001	PPM	0.0%
5/18/81	61959	Z	C-8	<0.0001	PPM	0.0%
5/18/81	61960	Z	C-8	<0.0001	PPM	0.0%

AJP006251

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

5/18/81	61961	Z	C-8	<0.0001	PPM	0.0%
5/19/81	61962	Z	C-8	<0.0001	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 184 CLEAN-UP FOR SHUTDOWN						
5/9/81	61900	Z	C-8	0.0002	PPM	0.0%
5/9/81	61901	Z	C-8	0.0003	PPM	0.0%
5/9/81	61902	Z	C-8	0.0006	PPM	0.0%
5/10/81	61903	Z	C-8	0.0004	PPM	0.0%
5/10/81	61904	Z	C-8	0.0004	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 10 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/18/81	61905		Z			C-8	<0.0001	PPM	0.0%
5/18/81	61906		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 **TEFLON@ COPOLYMERS**
LOC: 187 **CONTRACTOR CLEANING AREAS**

2/22/81	61816		Z			C-8	0.0004	PPM	0.0%
3/12/81	61817		Z			C-8	0.0031	PPM	0.0%
3/12/81	61818		Z			C-8	0.0007	PPM	0.0%
3/12/81	61819		Z			C-8	0.0007	PPM	0.0%
3/12/81	61820		Z			C-8	0.001	PPM	0.0%

AJP006252

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

3/12/81	61821	Z	C-8	0.0006	PPM	0.0%
3/26/81	61822	Z	C-8	0.0003	PPM	0.0%
3/27/81	61823	Z	C-8	0.0005	PPM	0.0%
3/30/81	61824	Z	C-8	0.0032	PPM	0.0%
4/3/81	61825	Z	C-8	0.0034	PPM	0.0%
 BTO : 18 TEFLON@ COPOLYMERS LOC : 188 B-163 45 FT ROOF						
2/19/81	61757	Z	C-8	0.0003	PPM	0.0%
 BTO : 18 TEFLON@ COPOLYMERS LOC : 189 B-163 MID ROOF H&V INLET						
2/6/81	61784	Z	C-8	0.0003	PPM	0.0%
2/6/81	61785	Z	C-8	0.0002	PPM	0.0%
3/25/81	61786	Z	C-8	<0.0001	PPM	0.0%
5/21/81	61787	Z	C-8	0.0007	PPM	0.0%
 BTO : 18 TEFLON@ COPOLYMERS LOC : 202 FEP-POLYKETTLE #1 LOWER CELL						
5/9/81	49136	Z	C-8	0.0004	PPM	0.0%
 BTO : 18 TEFLON@ COPOLYMERS LOC : 206 FEP-DISP AREA-CHANGING NH4OH DRUM						
4/7/81	58840	Z	C-8	0.0019	PPM	0.0%
4/7/81	58841	Z	C-8	0.0006	PPM	0.0
4/8/81	58842	Z	C-8	0.0002	PPM	0.0%
4/8/81	58843	Z	C-8	0.0004	PPM	0.0%
4/9/81	58844	Z	C-8	0.0009	PPM	0.0%

AIP006253

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

4/9/81	58845	Z	C-8	<0.0001	PPM	0.0%
4/10/81	58846	Z	C-8	<0.0001	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 11 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/13/81	58847		Z			C-8	0.0004	PPM	0.0%
4/14/81	58848		Z			C-8	0.0004	PPM	0.0%
4/15/81	58849		Z			C-8	0.0004	PPM	0.0%
4/22/81	58850		Z			C-8	0.0012	PPM	0.0%
4/30/81	58851		Z			C-8	0.0006	PPM	0.0%
5/4/81	58852		Z			C-8	0.0006	PPM	0.0%
5/5/81	58853		Z			C-8	0.0018	PPM	0.0%
5/5/81	58854		Z			C-8	0.0005	PPM	0.0%
5/6/81	58855		Z			C-8	0.0004	PPM	0.0%
5/7/81	58856		Z			C-8	0.0004	PPM	0.0%
5/13/81	58857		Z			C-8	<0.0001	PPM	0.0%
5/15/81	58858		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 207 FEP-POLY KETTLE OPERATORS DESK

2/4/81	49123		Z			C-8	0.0002	PPM	0.0%
--------	-------	--	---	--	--	-----	--------	-----	------

AJP006254

BTO: 18 TEFLON@ COPOLYMERS

LOC: 208 FEP-BLENDER PIT

1/15/80	47631	Z	C-8	0.002	PPM	0.0%
2/3/81	47632	Z	C-8	0.0004	PPM	0.0%
2/3/81	47633	Z	C-8	0.0005	PPM	0.0%
2/4/81	47634	Z	C-8	0.0006	PPM	0.0%
2/4/81	47635	Z	C-8	0.0006	PPM	0.0%
2/13/81	47636	Z	C-8	0.0005	PPM	0.0%
3/19/81	47637	Z	C-8	0.0013	PPM	0.0%
3/30/81	47638	Z	C-8	0.001	PPM	0.0%
4/23/81	47639	Z	C-8	0.0014	PPM	0.0%
4/24/81	47640	Z	C-8	0.0011	PPM	0.0%
5/1/81	47641	Z	C-8	0.0006	PPM	0.0%
6/15/81	47642	Z	C-8	0.0004	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 210 #1 COAGULATOR-2ND FLOOR

1/13/81	58790	Z	C-8	<0.0001	PPM	0.0%
2/10/81	58791	Z	C-8	0.0005	PPM	0.0%
2/13/81	58792	Z	C-8	<0.0001	PPM	0.0%
3/9/81	58793	Z	C-8	0.0001	PPM	0.0%
3/13/81	58794	Z	C-8	0.0023	PPM	0.0%
3/16/81	58795	Z	C-8	0.0011	PPM	0.0%

AJP006255

Thursday, August 09, 2001 2:51:24 PM

Page 12 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/20/81	58796		Z			C-8	0.0017	PPM	0.0%
4/21/81	58797		Z			C-8	0.0002	PPM	0.0%
5/6/81	58798		Z			C-8	0.0005	PPM	0.0%
5/7/81	58799		Z			C-8	0.0005	PPM	0.0%
5/8/81	58800		Z			C-8	0.0001	PPM	0.0%
5/21/81	58801		Z			C-8	0.0007	PPM	0.0%
6/4/81	58802		Z			C-8	0.0004	PPM	0.0%
6/5/81	58803		Z			C-8	0.0003	PPM	0.0%
6/8/81	58804		Z			C-8	0.0001	PPM	0.0%
6/9/81	58805		Z			C-8	0.0002	PPM	0.0%
6/10/81	58806		Z			C-8	0.0001	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 211 FEP-WET FINISHING ROOM									
7/24/78	59641		Z			C-8	<0.05	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 212 #1 COAGULATOR-1ST FLOOR PLATFORM									
2/3/81	53369		Z			C-8	0.0003	PPM	0.0%
3/13/81	53370		Z			C-8	0.001	PPM	0.0%
3/16/81	53371		Z			C-8	0.0006	PPM	0.0%

AP006256

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

4/27/81	53372	Z	C-8	0.0007	PPM	0.0%
4/28/81	53373	Z	C-8	0.0005	PPM	0.0%
4/29/81	53374	Z	C-8	0.0007	PPM	0.0%
5/21/81	53375	Z	C-8	<0.0001	PPM	0.0%
6/4/81	53376	Z	C-8	0.0004	PPM	0.0%
6/5/81	53377	Z	C-8	0.0002	PPM	0.0%
6/8/81	53378	Z	C-8	0.0001	PPM	0.0%
6/8/81	53379	Z	C-8	0.0001	PPM	0.0%
6/9/81	53380	Z	C-8	0.0002	PPM	0.0%
6/10/81	53381	Z	C-8	0.0003	PPM	0.0%
6/11/81	53382	Z	C-8	0.0003	PPM	0.0%
6/11/81	53383	Z	C-8	0.0002	PPM	0.0%
6/12/81	53384	Z	C-8	0.0003	PPM	0.0%
6/12/81	53385	Z	C-8	0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 214 FEP-#1 TORUS DISK DRYER (CLEAN) ROOM

10/15/79	50199	Z	C-8	0.008	PPM	0.0%
11/6/79	50200	Z	C-8	0.01	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 13 of 26

AJP006257

Sample Dt Sample #

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
11/12/79	50201	Z			C-8	0.006	PPM	0.0%
11/27/79	50202	Z			C-8	0.003	PPM	0.0%
12/10/79	50203	Z			C-8	0.007	PPM	0.0%
12/12/79	50204	Z			C-8	0.0068	PPM	0.0%
1/2/80	50205	Z			C-8	0.04	PPM	0.0%
2/1/80	50206	Z			C-8	0.0022	PPM	0.0%
2/6/80	50207	Z			C-8	0.0068	PPM	0.0%
3/4/80	50208	Z			C-8	0.0039	PPM	0.0%
4/9/80	50209	Z			C-8	0.0016	PPM	0.0%
4/15/80	50210	Z			C-8	0.0004	PPM	0.0%
4/15/80	50211	Z			C-8	0.0011	PPM	0.0%
6/3/80	50212	Z			C-8	0.0057	PPM	0.0%
6/18/80	50213	Z			C-8	0.0013	PPM	0.0%
6/18/80	50214	Z			C-8	0.0019	PPM	0.0%
6/26/80	50215	Z			C-8	0.0064	PPM	0.0%
10/1/80	50216	Z			C-8	0.0062	PPM	0.0%
10/1/80	50217	Z			C-8	0.0112	PPM	0.0%
10/17/80	50218	Z			C-8	0.0065	PPM	0.0%
2/3/81	50219	Z			C-8	0.0039	PPM	0.0%
2/3/81	50220	Z			C-8	0.0039	PPM	0.0%
2/9/81	50221	Z			C-8	0.0009	PPM	0.0%
2/10/81	50222	Z			C-8	0.0053	PPM	0.0%

AJP006258

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

							0.0%
2/10/81	50223	Z	C-8	0.0023	PPM		0.0%
2/13/81	50224	Z	C-8	0.0023	PPM		0.0%
2/17/81	50225	Z	C-8	0.0031	PPM		0.0%
2/21/81	50226	Z	C-8	0.0038	PPM		0.0%
3/10/81	50227	Z	C-8	0.0007	PPM		0.0%
3/11/81	50228	Z	C-8	0.0022	PPM		0.0%
3/24/81	50229	Z	C-8	0.001	PPM		0.0%
3/25/81	50230	Z	C-8	0.0021	PPM		0.0%
3/26/81	50231	Z	C-8	0.0004	PPM		0.0%
3/30/81	50232	Z	C-8	0.0014	PPM		0.0%
4/2/81	50233	Z	C-8	0.0092	PPM		0.0%
4/6/81	50234	Z	C-8	0.0092	PPM		0.0%
4/9/81	50235	Z	C-8	0.0025	PPM		0.0%
4/10/81	50236	Z	C-8	0.011	PPM		0.0%
4/13/81	50237	Z	C-8	0.0012	PPM		0.0%
4/15/81	50238	Z	C-8	0.0048	PPM		0.0%
4/20/81	50239	Z	C-8	0.0258	PPM		0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 14 of 28

AJP006259

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/21/81	50240		Z			C-8	0.0073	PPM	0.0%
4/22/81	50241		Z			C-8	0.1162	PPM	0.0%
4/23/81	50242		Z			C-8	0.0531	PPM	0.0%
4/24/81	50243		Z			C-8	0.0077	PPM	0.0%
5/22/81	50244		Z			C-8	0.0004	PPM	0.0%
5/23/81	50245		Z			C-8	0.0012	PPM	0.0%
6/4/81	50246		Z			C-8	0.0008	PPM	0.0%
6/5/81	50247		Z			C-8	0.0007	PPM	0.0%
6/8/81	50248		Z			C-8	0.001	PPM	0.0%
6/9/81	50249		Z			C-8	0.001	PPM	0.0%
6/10/81	50250		Z			C-8	0.0011	PPM	0.0%
6/11/81	50251		Z			C-8	0.001	PPM	0.0%
6/12/81	50252		Z			C-8	0.0016	PPM	0.0%
6/15/81	50253		Z			C-8	0.0012	PPM	0.0%
6/16/81	50254		Z			C-8	0.0016	PPM	0.0%
6/16/81	50255		Z			C-8	0.0014	PPM	0.0%
6/17/81	50256		Z			C-8	0.0018	PPM	0.0%
6/18/81	50257		Z			C-8	0.0013	PPM	0.0%
6/19/81	50258		Z			C-8	0.0011	PPM	0.0%
6/22/81	50259		Z			C-8	0.0004	PPM	0.0%
6/23/81	50260		Z			C-8	0.0008	PPM	0.0%

AJP006260

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

6/24/81	50261	Z	C-8	0.0016	PPM	0.0%
6/25/81	50262	Z	C-8	0.0024	PPM	0.0%
6/26/81	50263	Z	C-8	0.0113	PPM	0.0%
6/29/81	50264	Z	C-8	0.0003	PPM	0.0%
6/30/81	50265	Z	C-8	0.0024	PPM	0.0%
7/1/81	50266	Z	C-8	0.0015	PPM	0.0%
7/7/81	50267	Z	C-8	0.0025	PPM	0.0%
7/8/81	50268	Z	C-8	0.002	PPM	0.0%
7/9/81	50269	Z	C-8	0.0031	PPM	0.0%
7/10/81	50270	Z	C-8	0.0023	PPM	0.0%
7/13/81	50271	Z	C-8	0.0012	PPM	0.0%
7/14/81	50272	Z	C-8	0.0011	PPM	0.0%
7/15/81	50273	Z	C-8	0.0017	PPM	0.0%
7/16/81	50274	Z	C-8	0.0016	PPM	0.0%
7/17/81	50275	Z	C-8	0.0018	PPM	0.0%
7/20/81	50276	Z	C-8	0.0014	PPM	0.0%
7/21/81	50277	Z	C-8	0.0016	PPM	0.0%
7/22/81	50278	Z	C-8	0.0015	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 15 of

AJP006261

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/23/81	50279		Z			C-8	0.0013	PPM	0.0%
7/24/81	50280		Z			C-8	0.0035	PPM	0.0%
7/27/81	50281		Z			C-8	0.0012	PPM	0.0%
7/29/81	50282		Z			C-8	0.0006	PPM	0.0%
7/29/81	50283		Z			C-8	0.0006	PPM	0.0%
7/30/81	50284		Z			C-8	0.001	PPM	0.0%
7/31/81	50285		Z			C-8	0.002	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 215 FEP-POLYKETTLE CONTROL ROOM

11/15/79	53238		Z			C-8	0.0009	PPM	0.0%
11/21/79	53239		Z			C-8	0.0003	PPM	0.0%
2/4/81	53240		Z			C-8	0.0002	PPM	0.0%
3/23/81	53241		Z			C-8	<0.0001	PPM	0.0%
3/24/81	53242		Z			C-8	0.0017	PPM	0.0%
3/26/81	53243		Z			C-8	<0.0001	PPM	0.0%
5/22/81	53244		Z			C-8	0.0002	PPM	0.0%
8/4/81	53245		Z			C-8	<0.0001	PPM	0.0%
8/5/81	53246		Z			C-8	<0.0001	PPM	0.0%
8/6/81	53247		Z			C-8	0.0002	PPM	0.0%
8/7/81	53248		Z			C-8	<0.0001	PPM	0.0%

AJP006262

BTO : 18 TEFLON@ COPOLYMERS
LOC : 216 P/S - WET FIN OP (18PA) ALSO SEE TCP149

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

11/28/79	52158	Z	C-8	0.002	PPM	0.0%
12/19/79	52159	Z	C-8	<0.0001	PPM	0.0%
4/6/81	52160	Z	C-8	0.0003	PPM	0.0%
4/20/81	52161	Z	C-8	0.001	PPM	0.0%
7/17/81	52162	Z	C-8	0.0004	PPM	0.0%
7/29/81	52163	Z	C-8	<0.0001	PPM	0.0%
7/30/81	52164	Z	C-8	0.0002	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 217 FEP CONTROL ROOM-COMPUTER AREA

12/3/79	57612	Z	C-8	<0.0001	PPM	0.0%
---------	-------	---	-----	---------	-----	------

BTO : 18 TEFLON@ COPOLYMERS
LOC : 218 FEP FOREMANS OFFICE

12/3/79	57506	Z	C-8	<0.0001	PPM	0.0%
---------	-------	---	-----	---------	-----	------

Thursday, August 09, 2001 2:51:24 PM

Page 16 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO : 18	TEFLON@ COPOLYMERS								
LOC : 219	FEP-OPENING POLYKETTLE								
12/7/79	49974		Z			C-8	0.0024	PPM	0.0%
BTO : 18	TEFLON@ COPOLYMERS								
LOC : 220	#2 COAGULATOR-1ST FLOOR PLATFORM								
12/18/79	53282		Z			C-8	<0.0001	PPM	

AJP006263

8/9/2001 3:52 PM

EID139505

						0.0%
1/21/80	53283	Z	C-8	0.0258	PPM	0.0%
1/21/80	53284	Z	C-8	0.0015	PPM	0.0%
1/22/80	53285	Z	C-8	0.0039	PPM	0.0%
1/24/80	53286	Z	C-8	0.0015	PPM	0.0%
7/8/80	53287	Z	C-8	0.0017	PPM	0.0%
1/13/81	53288	Z	C-8	<0.0001	PPM	0.0%
2/2/81	53289	Z	C-8	0.002	PPM	0.0%
2/3/81	53290	Z	C-8	0.0008	PPM	0.0%
2/3/81	53291	Z	C-8	0.0003	PPM	0.0%
2/3/81	53292	Z	C-8	0.0005	PPM	0.0%
2/10/81	53293	Z	C-8	0.0011	PPM	0.0%
2/10/81	53294	Z	C-8	0.0005	PPM	0.0%
2/13/81	53295	Z	C-8	0.0004	PPM	0.0%
2/13/81	53296	Z	C-8	<.0001	PPM	0.0%
2/22/81	53297	Z	C-8	0.0006	PPM	0.0%
3/10/81	53298	Z	C-8	0.0002	PPM	0.0%
3/11/81	53299	Z	C-8	0.0003	PPM	0.0%
3/13/81	53300	Z	C-8	0.0011	PPM	0.0%
3/16/81	53301	Z	C-8	0.0011	PPM	0.0%
3/17/81	53302	Z	C-8	0.0002	PPM	0.0%
4/27/81	53303	Z	C-8	0.0006	PPM	0.0%
4/29/81	53304	Z	C-8	0.0011	PPM	0.0%

ALP006264

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

4/30/81	53305	Z	C-8	0.0007	PPM	0.0%
6/15/81	53306	Z	C-8	0.0008	PPM	0.0%
6/16/81	53307	Z	C-8	0.0005	PPM	0.0%
6/17/81	53308	Z	C-8	0.0012	PPM	0.0%
6/17/81	53309	Z	C-8	0.0003	PPM	0.0%
6/18/81	53310	Z	C-8	0.0003	PPM	0.0%
6/19/81	53311	Z	C-8	0.0002	PPM	0.0%
6/22/81	53312	Z	C-8	<0.0001	PPM	0.0%
6/22/81	53313	Z	C-8	<0.0001	PPM	0.0%
6/23/81	53314	Z	C-8	<0.0001	PPM	0.0%
6/24/81	53315	Z	C-8	0.0003	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 17 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/25/81	53316		Z			C-8	0.0002	PPM	0.0%
6/25/81	53317		Z			C-8	0.0001	PPM	0.0%
6/26/81	53318		Z			C-8	0.0001	PPM	0.0%
6/29/81	53319		Z			C-8	<0.0001	PPM	0.0%
6/29/81	53320		Z			C-8	<0.0001	PPM	0.0%
6/30/81	53321		Z			C-8	<0.0001	PPM	0.0%

AJP006265

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

6/30/81	53322	Z	C-8	<0.0001	PPM	0.0%
7/1/81	53323	Z	C-8	0.0002	PPM	0.0%
7/1/81	53324	Z	C-8	<0.0001	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 222 FEP POLYKETTLE CELL #2						
1/15/80	50122	Z	C-8	0.0007	PPM	0.0%
6/3/80	50123	Z	C-8	0.0002	PPM	0.0%
12/10/80	50124	Z	C-8	<0.0001	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 223 FEP POLYKETTLE CELL #1						
1/17/80	52723	Z	C-8	0.0006	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 224 FEP DISPERSION BLENDING AREA						
1/22/80	50091	Z	C-8	0.0015	PPM	0.0%
1/22/80	50092	Z	C-8	0.006	PPM	0.0%
3/5/80	50093	Z	C-8	0.0043	PPM	0.0%
8/6/80	50094	Z	C-8	0.0003	PPM	0.0%
2/4/81	50095	Z	C-8	0.0003	PPM	0.0%
3/20/81	50096	Z	C-8	0.001	PPM	0.0%
3/24/81	50097	Z	C-8	0.0003	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 226 TRAY CONVEYER-OVEN FEED						
2/5/81	61794	Z	C-8	0.0005	PPM	0.0%
3/17/81	61795	Z	C-8	0.0004	PPM	0.0%

AJP006266

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

5/1/81	61796	Z	C-8	0.0001	PPM	0.0%
5/5/81	61797	Z	C-8	<0.0001	PPM	0.0%
5/6/81	61798	Z	C-8	0.0005	PPM	0.0%
7/6/81	61799	Z	C-8	<0.0001	PPM	0.0%
7/8/81	61800	Z	C-8	0.0002	PPM	0.0%
7/9/81	61801	Z	C-8	0.0008	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 18 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/10/81	61802		Z			C-8	0.0002	PPM	0.0%
7/13/81	61803		Z			C-8	0.0002	PPM	0.0%
7/14/81	61804		Z			C-8	<0.0001	PPM	0.0%
7/15/81	61805		Z			C-8	<0.0001	PPM	0.0%
7/16/81	61806		Z			C-8	0.0001	PPM	0.0%
7/21/81	61807		Z			C-8	0.0006	PPM	0.0%
7/22/81	61808		Z			C-8	<0.0001	PPM	0.0%
7/23/81	61809		Z			C-8	0.0002	PPM	0.0%
7/24/81	61810		Z			C-8	0.0007	PPM	0.0%
7/27/81	61811		Z			C-8	0.0002	PPM	0.0%
7/29/81	61812		Z			C-8	0.0003	PPM	0.0%

AIP006267

8/9/2001 3:52 PM

EID139509

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

7/30/81	61813	Z	C-8	0.0002	PPM	0.0%
8/5/81	61814	Z	C-8	0.0007	PPM	0.0%
8/7/81	61815	Z	C-8	0.0004	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 227 FEP FLAKE HOPPER

11/13/79	60902	Z	C-8	0.002	PPM	0.0%
2/2/81	60903	Z	C-8	0.0007	PPM	0.0%
2/22/81	60904	Z	C-8	0.0004	PPM	0.0%
3/9/81	60905	Z	C-8	0.0006	PPM	0.0%
5/21/81	60906	Z	C-8	0.0002	PPM	0.0%
5/22/81	60907	Z	C-8	0.0001	PPM	0.0%
5/23/81	60908	Z	C-8	0.0002	PPM	0.0%
6/4/81	60909	Z	C-8	0.0002	PPM	0.0%
6/5/81	60910	Z	C-8	<0.0001	PPM	0.0%
6/8/81	60911	Z	C-8	0.0002	PPM	0.0%
6/8/81	60912	Z	C-8	0.0002	PPM	0.0%
6/9/81	60913	Z	C-8	0.0002	PPM	0.0%
6/10/81	60914	Z	C-8	0.0003	PPM	0.0%
6/11/81	60915	Z	C-8	0.0006	PPM	0.0%
6/12/81	60916	Z	C-8	0.0004	PPM	0.0%
6/15/81	60917	Z	C-8	0.0003	PPM	0.0%
6/16/81	60918	Z	C-8	0.0001	PPM	0.0%
6/16/81	60919	Z	C-8	0.0004	PPM	0.0%

ALP006268

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

Sample Dt	Sample #	Type	Pers	Chemical	Conc	Unit	Percent
6/18/81	60920	Z	C-8	0.0009	PPM	0.0%	
6/22/81	60921	Z	C-8	0.0001	PPM	0.0%	
6/23/81	60922	Z	C-8	<0.0001	PPM	0.0%	
6/24/81	60923	Z	C-8	<0.0001	PPM	0.0%	
6/25/81	60924	Z	C-8	0.0005	PPM	0.0%	

Thursday, August 09, 2001 2:51:24 PM

Page 19 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/26/81	60925		Z		C-8	0.0001	PPM	0.0%	
6/29/81	60926		Z		C-8	<0.0001	PPM	0.0%	
6/30/81	60927		Z		C-8	<0.0001	PPM	0.0%	
7/1/81	60928		Z		C-8	0.0002	PPM	0.0%	
7/8/81	60929		Z		C-8	0.0003	PPM	0.0%	
7/9/81	60930		Z		C-8	0.0002	PPM	0.0%	
7/9/81	60931		Z		C-8	0.0005	PPM	0.0%	
7/13/81	60932		Z		C-8	0.0005	PPM	0.0%	
7/14/81	60933		Z		C-8	0.0007	PPM	0.0%	
7/15/81	60934		Z		C-8	0.005	PPM	0.0%	
7/16/81	60935		Z		C-8	0.001	PPM	0.0%	
7/17/81	60936		Z		C-8	0.0005	PPM	0.0%	

AJP006269

						0.0%
7/20/81	60937	Z	C-8	0.0009	PPM	0.0%
7/21/81	60938	Z	C-8	0.0003	PPM	0.0%
7/23/81	60939	Z	C-8	0.0004	PPM	0.0%
7/24/81	60940	Z	C-8	0.0011	PPM	0.0%
7/27/81	60941	Z	C-8	0.0003	PPM	0.0%
7/29/81	60942	Z	C-8	0.0003	PPM	0.0%
7/29/81	60943	Z	C-8	0.0004	PPM	0.0%
7/31/81	60944	Z	C-8	0.0004	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 228 FEP, TRAY OUT CLEANUP

2/5/81	60899	Z	C-8	0.0003	PPM	0.0%
2/5/81	60900	Z	C-8	0.0005	PPM	0.0%
2/11/81	60901	Z	C-8	0.0007	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 230 FEP-TRAYOUT

7/24/78	58603	Z	C-8	<0.05	PPM	0.0%
11/13/79	58604	Z	C-8	0.005	PPM	0.0%
11/28/79	58605	Z	C-8	0.004	PPM	0.0%
2/1/80	58606	Z	C-8	0.0008	PPM	0.0%
2/6/80	58607	Z	C-8	0.0019	PPM	0.0%
3/4/80	58608	Z	C-8	0.001	PPM	0.0%
3/7/80	58609	Z	C-8	0.0054	PPM	0.0%
6/12/80	58610	Z	C-8	0.0012	PPM	0.0%

AJP006270

						0.0%
7/8/80	58611	Z		C-8	0.0001 PPM	0.0%
7/8/80	58612	Z		C-8	0.0004 PPM	0.0%
10/17/80	58613	Z		C-8	0.0027 PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 20 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/5/81	58614		Z			C-8	0.0003	PPM	0.0%
2/11/81	58615		Z			C-8	0.0007	PPM	0.0%
2/11/81	58616		Z			C-8	0.0009	PPM	0.0%
3/17/81	58617		Z			C-8	0.0006	PPM	0.0%
3/19/81	58618		Z			C-8	0.0019	PPM	0.0%
3/26/81	58619		Z			C-8	0.0009	PPM	0.0%
4/23/81	58620		Z			C-8	0.0063	PPM	0.0%
4/24/81	58621		Z			C-8	0.0009	PPM	0.0%
5/1/81	58622		Z			C-8	0.0035	PPM	0.0%
5/4/81	58623		Z			C-8	0.0005	PPM	0.0%
5/23/81	58624		Z			C-8	0.0001	PPM	0.0%
5/28/81	58625		Z			C-8	0.0002	PPM	0.0%
7/6/81	58626		Z			C-8	0.0003	PPM	0.0%
7/8/81	58627		Z			C-8	0.0003	PPM	0.0%

AJP006271

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

						0.0%
7/9/81	58628	Z	C-8	0.0007	PPM	0.0%
						0.0%
7/10/81	58629	Z	C-8	0.0003	PPM	0.0%
						0.0%
7/13/81	58630	Z	C-8	0.0006	PPM	0.0%
						0.0%
7/14/81	58631	Z	C-8	0.0003	PPM	0.0%
						0.0%
7/15/81	58632	Z	C-8	0.0001	PPM	0.0%
						0.0%
7/16/81	58633	Z	C-8	0.0004	PPM	0.0%
						0.0%
7/20/81	58634	Z	C-8	0.0009	PPM	0.0%
						0.0%
7/21/81	58635	Z	C-8	0.0007	PPM	0.0%
						0.0%
7/22/81	58636	Z	C-8	0.0009	PPM	0.0%
						0.0%
7/23/81	58637	Z	C-8	0.0005	PPM	0.0%
						0.0%
7/24/81	58638	Z	C-8	0.0007	PPM	0.0%
						0.0%
7/27/81	58639	Z	C-8	0.0004	PPM	0.0%
						0.0%
7/29/81	58640	Z	C-8	0.0001	PPM	0.0%
						0.0%
7/29/81	58641	Z	C-8	0.0003	PPM	0.0%
						0.0%
7/30/81	58642	Z	C-8	0.0003	PPM	0.0%
						0.0%
7/31/81	58643	Z	C-8	0.0004	PPM	0.0%
						0.0%
8/5/81	58644	Z	C-8	0.0013	PPM	0.0%
						0.0%
8/7/81	58645	Z	C-8	0.0012	PPM	0.0%
						0.0%
8/10/81	58646	Z	C-8	0.0005	PPM	0.0%
						0.0%
8/11/81	58647	Z	C-8	0.0007	PPM	0.0%
						0.0%
8/12/81	58648	Z	C-8	0.0006	PPM	0.0%
						0.0%

AJP006272

BTO: 18 TEFLON@ COPOLYMERS

LOC : 231 FEP-OVEN CR (VACATED 9/97)

8/4/81	60518	Z	C-8	<0.0001	PPM	0.0%
8/6/81	60519	Z	C-8	0.0003	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 21 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/7/81	60520		Z			C-8	<0.0001	PPM	0.0%
8/10/81	60521		Z			C-8	<0.0001	PPM	0.0%
8/11/81	60522		Z			C-8	<0.0001	PPM	0.0%
8/12/81	60523		Z			C-8	<0.0001	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 232 FEP-COMPACTER OPENING #1 LINE

12/14/79	56713		Z			C-8	<0.0001	PPM	0.0%
1/3/80	56714		Z			C-8	0.0055	PPM	0.0%
1/10/80	56715		Z			C-8	0.0041	PPM	0.0%
8/13/80	56716		Z			C-8	0.0008	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 233 FEP-COMPACTER OPENING #2 LINE

12/14/79	60577		Z			C-8	0.0047	PPM	0.0%
1/3/80	60578		Z			C-8	0.0013	PPM	0.0%
1/10/80	60579		Z			C-8	0.0023	PPM	0.0%

AJP006273

BTO: 18 TEFLON@ COPOLYMERS
LOC: 238 FEP-NO 1 OVEN PLATFORM

12/12/79	57731	Z	C-8	0.0015	PPM	0.0%
12/18/79	57732	Z	C-8	0.0042	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 239 FEP-NO 2 OVEN PLATFORM

12/19/79	52750	Z	C-8	0.0004	PPM	0.0%
----------	-------	---	-----	--------	-----	------

BTO: 18 TEFLON@ COPOLYMERS
LOC: 240 FEP BIN STORAGE AREA

12/12/79	56047	Z	C-8	0.0015	PPM	0.0%
12/18/79	56048	Z	C-8	0.0042	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 241 FEP-BETWEEN OVEN ENTRANCE DOORS

12/19/79	59431	Z	C-8	0.0004	PPM	0.0%
----------	-------	---	-----	--------	-----	------

BTO: 18 TEFLON@ COPOLYMERS
LOC: 242 FEP OVEN #2-GENERAL AREA

1/3/80	56364	Z	C-8	0.0048	PPM	0.0%
2/5/81	56365	Z	C-8	0.0002	PPM	0.0%
2/11/81	56366	Z	C-8	0.0001	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 22 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
-----------	----------	----------	------	---------------	------	----------	------	------	---------

AIP006274

BTO: 18 TEFLON@ COPOLYMERS
LOC: 243 FEP OVEN #1-GENERAL AREA

2/5/81	61383	Z	C-8	0.0001	PPM	0.0%
2/11/81	61384	Z	C-8	<.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 244 FEP SLAB STRIPPER

1/8/80	60014	Z	C-8	0.0009	PPM	0.0%
1/15/80	60015	Z	C-8	0.0005	PPM	0.0%
2/5/81	60016	Z	C-8	0.0003	PPM	0.0%
2/11/81	60017	Z	C-8	0.0001	PPM	0.0%
3/24/81	60018	Z	C-8	<0.0001	PPM	0.0%
5/23/81	60019	Z	C-8	<0.0001	PPM	0.0%
8/10/81	60020	Z	C-8	<0.0001	PPM	0.0%
8/11/81	60021	Z	C-8	<0.0001	PPM	0.0%
8/12/81	60022	Z	C-8	0.0003	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 246 FEP-OUTSIDE TORUS DISK DRYER (CLEAN) ROOM

2/2/81	61852	Z	C-8	0.0009	PPM	0.0%
2/10/81	61853	Z	C-8	0.0053	PPM	0.0%
2/13/81	61854	Z	C-8	0.0023	PPM	0.0%
2/17/81	61855	Z	C-8	0.0031	PPM	0.0%
2/21/81	61856	Z	C-8	0.0038	PPM	0.0%
3/9/81	61857	Z	C-8	0.0026	PPM	0.0%
3/11/81	61858	Z	C-8	0.0006	PPM	0.0%

AJP006275

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

4/6/81	61859	Z	C-8	0.0013	PPM	0.0%
5/22/81	61860	Z	C-8	0.0007	PPM	0.0%
5/23/81	61861	Z	C-8	0.0004	PPM	0.0%
6/4/81	61862	Z	C-8	0.0006	PPM	0.0%
6/5/81	61863	Z	C-8	0.0003	PPM	0.0%
6/8/81	61864	Z	C-8	0.0016	PPM	0.0%
6/9/81	61865	Z	C-8	0.0008	PPM	0.0%
6/10/81	61866	Z	C-8	0.0009	PPM	0.0%
6/11/81	61867	Z	C-8	0.0011	PPM	0.0%
6/12/81	61868	Z	C-8	0.0019	PPM	0.0%
6/15/81	61869	Z	C-8	0.002	PPM	0.0%
6/16/81	61870	Z	C-8	0.0014	PPM	0.0%
6/17/81	61871	Z	C-8	0.0005	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 23 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/18/81	61872		Z			C-8	0.0006	PPM	0.0%
6/19/81	61873		Z			C-8	0.0002	PPM	0.0%
6/23/81	61874		Z			C-8	0.0008	PPM	0.0%
6/24/81	61875		Z			C-8	0.0011	PPM	0.0%

AJP006276

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

6/25/81	61876	Z	C-8	0.0012	PPM	0.0%
6/26/81	61877	Z	C-8	0.0006	PPM	0.0%
6/29/81	61878	Z	C-8	0.0002	PPM	0.0%
6/30/81	61879	Z	C-8	0.0013	PPM	0.0%
7/1/81	61880	Z	C-8	0.0003	PPM	0.0%
7/7/81	61881	Z	C-8	0.0028	PPM	0.0%
7/8/81	61882	Z	C-8	0.0026	PPM	0.0%
7/9/81	61883	Z	C-8	0.0015	PPM	0.0%
7/10/81	61884	Z	C-8	0.0019	PPM	0.0%
7/13/81	61885	Z	C-8	0.0011	PPM	0.0%
7/14/81	61886	Z	C-8	0.0013	PPM	0.0%
7/15/81	61887	Z	C-8	0.0009	PPM	0.0%
7/16/81	61888	Z	C-8	0.0015	PPM	0.0%
7/17/81	61889	Z	C-8	0.0013	PPM	0.0%
7/20/81	61890	Z	C-8	0.0011	PPM	0.0%
7/21/81	61891	Z	C-8	0.0007	PPM	0.0%
7/22/81	61892	Z	C-8	0.0006	PPM	0.0%
7/23/81	61893	Z	C-8	0.0014	PPM	0.0%
7/24/81	61894	Z	C-8	0.0029	PPM	0.0%
7/27/81	61895	Z	C-8	0.0034	PPM	0.0%
7/29/81	61896	Z	C-8	0.0004	PPM	0.0%
7/29/81	61897	Z	C-8	0.0004	PPM	0.0%

AJP006277

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

7/30/81	61898	Z	C-8	0.0011	PPM	0.0%
7/31/81	61899	Z	C-8	0.0018	PPM	0.0%
BTO : 18 TEFLON@ COPOLYMERS						
LOC : 247 FEP-#2 COAGULATOR - 2ND FLOOR						
2/2/81	61828	Z	C-8	0.002	PPM	0.0%
2/10/81	61829	Z	C-8	0.0011	PPM	0.0%
2/13/81	61830	Z	C-8	0.0004	PPM	0.0%
3/9/81	61831	Z	C-8	0.0002	PPM	0.0%
3/10/81	61832	Z	C-8	0.0004	PPM	0.0%
3/11/81	61833	Z	C-8	0.0004	PPM	0.0%
3/13/81	61834	Z	C-8	0.0012	PPM	0.0%
3/16/81	61835	Z	C-8	0.0011	PPM	0.0%
4/20/81	61836	Z	C-8	0.0005	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 24 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/21/81	61837		Z			C-8	0.0002	PPM	0.0%
6/15/81	61838		Z			C-8	0.0005	PPM	0.0%
6/16/81	61839		Z			C-8	0.0003	PPM	0.0%
6/18/81	61840		Z			C-8	0.0005	PPM	0.0%
6/19/81	61841		Z			C-8	0.0001	PPM	0.0%

AJP006278

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

						0.0%
6/22/81	61842	Z	C-8	<0.0001	PPM	0.0%
6/23/81	61843	Z	C-8	<0.0001	PPM	0.0%
6/24/81	61844	Z	C-8	0.0008	PPM	0.0%
6/24/81	61845	Z	C-8	0.0003	PPM	0.0%
6/25/81	61846	Z	C-8	0.0004	PPM	0.0%
6/26/81	61847	Z	C-8	0.0002	PPM	0.0%
6/26/81	61848	Z	C-8	<0.0001	PPM	0.0%
6/29/81	61849	Z	C-8	0.0001	PPM	0.0%
6/30/81	61850	Z	C-8	<0.0001	PPM	0.0%
7/1/81	61851	Z	C-8	0.0001	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 248 FEP - #1 BLENDER

2/3/81	61920	Z	C-8	0.0004	PPM	0.0%
3/19/81	61921	Z	C-8	0.0007	PPM	0.0%
3/23/81	61922	Z	C-8	0.0005	PPM	0.0%
4/30/81	61923	Z	C-8	0.0009	PPM	0.0%
5/1/81	61924	Z	C-8	<0.0001	PPM	0.0%
5/4/81	61925	Z	C-8	0.001	PPM	0.0%
5/5/81	61926	Z	C-8	0.0012	PPM	0.0%
5/22/81	61927	Z	C-8	0.0001	PPM	0.0%
6/4/81	61928	Z	C-8	0.0004	PPM	0.0%
6/5/81	61929	Z	C-8	0.0002	PPM	0.0%

ALP006279

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

6/8/81	61930	Z	C-8	0.0003	PPM	0.0%
6/8/81	61931	Z	C-8	0.0003	PPM	0.0%
6/9/81	61932	Z	C-8	0.0002	PPM	0.0%
6/10/81	61933	Z	C-8	0.0002	PPM	0.0%
6/11/81	61934	Z	C-8	0.0005	PPM	0.0%
6/12/81	61935	Z	C-8	0.0004	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 249 FEP - #2 BLENDER

2/3/81	61907	Z	C-8	0.0005	PPM	0.0%
3/19/81	61908	Z	C-8	0.001	PPM	0.0%
3/23/81	61909	Z	C-8	0.0003	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 25 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/30/81	61910		Z			C-8	0.0006	PPM	0.0%
4/30/81	61911		Z			C-8	0.0007	PPM	0.0%
5/4/81	61912		Z			C-8	0.0011	PPM	0.0%
5/5/81	61913		Z			C-8	0.0024	PPM	0.0%
5/6/81	61914		Z			C-8	0.0004	PPM	0.0%
6/15/81	61915		Z			C-8	0.0004	PPM	0.0%
6/16/81	61916		Z			C-8	0.0003	PPM	0.0%

AJP006280

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

						0.0%
6/17/81	61917	Z	C-8	0.0007	PPM	0.0%
6/18/81	61918	Z	C-8	0.0004	PPM	0.0%
6/19/81	61919	Z	C-8	<0.0001	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 250 B-163 2ND FLOOR LUNCHROOM						
2/4/81	61776	Z	C-8	0.0003	PPM	0.0%
3/20/81	61777	Z	C-8	0.0004	PPM	0.0%
5/22/81	61778	Z	C-8	0.0002	PPM	0.0%
8/4/81	61779	Z	C-8	<0.0001	PPM	0.0%
8/5/81	61780	Z	C-8	0.0002	PPM	0.0%
8/5/81	61781	Z	C-8	0.0002	PPM	0.0%
8/6/81	61782	Z	C-8	<0.0001	PPM	0.0%
8/7/81	61783	Z	C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 252 2ND FLOOR HALL B-163

2/6/81	61758	Z	C-8	0.0007	PPM	0.0%
2/13/81	61759	Z	C-8	0.0003	PPM	0.0%
2/17/81	61760	Z	C-8	0.0002	PPM	0.0%
3/9/81	61761	Z	C-8	0.0004	PPM	0.0%
4/27/81	61762	Z	C-8	0.0005	PPM	0.0%
4/28/81	61763	Z	C-8	<0.0001	PPM	0.0%
4/29/81	61764	Z	C-8	0.0002	PPM	0.0%
4/30/81	61765	Z	C-8	0.0003	PPM	0.0%

ALP006281

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

Sample Dt	Sample #	Type	Pers	Chemical	Conc	Unit	Percent
5/8/81	61766	Z	C-8	<0.0001	PPM		0.0%
5/21/81	61767	Z	C-8	<0.0001	PPM		0.0%
8/4/81	61768	Z	C-8	<0.0001	PPM		0.0%
8/5/81	61769	Z	C-8	0.0002	PPM		0.0%
8/6/81	61770	Z	C-8	0.0012	PPM		0.0%
8/7/81	61771	Z	C-8	<0.0001	PPM		0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 26 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 18	TEFLON@ COPOLYMERS								
LOC: 253	B-163 S-W WALL 1ST FLOOR - VEND/MACHS								
2/6/81	61772		Z			C-8	0.0004	PPM	0.0%
3/25/81	61773		Z			C-8	<0.0001	PPM	0.0%
5/23/81	61774		Z			C-8	<0.0001	PPM	0.0%
8/6/81	61775		Z			C-8	0.0005	PPM	0.0%

BTO: 18	TEFLON@ COPOLYMERS								
LOC: 268	FEP-EXTRUDER OPERATOR DESK (CR GONE 9/97)								
12/18/79	55147		Z			C-8	0.0005	PPM	0.0%
1/8/80	55148		Z			C-8	0.001	PPM	0.0%
2/6/80	55149		Z			C-8	0.0002	PPM	0.0%

AIP006282

8/9/2001 3:52 PM

EID139524

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

6/4/80	55150	Z	C-8	0.0001	PPM	0.0%
7/8/80	55151	Z	C-8	0.0001	PPM	0.0%
8/6/80	55152	Z	C-8	0.0004	PPM	0.0%
12/4/80	55153	Z	C-8	0.0009	PPM	0.0%
2/4/81	55154	Z	C-8	0.0003	PPM	0.0%
3/23/81	55155	Z	C-8	0.0002	PPM	0.0%
5/23/81	55156	Z	C-8	<0.0001	PPM	0.0%
5/27/81	55157	Z	C-8	<0.0001	PPM	0.0%
8/4/81	55158	Z	C-8	<0.0001	PPM	0.0%
8/5/81	55159	Z	C-8	0.0004	PPM	0.0%
8/6/81	55160	Z	C-8	0.0002	PPM	0.0%
8/7/81	55161	Z	C-8	<0.0001	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 272 FEP-PACKOUT ROOM-CONVEYER

2/11/81	60398	Z	C-8	0.0009	PPM	0.0%
---------	-------	---	-----	--------	-----	------

BTO : 18 TEFLON@ COPOLYMERS
LOC : 273 FEP-PACKOUT ROOM-SW CORNER

3/25/81	53353	Z	C-8	0.0005	PPM	0.0%
4/30/81	53354	Z	C-8	<0.0001	PPM	0.0%
5/1/81	53355	Z	C-8	0.0004	PPM	0.0%
5/4/81	53356	Z	C-8	0.0005	PPM	0.0%
5/5/81	53357	Z	C-8	0.0006	PPM	0.0%
5/21/81	53358	Z	C-8	<0.0001	PPM	0.0%

A/P006283

TestResults

file:///C:/WINDOWS/TEMP/C-8 Z 2-26-73 thru 8-12-81.htm

5/28/81	53359	Z	C-8	0.0002	PPM	0.0%
7/6/81	53360	Z	C-8	<0.0001	PPM	0.0%
7/8/81	53361	Z	C-8	<0.0001	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 27 of 28

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/10/81	53362		Z			C-8	0.0001	PPM	0.0%
7/13/81	53363		Z			C-8	<0.0001	PPM	0.0%
7/14/81	53364		Z			C-8	<0.0001	PPM	0.0%
7/15/81	53365		Z			C-8	<0.0001	PPM	0.0%
7/22/81	53366		Z			C-8	<0.0001	PPM	0.0%
7/29/81	53367		Z			C-8	<0.0001	PPM	0.0%
7/30/81	53368		Z			C-8	0.0002	PPM	0.0%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 274 FEP-PACKOUT ROOM-ON DISCHARGE CHUTE

1/21/80	54693		Z			C-8	0.0026	PPM	0.0%
1/24/80	54694		Z			C-8	0.0002	PPM	0.0%
2/6/81	54695		Z			C-8	0.0002	PPM	0.0%

AJP006284

BTO : 18 TEFLON@ COPOLYMERS
LOC : 281 FEP-2ND LEVEL ROOF-H&V FOR FINISHING AREA

2/6/81	47664		Z			C-8	0.0003	PPM	
--------	-------	--	---	--	--	-----	--------	-----	--

						0.0%
2/6/81	47665	Z	C-8	0.0002	PPM	0.0%
3/26/81	47666	Z	C-8	<0.0001	PPM	0.0%
5/21/81	47667	Z	C-8	0.0006	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 283 BLDG 163 GENERAL						
2/13/81	57462	Z	C-8	0.0003	PPM	0.0%
2/17/81	57463	Z	C-8	0.0002	PPM	0.0%
2/17/81	57464	Z	C-8	0.0002	PPM	0.0%
2/17/81	57465	Z	C-8	<.0001	PPM	0.0%
2/19/81	57466	Z	C-8	0.0003	PPM	0.0%
4/21/81	57467	Z	C-8	<0.0001	PPM	0.0%
5/11/81	57468	Z	C-8	<0.0001	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 295 DRY FLAKE PACKOUT						
4/7/81	61826	Z	C-8	0.0001	PPM	0.0%
4/8/81	61827	Z	C-8	<0.0001	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS						
LOC: 600 BLDG 168 - GENERAL						
4/2/81	52618	Z	C-8	<0.0001	PPM	0.0%

Thursday, August 09, 2001 2:51:24 PM

Page 28 of 28

ALP006285