

Consento

FROM (NAME & LOCATION) C. F. Navarrete - 0-10A

DATE June 15, 1982

CC: PMSB

SUBJECT SAC Minutes - Meeting of June 3, 1982

REFERENCE

TO : D. E. Kaldenberg
S. G. Pappas
J. A. Glass

1. Cover Goggle Signs

LP&S will develop a plant standard for cover goggle areas identification defining appropriate signs and highlighting color.

The requirements for the standard are:

- 1) Uniformity throughout the plant.
- 2) Recognizable
- 3) Cost effective

2. Welding Tarps & Platforms on Pipe Racks

The number of scaffold platforms on pipe racks throughout the plant, and the prevention of fires are items of concern.

Use of a flame retardant treatment was discussed with Mike McCullough. A. Glass will follow up on reports of allergies related to this material. Maintenance will continue to emphasize following procedures on the use of tarps and fire watches.

3. HCN Emergency Training

SAC supports recommendations 1, 2, 3 in T. L. Nelson's memo to PMSB on "Follow-up on Communications of HCN Alarm Problem," May 18, 1982. Specific recommendations under 4 & 5 on communication of information may not be the best solution.

Arnold Glass will work with Nelson to develop a procedure for communication of information concerning all HCN alarms to people in the field.

4. Hourly Safety Committee

SAC reviewed function and alternatives to help improve the effectiveness of the HSC.

Too
Expensive
to use
Glass wants

SC

002056

LAM003261

June 15, 1982

Our recommendation is to continue support of the HSC in its present form, and to use existing resources to help.

Specifically,

- 1) Line management support and interest in U/CSPT.
- 2) Development and training of HSC members. *Training @*
- 3) Full support through SHAC Chairman. *→*

5. S T O P

Greg Daues reviewed STOP plans with G. L. Tromblee and SAC.



C. F. Navarrete
Chairman, SAC

/ob