

NOTICE: If the film image is less clear than this notice, it is due to the quality of the document being filmed

00057



NLI 114999
N13425

51



NOTICE: If the film image is less clear than this notice, it is due to the quality of the document being filmed



YOUR ADVERTISEMENT HERE
IN THREE OR FOUR LINES
WILL MAKE FRIENDS
ALL THE YEAR

Form No. 6121

We Are The Authorized Dealer For "Dutch Boy" Blended Paint

JANUARY						
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			



1951

FEBRUARY						
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28			



00057

NLI 115000

NOTICE: If the film image is less clear than this notice, it is due to the quality of the document being filmed



YOUR ADVERTISEMENT HERE
IN THREE OR FOUR LINES
WILL MAKE FRIENDS
ALL THE YEAR

Series No. 6121

Springtime Is Painting Time — Time For "Dutch Boy"

MARCH						
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31



1951

APRIL						
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					




00057

01111

NLI 115001

NOTICE: If the film image is less clear than this notice, it is due to the quality of the document being filmed



YOUR ADVERTISEMENT HERE
IN THREE OR FOUR LINES
WILL MAKE FRIENDS
ALL THE YEAR

Series No. 6129

Dingy Rooms Need "Dutch Boy" Wonesover — The Modern One Coat Flat Paint

MAY						
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		



1951



JUNE						
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

00057

NLI 115002

NOTICE: If the film image is less clear than this notice, it is due to the quality of the document being filmed



YOUR ADVERTISEMENT HERE
IN THREE OR FOUR LINES
WILL MAKE FRIENDS
ALL THE YEAR

Spec. No. 6124

"Dutch Boy" Soak & Trim Colors Add Brightness To Your Home

JULY						
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				



1951

AUGUST						
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	



00057

NLI 115003

NOTICE: If the film image is less clear than this notice, it is due to the quality of the document being filmed



YOUR ADVERTISEMENT HERE
IN THREE OR FOUR LINES
WILL MAKE FRIENDS
ALL THE YEAR

Series No. 4124

Get Ready For Winter — Protect And Beautify With "Dutch Boy"

SEPTEMBER						
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23 /30	24	25	26	27	28	29



1951

OCTOBER						
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31	---	---	---



00057

EE

NLI 115004

NOTICE: If the film image is less clear than this notice, it is due to the quality of the document being filmed



YOUR ADVERTISEMENT HERE
IN THREE OR FOUR LINES
WILL MAKE FRIENDS
ALL THE YEAR

Series No. 6129

For Sturdy Wear On Floors "Dutch Boy" Porch & Floor Enamel

NOVEMBER						
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	--



1951

DECEMBER						
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29



1952

00057



NLI 115005

NOTICE: If the film image is less clear than this notice, it is due to the quality of the document being filmed

PAINTING HINTS

ALWAYS REMEMBER

Use good brushes and then keep them clean. In putting a brush in a can, be sure it is well heated and that the brush is dry. A dirty brush will not hold paint and will not do a good job. This is the secret of having a sharp brush with the intention of throwing it away when the job is finished.

The secret of having a brush clean is to never let the paint on a brush dry. If this happens it is a very old brush and often impossible to clean the brush properly.

If regular oil paint is used, clean the brush in benzene or kerosene. A brush used in oil paint should be thoroughly cleaned with denatured alcohol immediately after use. If the brush has been used in water-based paint, it will be necessary to clean it with hot water.

If the brush is not going to be used for some time, it is good practice to wrap the brush in paper. Wash the brush with a soap solution made with ordinary soft soap. Wash with clear warm water, and after the brush has thoroughly dried, wrap the brush in paper to keep out dust and dirt.

ESTIMATING AMOUNT OF PAINT

To determine how much paint will be required for a given job it is best necessary to measure the number of square feet on the surface to be painted. The conversion of this data into gallons of paint is done by dividing the total area of each type of surface—lathwork, wood shingles, plaster, concrete and so on—by the number of square feet each gallon of paint will cover.

Usually the average spreading rate of a paint can be found by asking your Dutch Boy Dealer.

MIXING PAINT

Before painting, be certain the paint is well mixed. A convenient method is to pour all the paint into a large container. Then with a strong paddle and a lifting motion stir until completely uniform. Also stir paint occasionally while using.

PREPARING SURFACE

Preparing the surface is a very important part of a painting job. No matter what material is being painted, it should be clean and smooth before a brushful of paint is applied. Dirt, dust, rust, loose paint, grease, or any other foreign matter should be removed from the surface. Rough and uneven places should be sandpapered smooth.

On most surfaces, if there are deep cracks or knots, coat these thick with shellac after the first coat is dry. At the same time nail holes and similar defects should be puttied.

On interior walls—avoid filling cracks unless they are rough. Permanent cracks can be repaired with spackling compound mixed with "Dutch Boy" Water, and the walls painted while the patch is still wet.

Unpainted plaster must be well aged, dry, and coated with a primer or sealer. Do not use glue size.

APPLYING THE PAINT

Paint in good weather—and when it is damp, stormy or there is likelihood of a sudden temperature drop to near freezing. Avoid painting on the late evening. Also, do not paint while the surface is directly exposed to intense sun. Brush the paint evenly to spread it evenly but do not try to get too far from the surface.

In painting a room, follow its natural divisions. Do a side, an end or a ceiling at a time. Complete the painting of one section before starting another. Apply the paint in even strokes with a full brush or roller and spread evenly.

YOUR ADVERTISEMENT HERE
IN THREE OR FOUR LINES
WILL MAKE FRIENDS
ALL THE YEAR

Spec. No. 6129

READY MIXED TOP QUALITY

DUTCH BOY PAINTS

"BLENDED" FOR LASTING BEAUTY



Take the brightness of his smile . . . the integrity of his work . . . the sturdiness of his cloys . . . the endorsement of his fame . . . put them all together and you have "DUTCH BOY" . . . the paint with the Happy BLENDING



Why is blending so important? Because different parts of your home and buildings must stand up against different kinds of wear . . . and need different types of paint.

Your "Dutch Boy" dealer will tell you just what type of "Dutch Boy" Paint to blend for your particular job . . . and show you the beautiful paint results.

00057

NLI 15006