



E. I. DU PONT DE NEMOURS & COMPANY
WILMINGTON, DELAWARE

EMPLOYEE RELATIONS DEPARTMENT

CC: A. B. Palmer, C&P
J. R. Webster, C&P-Edge Moor
B. W. Karrh, M.D./
B. W. Culpepper, M.D.

OR

August 11, 1981

R. A. SHINN
I. J. TIKELLIS, M.D.
CHEMICALS & PIGMENTS DEPARTMENT
EDGE MOOR

PLAINTIFF'S
EXHIBIT
DUP-942

REPORT OF X-RAYS ON ASBESTOS FOLLOW-UP CASES

I am pleased that you have been sending follow-up asbestos related x-rays to Dr. Allen for interpretation. As stated in my July 15, 1981 memo to you, Dr. Allen is planning to use a suitable follow-up interpretation that relates to the previous report, without repeating the previous interpretation.

Your suggestion that you use a stamp note on the x-ray report sheet to the radiologist, "Asbestos-related x-ray findings confirmed", would be helpful except that the implication may involve more than just x-ray findings. The confirming authority is not stated and Du Pont responsibility is implied. Our Legal Department does not recommend the use of such a statement unless it is a quote from an identified pulmonary specialist report.

A suggested stamp might be, --Asbestos-related follow-up-- that you would place on the x-ray form.

MEDICAL DIVISION

J. C. Bonnett, M.D.
Asst. Medical Director

JCB/mch

DUP 0936377

You and Du Pont. There's a lot of good chemistry between us.

DU 037556