FILE NAME: US Gypsum (USG)

DATE: February 1969

DOC#: USG105

DOCUMENT DESCRIPTION: 1969 Letter from USG regarding asbestos labeling

USG-9001



bcc: #186 Chicago - Mr. C. P. Lipp
#131-4 Chicago - Mr. E. E. Deaman
#470-2 Chicago - Mr. V. G. Klassen
#151 Research - Mr. J. W. Garrison
#251 S. Plainfield - Mr. C. B. Setterberg
#170-K Chicago - Mr. R. C. Barker

February 28, 1969

Mr. Richard Kempthorne
Sprayon Research Corporation
1101 N. E. 110th Street
Miami, Florida 33161

Subject: Asbestos Labeling

Dear Dick:

Upon the advice of our Insurance and Legal Departments, we are making arrangements to make the following changes the next time Sprayon bags are printed. These changes would be in only the Sprayon products were asbestos is used. The printing will include a reference to newer caution label pertaining to asbestos.

OLD

CAUTION: This product contains asbestos

NEW

"CAUTION"

"One of the ingredients of the material in this bag is asbestos and persons exposed to dust that contains asbestos should take adequate precautions as inhalation of asbestos fibres may be harmful."

We ask for your formal approval of this procedural change.

FILE COPY

Yours very truly,

UNITED STATES GYPSUM COMPANY

D. K. Hansen, Sales Manager
Industrial Wool Sales

DKH:lb