

— / — 20
OSHA HAZ COM 4/ATT

June 26, 1986

VISTA

Mr. Steve Smith
State of California
Division of Occupational Safety and
Health Administration
1625 Shattuck Avenue, Room 302
Berkeley, CA 94709

Dear Mr. Smith:

Enclosed are Material Safety Data Sheets for the Vista products,
Light Aromatic Concentrate and Heavy Ends EDC/VCM, as you have
requested. Please call me at 713-531-3445 if you have further
questions regarding this matter.

Sincerely,



Thomas G. Grumbles, C.I.H.
Environmental Quality Manager

ajo/9

VVV 000015261

TO: Safety Directors

FROM: T. G. Grumbles

DATE: June 26, 1986

Interoffice
Communication

SUBJ: PLANT NOISE SURVEYS - HOUSTON ASSISTANCE

VISTA


The Houston office can provide the plant services necessary to satisfy the noise survey needs of the plants. Specifically, we can provide the survey design for dosimetry and noise contouring, and in most cases provide the manpower to accomplish the surveys. I am currently attempting to obtain approval for capital funds to purchase dosimeters.

I need to determine survey needs for the next year and the equipment the plants currently have. Please provide me with the following by July 18.

1. Anticipated Survey Needs:

- A. Dosimetry - process units, etc.
- B. Contouring - updating areas with changed processes, modified equipment, or full contour, etc.
- C. Current equipment - dosimeter and sound level meter type and number you now have.

Please call me if you have questions on the above.



Thomas G. Grumbles

ajo/9

cc Plant Managers

VVV 000015262

**Interoffice
Communication**

To: Tom Grumbles, 206 Environmental, Timberway

From: K. L. Fogg, LCLAB Plant, Westlake

Date: February 25, 1986

Subject: NOISE SURVEYS - NOISE DOSIMETRY

VISTA

I have discussed the problem of noise surveys and noise dosimetry with the Safety Directors of the Vista Chemical Plants. As you know, those services were provided by Conoco before the separation of Conoco and Vista Chemical Company. The Safety Directors agreed that a continuing need for this service exists and will continue to exist. The general consensus is that the resources and equipment are not available in the plants to satisfy that need. There was general agreement that each plant would support the concept of this service being provided by your organization. The alternative to this would be to have those services provided by a contract consultant which would result in significant expenditures.

As we discussed, I would like you to pursue the possibility of your organization providing this service to the plants.

Keith

K. L. Fogg

db

cc: R. D. Gamblin - Timberway
J. Friend, A. Sather - Aberdeen
T. Huffman, L. Mauerman - Baltimore
J. Mayer, M. Tonkovich - Hammond
R. T. Ferrell, J. A. DeBernardi, Sid Pitts - LCCP
H. Garrison, R. Gantz - Oklahoma City PVC
R. Conrad, Steve Ashby - LCVCN
R. W. Seymour - LCLAB

VVV 000015263