

EPA -107 VCM Analysis Worksheet

Date:

3/18/01

Analyst:

H.A.

H.A.

Shift:

Day

Night

Lab Temperature (°C):	19°	Barometric Pressure (in Hg):	29.8
Specification	Actual Concentration	Expiration Date	Bottle Pressure
5 ppm VCM in N ₂	5.2	9/18/01	10
50 ppm VCM in N ₂	49.4	5/23/01	30
500 ppm VCM in N ₂	502	5/23/01	55
1000 ppm VCM in N ₂	993	9/26/01	11

Carousel No.	Sample ID	Date	Type	Sample Wt.	LIMS ID	Area
	5 ppm Standard	xxx	xxx	xxx		
	5 ppm Standard	xxx	xxx	xxx		
	50 ppm Standard	xxx	xxx	xxx		
	50 ppm Standard	xxx	xxx	xxx		
	500 ppm Standard	xxx	xxx	xxx		530337
	500 ppm Standard	xxx	xxx	xxx		530584
	1000 ppm Standard	xxx	xxx	xxx		
	1000 ppm Standard	xxx	xxx	xxx		
5	15 581018	3/17	R S W C	3.74	092	5203
6	85 581372		R S W C	5.14	305	21899
7	85 581059		R S W C	2.65	367	15760
1	85 270922		R S W C	4.21	525	32510
2	15 270926		R S W C	3.38	1211	63336
1	85 270955		R S W C	5.06		16306

Form: LAB 2035
Rev #: 9/27/99