PLAINTIFF'S EXHIBIT
ETCO-657

ETHYL CORPORATION

INTER-OFFICE

To	R.L. Johnson	**Address**	ETC
From	W.M. Sorey	**Address**	ETC
Subject	Asbestos	**Date**	01/08/85

During the December monthly safety and housekeeping inspection at ETC I found asbestos being used in several non-essential applications. The Industrial Hygiene department discourages the use of asbestos except where absolutely necessary and has encouraged an active program of asbestos substitution where practical. The uses for asbestos at ETC which I saw were asbestos gloves, insulation on heat transfer lines, and as insulating blankets on reactors in hoods. There are practical substitution materials for all of these applications.

I would appreciate any comments and suggestions on how to determine the extent of asbestos usage at ETC and how best to handle its replacement with non-hazardouns materials.

Bill Sorey

W.M. Sorey
Corp. Industrial Hygienist

WMS/bat
cc: D.E. Johnson/G.L. Ter Haar
M.A. Monrose
P.J. Sanders
File: ETC - IH

0133C

ETHYL CORPORATION

INTER-OFFICE

To R.L. Johnson — Address ETC

From W.M. Sorey — Address ETC

Subject Asbestos — Date 01/08/85

During the December monthly safety and housekeeping inspection at ETC I found asbestos being used in several non-essential applications. The Industrial Hygiene department discourages the use of asbestos except where absolutely necessary and has encouraged an active program of asbestos substitution where practical. The uses for asbestos at ETC which I saw were asbestos gloves, insulation on heat transfer lines, and as insulating blankets on reactors in hoods. There are practical substitution materials for all of these applications.

I would appreciate any comments and suggestions on how to determine the extent of asbestos usage at ETC and how best to handle its replacement with non-hazardouns materials.

Bill Sorey

W.M. Sorey
Corp. Industrial Hygienist

WMS/bat
cc: D.E. Johnson/G.L. Ter Haar
M.A. Monrose
P.J. Sanders
File: ETC - IH

0133C