

Interoffice Communication

To A. H. Sather

From J. V. Uptain

Date July 24, 1979

Subject CONTINUOUS MONITORING SUMMARY FOR JUNE, 1979

Stream No. 1 2 3 4 5 6 7 8 9 10 % of Total

Laboratory Unit Unit was out of order for approximately 4 days during this period.

Range, PPM

.0 - 0.5	605	605	604	605	605	605	604	605	605	603	99.9
0.5 - 1.0	0	0	0	0	0	0	0	0	0	1	0.0
1.0 - 5.0	0	0	1	0	0	0	0	0	0	1	0.0
+ 5.0	0	0	0	0	0	0	1	0	0	0	0.0
% over 5	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.00	0.00	-

New Large Reactor Area

Range, PPM

.0 - 0.5	714	642	705	682	694	708	708	716	709	688	96.8
0.5 - 1.0	5	33	9	13	10	6	7	3	7	9	1.4
1.0 - 5.0	1	24	6	21	11	5	4	1	3	18	1.3
+ 5.0	0	21	0	4	5	1	1	0	1	5	0.5
% over 5	0.00	2.92	0.00	0.55	0.69	0.14	0.14	0.00	0.14	0.69	-

Old Large Reactor Area

Range, PPM

.0 - 0.5	589	387	568	505	549	630	592	502	635	480	75.5
0.5 - 1.0	31	54	33	58	37	22	36	42	27	34	5.2
1.0 - 5.0	93	204	103	130	111	64	87	136	51	170	16.0
+ 5.0	7	75	16	27	23	4	5	39	7	36	3.3
% over 5	0.97	10.42	2.22	3.75	3.19	0.56	0.70	5.40	0.97	5.01	-

Tank Farm Area

Range, PPM

.0 - 0.5	676	627	650	697	708	703	712	714	713	718	96.1
0.5 - 1.0	11	20	32	8	3	6	4	4	3	0	1.3
1.0 - 5.0	31	69	34	14	9	7	4	2	4	2	2.4
+ 5.0	2	4	4	1	0	4	0	0	0	0	0.2
% over 5	0.28	0.56	0.55	0.14	0.00	0.56	0.00	0.00	0.00	0.00	-



Gerald V. Uptain

c: CLM, Dept. Heads, DAK-Houston, ODS-Ponca City


if

DTH 000050558

ABERDEEN LABORATORY VCM CONTINUOUS MONITORING UNIT TRENDS
 -PERCENTAGE OF SAMPLES WITHIN CONCENTRATION RANGES-




ABERDEEN NEW LARGE REACTOR VCM CONTINUOUS MONITORING UNIT TRENDS
-PERCENTAGE OF SAMPLES WITHIN CONCENTRATION RANGES-



New Reactors did not go on stream until March, 1978

DTH 000050560

ABERDEEN OLD LARGE REACTOR VCM CONTINUOUS MONITORING UNIT TRENDS
 -PERCENTAGE OF SAMPLES WITHIN CONCENTRATION RANGES-



ABERDEEN VCM TANK CONTINUOUS MONITORING UNIT TRENDS
 -PERCENTAGE OF SAMPLES WITHIN CONCENTRATION RANGES-

