STENOGRAPHER'S NOTE BOOK

E. E. SWAIN

No. 22

FROM	4-9-74
TO	5-24-74

Re-Order From Stationery & Forms, Wilmington

5-61

N38214

ethyl chloride 1000 ppm

propane 1000 ppm

F.T.J.

Prizm Polypropylene Refinish

427 g. total charge

45%	192 g	Propellant
99%		ethyl chloride 20%
36%		Freon 12 80% TLV - 1000 ppm
		└ most commonly used even 1-2% OK
99%	39 g	Methylene chloride
		└ expect to cover to 250
18	78 g	Toluene
28%	148/427 g	resins, pig. etc.

From 11 - sl. more Toxic

DUP050048189

Atl TV 58.0°

53°

APR 9 1974

E.E.S.

CMS -

DLH -

Don't do anything

P_3 Phosphine —

└ CKI / DLH

Silanes -

recirc. air — send OSHA Regs.

Ohio - EPA

fill out forms

supply form. to state + tests

what is needed

exact solvent comp.

Austin -

will see Wanderly soon

will ask if can supply

A, B, C % for each code (Texas only rather than to each customer

he will call CMS for details

DUP050048190

CMH

ERL - 2704 not APR 9 1974
taken out E.E.S.

subst. will be submitted for tests

VC - monomer
Carbide

let CMH know recom. on PVC powder
re monomer content

HJT x 2110
Me Cl2 250
F-12 1000
ethyl Chloride 1000
toluene 100
all are narcotic

---

perchloroethylene

DUP050048191

Ges Evans
no numbers yet - will call
charcoal not good as
capture agent for VC

APR 10 1974
E.E.S.

collecting sample in glass flask
shooting directly into VC

Flame GC more sensit. than
electron capture

		sensit.
VC in THF -	flame	10 ppm
	dirty elect. capt.	15
	best	5

50 ppm 2½ = 125 mg/m³

5 ppm 13 mg/m³
.013 mg/l

3l x 10 min = 30
.013
.039

.013
30
0.39

CE Cornell 189-242 → 278

L Don Teeli - area Sup APR 10 1974

E.E.S.

how rec'd ? some in bags - some fiber drums

opened } on vent. area ; dust collector

dumped }

ventil. - gas

dustiness -

L dust resp. when dumping

1 pt. samples - Geo Evans

approx. date rec'd at plant

will ship by UPS tomorrow

Phil Harmon 444

Korean Battle - 3784

trichlor - perchloro TLV 100 ppm

L L

avoid hot wire & decomp phosgene + HCl

TRM -

L

) Wond will take - both narcotic

OSHA restrict. - may gloves & resp.

if smell -

DUP050048193

Extra

APR 10 1974

50 ppm odor threshold ~~E.E.G.~~ gives
100 ppm - " " for old timers
no phys. effect 8 hr at 100 ppm

200 ppm - mod. eye irrit
light headedness

400 ppm - irrit. stinging odor
eye, nose irrit
incoord @ 2 hr.

600 ppm more above in 10 min

1000 ppm - intensely irrit
1500 intolerable

BP - 121°C.

U.B. =
sat'd air 2.5% @ 25°

MAC 200 ppm

Vol 1 Cl vapor ≠ TLV
24,000 ft³
30,000 ft³ for trichlor

low tox -
skin - defats - wash + lotion
Safest of all Cl. HC
Trichlor about same - sl. more toxic

E.E.G.
VOB TO 1814

DUP050048194

Geo Evans

Instr. Problems - broke down

APR 10 1974
E.E.S.

4 samples not run

9 run

trace in 1 (Carbide UMCH)

Geo Patterson

each was ordered - reid in 1-2 lb plastic bags

presume pushstock

6 45,000 lb/yr. - UMCC
L O limit < 15 ppm

6- 13 000 lb/yr. UMCH
trace 15 ppm?

VYHH

VYNS
UAGH
UYHD
UMCC
FPC-450
FPC-6337 not run

G-1245 312 M lb Comm 128 -

G-227 140 mb

Gen 101F-4
2 not run

Marvinol VR-10
not sure now used

ask Toledo & send samples of each
but fill the containers - pint + qt.
~~in~~ tomorrow OPS ?

50ppm limit of detect. ~
1 cc of air
work on method in air Thurs
no meeting unless we call

DUP050048196

Phil Harrison

958 Teflon - 60 M with 16% by vol. MBK goes on cookware

APR 10 1974
E.E.S.

RM Kirkpatrick
with eg samples for Haskell

4-11-74

JAZ - if not food contact - OK remaining stocks actual health risk should be nominal

APR 11 1974
E.E.S.

MBK not approved by FDA (2574) ∴ legal quest.

Teflon® - if can't find by best anal. method, neither can FDA not worried about toxicology problems from these trace amounts

J. Hartshorn

DUP050048197

G.L. Evans

APR 11 1974

may have QC interference E.E.S. Lou ste
know by Toxicity
will see about getting bags from Phila.
needle in powder will plug
can air monitor when opening bag

ELG -

1. VC - PVC reg.

2. MBK in Drum linings 880 gal. 2-3 mo supply
auto. spray
some food contact - JAZ no hazard legal prob

3. MBK in Teflon
JAZ - no hazard - legal prob

OK to use remaining stock of finishes ≤ MBK provided customer is told

DUP050048198

G.L. Evans

detect 4 ppm VC in air APR 15 1974
= 1 cc shot from syringe E.E.S.
flame

Review for Wed.

glass vessels - stopcocks on 2 ends
pass air 250 cc 1 l/min for 15 min

1387-9 OSHA Reporter
interim OSHA sampling data sheet

PTJ

Locite Wall, Int. En - no Pb added for 5 years
Ceston color
has lead since 1972

DUP050048199

Bob Hall

Solaux

APR 15 1974

E.E.S.

Mfrs. say can receive air Reg. have been changed or something he will send me documentation

Boles

RPK

'73 Boles Pb Content

17 M gal	65 - 3010	Preparacote	0.79% Pb
5 M gal	11		.84
26 M gal	12		.83
1460 gal	13	lite yellow small volume	1.83
34 M gal	3055		.79

~ 67% solids by wt.

2274 - Putty

6/8

360 M lbs 1973

DUP050048200

W - 34

UD 5822 Be 0.01

Barium sulfate
< 200 ppm

CFR

FEE - no treatment req. was APR 16 1974
good advice
Do we have control test? E.S.

should run acut and on prod. not already
tested - would be help in
ans emerg. calls

Fred Gershwin
PI + EL
Dyno + Sprays are aware of
hazards of PI -
he could reaffirm need appointments.

DUP050048201

E.E.S.

6-99 -
6-134 none in stock
work overtime to make
12 ordered 250 cc tubes
not in stock in Phila
may be 2 weeks before get -
maybe sooner
chg Toledo OSHA surveys

Les Young
sending

Botas
Arsenic
LD 50 >5 g/kg - no toxic
skin 30 yr exp. - no case of
skin sensitivity

wear prot skin + eye
avoid breathing dust

Neozyme - not highly toxic
may cause skin irritations
Haskell - no evidence as sensitizer
can't be used in food contact -

DUP050048202

HJT

APR 16 1974

E.E.S.

Quick Set

He will check on slides - call back

Emg. Sta - Dr. Robert Barrows
123-4184

CVR Rob DePay 122-[illegible]43
never heard of any
allergy from Meprine

DUP050048203

W.S.Z.

APR 16 1974

E.E.S.

St Louis - ord. regulation
~~stats~~ hearing on 4/23
following NJ - 16
Ark - getting reg.

Chicago - OK -
will go to 205
into the city council on 4/17

John Young, Ford on Task Force

Colorado - ord. & allow 30% hi solids
& Water

HJT
all tests on Quick set completed
adhesives -
eye irrit - bad if get in eye
Prob. low likelihood of getting in eye tho

DUP050048204