

FILE NAME: RT Vanderbilt (RTV)

DATE: 1971 Sept 29

DOC#: RTV160

DOCUMENT DESCRIPTION: Letter to Desert Minerals from Am. Conf. of Govt Ind. Hygienists RE Differentiation between Fibrous & Non-Asbestiform TALC

AMERICAN CONFERENCE
of
GOVERNMENTAL INDUSTRIAL HYGIENISTS



September 29, 1971

Mr. E. J. Ellsworth
Desert Minerals, Inc.
1891 South Coast Highway
Laguna Beach, California 92651

Dear Mr. Ellsworth:

In answer to your letter of September 22 regarding a mineralogic definition differentiating between fibrous and non-asbestiform TALC, I am pleased to quote from a very recent article that appeared in Science, September 17, 1971.

"There is no firm mineralogic definition of commercial talc, and in most areas the mineral talc forms much less than half of commercial talc. The composition of commercial talc varies with the deposit. Vermont mines produce a platy or granular type of mineral relatively free of asbestos minerals(1). New York and California talcs contain more fibrous silicates, including anthophyllite and tremolite(2,3)."

Reference 1 refers to Weiss and Bochner, Arch. Environ. Health 14, 304 (1967). Reference 2 refers to Wright, Talc and Soapstone, Calif. Divn. of Mines Pub., Bull. 176, San Francisco, 1957. Reference 3 refers to Wells, Mineral Facts and Problems, U.S. Bu. of Mines, Washington, D.C., 1965.

Sincerely yours,

Herbert E. Stokinger
Herbert E. Stokinger, Ph.D.
Chairman
Threshold Limits Committee

Did: Ben Help This!!
jse

CRMC-HT-TALC-000105