



INTERNAL CORRESPONDENCE

RECEIVED

SEP 15 1977

PLAINTIFF'S EXHIBIT

UC-3869

METALS DIVISION

• P.O. BOX 579 - 4625 ROYAL AVE., NIAGARA FALLS, NEW YORK 14302

To (Name) Mr. J. L. Myers
Division UCC Metals Division
Location Niagara Falls, NY 14302

Date September 13, 1977
Originating Dept. "Calidria" Asbestos Marketing

Answering letter date

Copy to Messrs. J. F. Collins
R. F. X. Fusaro
H. B. Rhodes
W. C. Thurber ✓

Subject Customer Mailing

File

Attached is a copy of a letter with enclosures to be sent to each of our "Calidria" asbestos customers. As you know, we have been holding off our mailing pending changes in OSHA regulations. It now appears that we might have a long wait and it seems more prudent to send it promptly.

By copy of this letter, I am requesting the necessary legal and business approvals.

R. E. Byrne, Jr.

REB:cjb
Attachment

Frankly Speaking

You certainly are important to your family and loved ones, and you are important to the company. It makes good sense for the company to do everything possible to protect you in your working environment, and for you to take every precaution to avoid possible hazards to your health.

If your work involves the use of asbestos or asbestos-containing products, you should be aware of:

- What the health hazards can be.
- What obligations your employer has to protect you.
- What you can do as an individual to protect your own health and that of your fellow employees.



2

These are the Facts

Exposure to asbestos fiber can increase the risk of developing certain diseases over a period of years. The four diseases associated with inhalation of asbestos fiber are: asbestosis — a non-malignant scarring lung condition; cancer of the lung, and to a lesser degree, cancer of the digestive tract; and mesothelioma — a rare cancer of the lining of the chest or abdominal cavities.

Reduction of asbestos dust exposure is at present the only known method of preventing disease among asbestos industry workers. Experience has shown that when dust levels are low, the risk to the worker and the incidence of asbestos-related disease is low.

Now . . . About Smoking


It has been established that cigarette smoking **greatly** increases the risk of developing lung cancer in persons exposed to asbestos. On the other hand, asbestos industry workers who do not smoke cigarettes — and who never have smoked regularly — have shown no greater frequency of lung cancer than the average person who does not smoke.



3

If You Work in a Plant or Mine


Employees in asbestos mines, mills, or product manufacturing plants will be exposed to airborne asbestos fiber. But, when dust levels in mines, mills and factories are properly controlled, the asbestos content of the air will be low and within safe levels, and will not be a hazard to workers.



4

If You Work in Field Operations

Most finished asbestos-containing products, when correctly used, will not produce dust levels high enough to be a hazard to workers. In more than 90% of the asbestos-containing products made in the United States, the asbestos fibers are "locked in" the product by means of cement, plastic or other binders. Consequently, the fibers are not easily released into the air, except during sawing or certain other machining operations. The tear-out, removal or demolition of old asbestos-containing insulations also can release fibers. Such operations must be carried out with approved methods of dust suppression and control.



5

Regulations to Protect You

To insure the safety of all, occupational standards for exposure to asbestos dust have been established by the Occupational Safety and Health Administration (OSHA) of the U.S. Department of Labor. These standards are designed to protect you from exposure to potentially hazardous amounts of asbestos dust and are being carefully observed by the company.

Here is what these standards provide:

1 A SAFE WORKPLACE


Your employer is required to make sure that no employee is exposed to more asbestos dust than permitted by the government standard. Your company will exert every effort to keep levels not only below permissible limits, but as low as possible.

2 IN CASE OF RISK

If exposure limits are exceeded, the employee will be notified by his employer, and will be informed of the corrective measures being undertaken to reduce his exposure to permitted levels.

3 CORRECTIVE ACTION

Engineering controls and safe work practices will be the approved methods of correction.



6

4 IN THE MEANTIME

While corrective measures are being taken, the employee will be protected by other means, which may include the wearing of an approved respirator provided by his employer, or by shift rotation.

5 TEMPORARY MEASURES


The use of respirators or shift rotation to achieve proper dust control will be permitted only (a) during the time necessary to install engineering controls or to institute safe work practices, (b) in situations where such controls or practices are not technically feasible, or (c) in emergencies.

6 AND ONLY IF YOU PASS THE MEDICAL

No employee will be assigned to a task requiring the use of a respirator if his most recent yearly medical examination indicates that he would not be able to function properly while wearing one, or if the wearing of the respirator would create a hazard to the employee's health or safety.

7 SPECIAL PROTECTION WHEN NEEDED

Protective clothing, change rooms, and separate clothes lockers will be provided for employees in situations where exposure standards are exceeded.



7

8 CHECKING THE AIR

Monitoring of workplace air will be conducted by the employer to assure that government standards are being met. Employees may review results of the monitoring in their particular job areas.

9 SIGNS TO GUIDE YOU

Caution signs will be posted in work areas where airborne levels of asbestos may be in excess of the exposure limits, and where respiratory protection and special handling precautions are required. Employees should obey these signs at all times.

10 CAUTIONS ON PRODUCTS, TOO


Caution labels will be placed on asbestos-containing products which, during any reasonably foreseeable use, handling, application, machining or disposal may release asbestos fiber into the air in concentrations that exceed the exposure limits.

11 ANNUAL CHECK-UPS

The employer, at no cost to the employee, will provide yearly medical examinations for employees exposed to asbestos dust. Pre-employment and termination medical exams also are provided.

12 COUNSELING AND RESULTS AVAILABLE

Results of each employee's medical examination will be reviewed with him by a physician, and, at the worker's request, his own medical exam records will be made available to his family physician.



8

And, Most Important . . .

Another word about smoking. First, an assurance. If you don't smoke cigarettes now and never have smoked them regularly, statistical studies show you have no greater chance of getting lung cancer than a nonsmoker who has never worked with asbestos.

But, on the advice of medical specialists: If you work with asbestos and you do smoke cigarettes, **quit smoking!** If you work with asbestos and do not smoke, **don't start!**


Your family and the company need you and your special abilities. Guard your health in every way, but particularly where cigarette smoking is concerned.

After You Leave Work

You also should take precautions to prevent taking asbestos home on any work clothes or other materials in order to protect members of your family from possible exposure to asbestos dust.

To reduce the possibility of carrying asbestos fibers home on your person and clothing, facilities for showering and changing from work to regular clothes may be provided by your employer. Work clothing taken home for laundering should be carried in a closed bag or container and then washed separately from other family clothing.

Never take loose fiber home. Your family should not be needlessly exposed to asbestos dust through any carelessness on your part.



9

What Else Can You Do?

Industrial safety and health can never be the responsibility of only one person. Both you and your employer must work together to provide a safe and healthy environment.

- For safety in specialized areas, detailed work practices must be instituted to make sure we are complying with government regulations. As an employee, it is your duty to follow these work practices at all times. Never take shortcuts that may endanger your health and that of others.
- If you see a possible hazard that your employer may have overlooked, bring it to his attention.
- If you can suggest more efficient and safer work practices, do so. If you are not sure how to handle a material or perform an operation without creating dust, talk with your supervisor first.




REMEMBER

- Asbestos fiber may be hazardous to your health, and exposure to it, over a period of time, may increase your risk of developing asbestosis, cancer of the lung or digestive tract, or mesothelioma.
- Every precaution should be taken by you and your employer to keep dust levels low and to avoid unnecessary exposure.
- The asbestos industry is working hard to control dust exposure and to alert every worker to proper safety precautions. Government and company regulations designed to protect you and other workers against exposure to asbestos dust should be strictly followed by everyone.
- The vast majority of the thousands of finished asbestos products are not hazardous when properly handled or used, but workers who are engaged in their manufacture, fabrication or installation should be aware of possible dangers. Don't be careless — urge your fellow workers not to be.
- Asbestos is used in some 3,000 products daily throughout the world . . . products that help prevent and control fire in our homes, schools, factories, offices, hospitals and theaters . . . products that help stop our cars and trucks . . . products that save fuel and energy in this important time of conservation. If we are to continue making these much-needed products, it is important that you and your employer cooperate in maintaining the highest standards of safety and health on the job.

To: Executive Director
Asbestos Information Association/North America
1835 K Street, N.W.
Washington, D.C. 20006


(Date) _____

Please forward the information materials noted below. We understand that we will be billed for costs plus shipping charges:



"What You Should Know About Asbestos and Health." Employee information pamphlet. 5"x7" 15¢ each.

Quantity _____




"Recommended Practices for Handling Asbestos Fiber." Heavy coated stock poster, 11"x14" printed blue on white for employee information boards. 25¢ each.

Quantity _____

Also available in 3 3/4"x9" pamphlet form suitable for mailing in #10 envelope. 10¢ each.

Quantity _____



Booklets—Recommended Work Practices—\$1.35 each

"Fabrication and Use of Asbestos Paper Products"

Quantity _____

"Shop and Field Fabrication of Asbestos Sheet Products"

Quantity _____

"Molding and Fabrication of Asbestos Containing Plastic Products"

Quantity _____

"Fabrication and Use of Asbestos Friction Materials"

Quantity _____

"Use and Handling of Asbestos Textile Products"

Quantity _____

Pamphlets—"Asbestos in the Atmosphere—A hazard to health?"
15c each

Quantity _____

"Asbestos in Water—A hazard to health?"
15c each

Quantity _____

Handbook—"Federal Regulations—Asbestos"
\$5.25 each

Quantity _____


Poster Series—"Asbestos Health Hints for the Workplace." 15"x23" in
various colors. Available at 40c each or complete series
at \$2.40.



Quantity _____



Quantity _____



Quantity _____



Quantity _____



Quantity _____



Quantity _____

Set of Six Posters _____
(Quantity)

Special Mailing Instructions:

(Company)

(Signature)



Material Safety Data



September 1, 1976

UNION CARBIDE CORPORATION • 4625 ROYAL AVENUE • NIAGARA FALLS, NEW YORK • 14302
TELEPHONE: (716) 278-3376

PRODUCT: Chrysotile Asbestos

CHEMICAL FORMULA: $Mg_6(OH)_8Si_4O_{10}$

TRADE NAMES: "Calidria" Asbestos

I. PHYSICAL DATA

BOILING POINT AND MELTING POINT: Not Pertinent

SPECIFIC GRAVITY ($H_2O = 1$): 2.45

VOLATILE CONTENT: Absorbed Water 1 — 4% By Weight. Structural Water Approximately 13% by Weight.

APPEARANCE: Pellets or Fine White Powder. No odor. Very Slight Solubility in Water.

II. HAZARDOUS INGREDIENTS

Asbestos contains no hazardous ingredients. However, the material itself can be hazardous under certain conditions. (See V below.)

III. FIRE AND EXPLOSION HAZARD DATA

NON-COMBUSTIBLE MATERIAL: No Fire or Explosion Hazard.

IV. REACTIVITY DATA

INERT MATERIAL: No Decomposition or Polymerization Conditions.

V. HEALTH HAZARD DATA

PERMISSIBLE EXPOSURE TO AIRBORNE CONCENTRATION:

The current Occupational Safety and Health Standard (CFR 29, 1910.1001) contains the following exposure limits:

"The 8-hour time-weighted average airborne concentrations of asbestos fibers to which any employee may be exposed shall not exceed 2 fibers, longer than 5 micrometers, per cubic centimeter of air, as determined by the membrane filter method at 400-450 X magnification (4 millimeter objective) phase contrast illumination. No employee shall be exposed at any time to airborne concentrations of asbestos fibers in excess of 10 fibers, longer than 5 micrometers, per cubic centimeter of air, as determined by the method just noted."

EFFECTS OF EXPOSURE: CAUTION: Breathing asbestos may cause serious bodily harm.

EMERGENCY AND FIRST AID PROCEDURES: No acute toxicity. Use respirator if airborne asbestos fiber concentration exceeds OSHA limits.

VI. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Avoid inhalation of dust. Remove spilled material by vacuum cleaner or by water wash.



WASTE DISPOSAL:

Bags and waste and scrap materials should be disposed of in a manner which will avoid airborne concentrations of asbestos, such as the use of dust-tight trash bags or containers. Ensure that disposal complies with all applicable federal, state or local regulations.

Union Carbide Corporation assumes no responsibility and makes no warranty, expressed or implied, representation, promise, or statement as to completeness, accuracy, or currency of any data provided.

Asbestos in the Atmosphere

A hazard to health?



Small amounts of asbestos fiber can be detected in the atmosphere in many areas of the world. The fibers come primarily from natural sources and secondarily from the mining and milling of asbestos-bearing rock and the manufacture, application, use, removal, and disposal of some asbestos containing products. There is no evidence that these tiny amounts of asbestos in the ambient air are a danger to human health.^{1,2} Nevertheless, the asbestos industry is constantly improving its control of emission sources as part of a worldwide commitment to reduce environmental contamination.

Asbestos Serves the World

Asbestos, used since antiquity, has widespread and important applications in our modern technological society. Because of its remarkable resistance to fire, heat, friction, and corrosion, approximately 3,000 different products containing asbestos, ranging from pot holders to brake linings, from asbestos cement pipe and building materials to packings and gaskets are in daily use throughout the world. In the vast majority of these products, the asbestos is "locked-in" with cement, resins, or other binders which restrict fiber release during normal handling or use, except in machining operations. In 1974, nearly 850,000 tons of asbestos, primarily chrysotile asbestos from Canada, was used in the United States. Worldwide production is about 5 million tons.

Health Questions Arise

In the mid-sixties, questions were raised about the possible health effects of asbestos fibers in the atmosphere. By this time, it had been established that the inhalation of excessive quantities of asbestos fiber in occupational settings could lead to an increased risk of respiratory disease and cancer among industrial workers. Speculation about a possible public risk was heightened by (1) repeated findings of small amounts of asbestos fiber (among other particulate matter) in the lungs of city dwellers not known to have had occupational exposure to asbestos and (2) the discovery of a small number of cases of mesothelioma, a rare form of cancer linked to asbestos exposure, among people living

in the immediate vicinity of uncontrolled asbestos sources. A few cases were found among the families of industrial employees who brought substantial quantities of fiber into their homes on their clothes and in their hair. These findings prompted numerous scientific investigations to determine the extent, if any, of the problem of non-occupational exposure.

No Risk to General Public

In 1971, the National Academy of Sciences asked a panel of seven asbestos-health experts to review the available evidence on asbestos in the ambient air. In their report, the experts concluded:

*"There is no evidence that the small numbers of fibers found in most members of the general population affect health or longevity."*³

A similar conclusion was reached in a recent report of an Advisory Committee on Asbestos Cancers of the International Agency for Research on Cancer, a division of the World Health Organization. The report stated that at present, there is no evidence of lung damage from fibrosis by the low levels of asbestos exposure encountered by the general public in urban areas. Further, the report stated, with regard to mesothelioma: *"There is no evidence of risk to the general public at present."*⁴

Many Questions Answered

Among the more important facts upon which these conclusions were based are the following:

1. Asbestos exists naturally in small, though detectable, amounts in serpentine rock formations throughout the world and is constantly being released into the atmosphere through erosion by wind and water, and has been for millions of years.⁵
2. Ambient concentrations of asbestos, even in urban settings, are many times lower than levels known to result in no excess in disease among occupationally exposed populations.⁶
3. No evidence has been found linking the presence of asbestos fibers in the lungs of the general public with an increase in disease, or with the cause of death of those whose lungs were examined.⁷
4. Because of the long latency period of mesothelioma (30 years or longer), "neighborhood" cases being reported today result from conditions existing decades ago.⁸ Today, modern

dust control systems effectively prevent the emission of significant amounts of asbestos into the atmosphere from mining, milling, and manufacturing operations.

5. No cases of mesothelioma, except for those exposed occupationally or domestically to fiber-laden worker clothing, have yet been discovered within a 20-mile radius of the chrysotile asbestos mines and mills of Quebec, even though emissions in the past were probably heavy by today's standards.⁹ Chrysotile asbestos accounts for approximately 97 percent of the asbestos used in the United States today.

Government-Industry Actions

Despite these findings, both government and industry have sought ways to further reduce the amount of asbestos in the air. In April 1973, the U. S. Environmental Protection Agency (EPA) promulgated national emission standards for asbestos to assure that atmospheric concentrations could not increase to potentially hazardous levels in the future. In its justification document, EPA stated: *"... the available evidence does not indicate that levels of asbestos in most community air cause asbestotic disease ..."* and *"... in order to provide an ample margin of safety to protect the public health from asbestos, it is necessary to control emissions from major man-made sources of asbestos emissions into the atmosphere, but that it is not necessary to prohibit all emissions...."*

Among its major provisions, the EPA standard banned the spraying of asbestos-containing fireproofing in high-rise construction, known to be a dusty operation.

The U. S. Occupational Safety and Health Administration, in June 1972, promulgated occupational standards for exposure to asbestos dust in the workplace. Among the OSHA provisions is one designed to prevent employees from carrying asbestos fiber home in their clothes.¹⁰ To implement this provision, the asbestos industry provides change rooms, lockers, shower facilities, and in some cases, disposable coveralls and headgear for employees where necessary.

Dust, which can result from the processing of asbestos, can be controlled. The asbestos industry is dedicated to the safe handling of the removable mineral in the workplace and to control of the emission of asbestos fibers into the atmosphere.

References

1. Asbestos: The Need For And Feasibility of Air Pollution Controls. National Academy of Sciences. Committee on Biologic Effects of Atmospheric Pollutants, ISBN 0-309-01927-3, 1971.
2. Biological Effects of Asbestos. Report of the Advisory Committee on Asbestos. Cancers to The Director of the International Agency for Research on Cancer, World Health Organization, IARC Scientific Publications No. 8, pp. 341-346, 1973.
3. "Asbestos Cancer: Past and Future Hazards" by J. C. Gibson. Proceedings of the Royal Society of Medicine, Vol. 66, pp. 395-403, 1973.
4. "Epidemiologic Surveillance of Mesothelioma in Canada" by A. D. McDonald and J. C. McDonald. CMA Journal, Vol. 109, pp. 359-362, 1973.
5. Background Information On Development Of National Emission Standards For Hazardous Air Pollutants: Asbestos, Beryllium, And Mercury. Environmental Protection Agency, EPA-APTD-1503, pp. 22-23, March 1973.
6. "Standard For Exposure to Asbestos Dust." Federal Register, Vol. 37, No. 110, pp. 11318-11322, June 7, 1972.


Additional copies of this pamphlet are available.

Asbestos Information Association/North America
1660 L Street, N.W.
Washington, D. C. 20036



Asbestos in Water

A hazard to health?



Introduction

Water supplies in various sections of the world contain infinitesimal amounts of asbestos fiber, along with other particulate matter. The fibers come primarily from natural sources, and secondly from man's activities, including the mining and milling of asbestos-bearing rock and the manufacture, use, and disposal of some asbestos-containing materials.

Inhalation of excessive quantities of airborne asbestos fiber in occupational settings is known to increase the risk of respiratory disease and certain types of cancer among industrial workers. There is also an indication of an increased incidence of gastrointestinal (GI) cancer among these workers. This has led to speculation as to whether the general public is subject to a health risk from the small amounts of asbestos fiber that may be found occasionally in water. In its report issued in 1973, the Advisory Committee on Asbestos Cancers to the Director of the International Agency for Research on Cancer, a division of the World Health Organization, stated that no evidence exists which would support the existence of an increased risk of cancer resulting from asbestos fibers present in water, beverages, food or in the fluids used in the administration of drugs.¹

Since the discovery of the risk to health from uncontrolled fiber, the asbestos industry has committed itself to the safe handling of the remarkable mineral in the workplace and to control its operations to eliminate the release of free fibers into the environment. A separate AIA/NA pamphlet discusses asbestos in air. This pamphlet is addressed to the issue of asbestos in water.

Asbestos Serves the World

Asbestos, used since antiquity, has widespread and important applications in our modern technological society. Because of its remarkable resistance to fire, heat, friction, and corrosion, approximately 3,000 different products containing asbestos, ranging from pot holders to brake linings, from asbestos-cement pipe and building

materials to packing and gaskets are in daily use throughout the world. In the vast majority of these products, the asbestos is "locked-in" with cement, resins, or other binders which restrict fiber release during normal handling or use. In 1974, nearly 850,000 tons of asbestos, primarily chrysotile from Canada, was used in the United States. Worldwide production is about 5 million tons.

GI Cancer and Asbestos Exposure

Both human evidence and animal experimentation regarding a possible relationship between excessive asbestos exposure and an increased risk of gastrointestinal cancer is scanty and contradictory.² Some researchers have reported higher-than-normal rates of GI cancer among industry groups heavily exposed to airborne asbestos.³ Several major animal feeding experiments, however, produced no tumors in the GI tracts of the animals, even though the amounts of fiber fed to the animals were massive when compared with human occupational exposures known to result in respiratory disease.⁴

While some injection experiments have produced site and mesothelial tumors in test animals, the amount of fiber used in each case was so large as to render any attempted translation to human experience inappropriate. The studies strongly suggest that development of cancers in test animals is directly related to dose and, even more importantly, to the size of the fiber used in the experiment. Electron microscope-sized fibers (less than 5 microns in length) did not produce tumors in test animals.⁵

Medical opinion on the subject of gastrointestinal cancer and heavy occupational exposure is divided. Some experts consider the evidence inconclusive while others believe that only a "small risk" may exist.⁶

Asbestos-Cement Pipe

Asbestos-cement pipe has been used to convey potable water for more than half a century in North America, Europe and other parts of the world. The question has been raised as to the

possible health hazard of drinking water conveyed through these pipes.

It can be assumed that, if there is a relationship between gastrointestinal cancer and use of asbestos-cement pipe, there would be an increase in the cancer rate as use of the pipe has increased. U.S. Public Health Service records show, however, that incidence of GI cancer in the United States has steadily declined though the usage of asbestos-cement pipe has risen significantly.

In a study of drinking water in nine cities that used asbestos-cement pipe for periods ranging from 8 to 17 years, not one of the water samples, either before or after passing through the asbestos-cement pipe, contained fibers that were visible under a light microscope. The highest asbestos content found in this study was 6 micrograms per gallon, about one five-millionth of an ounce. This means that if a man were to drink eight glasses of water a day he might swallow a total of twenty-seven ten-thousandths of an ounce (.0027) of asbestos in a lifetime of 70 years.⁹

A special committee of asbestos-health experts convened by The American Water Works Association Research Foundation reviewed all available data and concluded that the "risk to health from the use of (asbestos-cement water pipe) systems is small—approaching zero."¹⁰

Reserve Mining Case

Perhaps the most widely publicized alleged health hazard from asbestos in water is the case of the Environmental Protection Agency vs. Reserve Mining Company. The case, involving the disposal of waste taconite tailings into Lake Superior, became a health issue when it was claimed that the tailings contained cummingtonite, said to be a form of asbestos.

Many experts were called for testimony during the proceedings. The court appointed witness, Arnold L. Brown, M.D., Chairman of the Department of Pathology and Anatomy, Mayo Clinic, Rochester, Minnesota, stated that there is no evidence of an excess of cancer in Duluth, Silver Bay, or other North Shore communities and further

testified: "Scientifically and medically I see no evidence for an increased incidence of cancer in those communities that could be attributed to the presence of asbestos fibers in air or water."¹¹

Early in the trial, the court ordered an extensive study of tissues from deceased persons in the Duluth area to determine the presence of asbestos fibers. The study failed to disclose any asbestiform fibers which could have come from Reserve during the lifetimes of the subjects. The subjects had been selected by Court witnesses as representatives. Only tissues from persons inhaling Duluth air and ingesting Duluth water in excess of 15 years were examined.¹²

In a summary of medical testimony, before the Eighth Circuit Court of Appeals, it was stated: "There is no evidence that ingestion of asbestos in any amount has ever caused disease in anyone. Thus, there is no evidence that Reserve's discharge into Lake Superior (whether or not such discharge contains any asbestos) constitutes a present or future likelihood of disease."¹³

In March 1975, the Court in its final ruling ordered the company to comply with all air and water discharge regulations, but noted, "the evidence is insufficient to support the kind of demonstrable danger to the public health that would justify the immediate closing" of the facility.

Asbestos Filters

Minute amounts of fiber in some beverages and parenteral (injectable) drugs filtered through asbestos-containing filters have also been detected. It is difficult to determine whether the minute asbestos fibers in some liquids come from the filter or are already in the water. There is evidence that asbestos filters remove asbestos material along with other particulates.

Asbestos-containing filters have been in worldwide use for many years. It is reasonable to inquire if beverages or food containing electron microscope-size mineral fibers, including asbestos, might expose large populations to a potential health hazard. Numerous studies have shown that, despite their long-term use, there is no evidence that anyone has ever contracted gastrointestinal cancer or mesothelioma from beverages or injec-

table drugs filtered through asbestos filters.

A measurement of the normal "background" level of asbestos fibers provides a means of comparing the levels in beverages, and drugs filtered through asbestos containing filter pads. Studies in the United States and abroad have consistently shown that the asbestos content of various soft drinks, beers, wines, and parenteral drugs is no more than and, in many cases, less than the natural background level of asbestos detected in water.^{12, 13}

Preliminary results of a 1973 survey made for the Food and Drug Administration showed that the use of asbestos-containing filters bears no relationship to the presence of asbestos fibers in the finished product.¹⁴ Thus, it is unlikely that the elimination of asbestos filters in the production of parenteral drugs will result in any reduction in asbestos content of the finished product.

Governmental Action

The Environmental Protection Agency has promulgated national waste water effluent standards for asbestos manufacturing operations to control the potential discharge of asbestos-bearing waste into our nation's waterways and publicly owned treatment works. The asbestos manufacturing industry in the United States participated in the development of these regulations.

In March 1975, the Food and Drug Administration published a regulation restricting the utilization of asbestos filters in the manufacture, processing or packaging of components of drug products for parenteral injection in humans. At the same time, however, FDA reaffirmed a previous decision made in September 1973 that "promulgation of regulations on the limitations or prohibition of the use of asbestos filters for the preparation of foods and non-parenteral drugs . . . is unwarranted until more reliable data can be obtained concerning these matters."¹⁵

SUMMARY

1. Asbestos exists naturally in small though detectable amounts in certain rock formations

throughout the world and for millions of years has been released into the environment through erosion by wind and water.

2. The Advisory Committee on Asbestos Cancers of the International Agency for Research on Cancer has stated that evidence does not indicate a risk of cancer resulting from asbestos fibers present in water, beverages, food or fluids used in the administration of drugs. Levels of asbestos found in beverages, drugs, etc., have not been demonstrated to be hazardous to human health.

3. The evidence for a relationship between heavy occupational asbestos inhalation and increased risk of gastrointestinal cancer is inconclusive.

4. There is no existing evidence of a relationship between gastrointestinal cancer and drinking water carried through asbestos-cement pipe.

5. The asbestos content of various soft drinks, beer, wines and parenteral drugs filtered through asbestos containing filter pads is no more than and in many cases less than the natural background level of asbestos that may be found in the world's water sources.

REFERENCES

1. "Report of the Advisory Committee on Asbestos Cancers to the Director of the International Agency for Research on Cancer," *British Journal of Ind. Medicine*, Vol. 30, pp. 180-186, 1973.
2. "Report on Research at St. James' Hospital, Leeds, England" by L.M. Swinburne, Appendix 4, including report from Asbestos Research Council, October 1970-October 1971.
3. "Cancer Risk of Insulation Workers in the United States," a paper by I.J. Selikoff and E.C. Hammond presented at IARC Conference on the Biological Effects of Asbestos, Lyon, France, 1972.
4. "Feeding of Blue Asbestos to Rats" by F.M. Bonser and D.B. Clayton, 1967, Annual Report, British Empire Cancer Campaign for Research, p. 242.

5. "The Locus of Pathogenicity of Asbestos Dust" by P. Gross, *Archives of Environmental Health*, Vol. 27, p. 240, 1973.
6. "Asbestos: The Need for and Feasibility of Air Pollution Controls," National Academy of Sciences, Committee on Biologic Effects of Atmospheric Pollutants, ISBN 0-309-01927-3, 1971.
7. "Asbestos-Cement Water Pipe and Health" A/C Pipe Producers Association, Washington, D.C., p. 4, 1973.
8. "A Study of the Problem of Asbestos in Water," The American Water Works Research Foundation, *American Water Works Association Journal*, Sept. 1974, p. 5.
9. "Asbestos-Cement Water Pipe and Health," A/C Pipe Producers Association, Washington, D.C., p. 3, 1973.
10. From testimony by Dr. Arnold Brown in Federal District Court as quoted in *Congressional Record*, Jan. 29, 1975, p. S1179.
11. From testimony by Dr. Arnold Brown in Federal District Court as quoted in *Congressional Record*, Jan. 29, 1975, p. S1179.
12. From testimony in Federal District Court as quoted in *Congressional Record*, Jan. 29, 1975, p. S1180.
13. "Asbestos Fibers in Beverages and Drinking Water," by A.M. Cunningham and R. Pontefract, *Nature*, Vol. 232, p. 332-333, 1971.
14. Report to Food and Drug Administration by Mr. Philip McGrath, July 10, 1973.
15. Report to the Acting Director, Bureau of Drugs by Dr. J. Richard Crout, 1973.
16. *Federal Register*, March 14, 1975, p. 11867.



Additional copies of this pamphlet
are available.

Asbestos Information Association/North America
1660 L Street, N.W.
Washington, D.C. 20036

Recommended
Practices
for

Handling Asbestos Fiber



Recommended Practices for Handling Asbestos Fiber

Protection from fire, absorption of heat from friction, high tensile strength as a reinforcing material, resistance to corrosion and insulation from heat, cold and noise are among the properties of asbestos that result in its use in hundreds of industrial applications and home products.

Asbestos is the name given to a group of hydrated silicate minerals that are characterized by fibrous crystallization. Though asbestos is fairly common to the earth's crust, not all deposits are of commercial value. Because asbestos is fibrous and, in a certain range of sizes, can enter the lungs, maximum care should be taken to avoid exposure to asbestos dust and the hazards to health that can result.

GENERAL PRECAUTIONS

In all stages of handling — packaging, transporting, unloading, storing, and in-part moving — asbestos fiber bags should be handled carefully and in such a manner as to prevent damage of bags and the generation of dust.

Damaged bags should be immediately repaired, resealed or put into closed receptacles. Any spillage of asbestos fiber should be cleaned up immediately — either by vacuum equipment or, after thoroughly wetting, by sweeping — and should be deposited in suitable closed receptacles.

Consult and observe OSHA regulations governing asbestos in the workplace; EPA rules on discharge to the ambient air; and other local codes, rules or regulations controlling the handling and use of asbestos fiber.

UNLOADING

Unitized loads should be lifted intact to and from holds of ships, and off and on land transport by forklift trucks or other suitable handling equipment.

Care should be taken to avoid puncturing the asbestos fiber bags during unloading from ships, railroad cars, trucks or other modes of transportation. Hooks or other sharp instruments should not be used. Loose fiber accumulated during transit should be picked up by vacuum cleaner before unloading.

STORAGE

For storage, fiber bags should be stacked and moved with care to avoid breakage; protected from puncture by moving vehicles; and, if possible, should be isolated from traffic in the warehouse and covered to prevent dust generation. To prevent deterioration of stored bags, the principle of first-in, first-out should be followed.

HANDLING

Maximum possible enclosure and fully effective dust control systems should be provided at all stages of in-plant handling where dust is created, such as in bag opening, fiber dumping and bag disposal operations. Loose fiber should be cleaned from work areas by vacuum cleaner, or after thoroughly wetting, by sweeping, and then deposited in covered receptacles.

PROTECTIVE EQUIPMENT

Wearing of respiratory equipment approved for protection against asbestos dust should be required at all stages of asbestos fiber handling where quantities of dust are generated which cannot be kept within the permissible exposure limits by dust control equipment or other methods.

TRANSPORT

Where the use of asbestos requires the transport of loose fiber in open carts or buggies, covers should be used to prevent spilling and dust generation.

WASTE MATERIALS

Waste materials, such as collected dust and empty fiber bags, should be placed in special closed receptacles and disposed of in such a manner as to prevent the release of dust. Safety practices outlined above in the **HANDLING** and **PROTECTIVE EQUIPMENT** sections should be followed during these operations.

All dust from exhaust systems should be collected and safely disposed of, being careful not to release dust into the outside air. Particular attention should be paid to the protection of employees whose job it is to dispose of collected dust from fabric filter dust collection and similar cleaning operations.

Additional copies of this pamphlet and informational materials listed below are available from the Asbestos Information Association/North America:

- "What You Should Know About Asbestos and Health" — an employee information pamphlet.
- Recommended Work Practices
 - Fabrication and Use of Asbestos Paper Products
 - Shop and Field Fabrication of Asbestos Sheet Products
 - Molding and Fabrication of Asbestos Containing Plastic Products
 - Fabrication and Use of Asbestos Friction Materials
 - Use and Handling of Asbestos Textile Products
- "Federal Regulations — Asbestos" — a comprehensive handbook of regulations issued by Federal regulatory agencies.
- "Asbestos in the Atmosphere — A hazard to health"? — a general information pamphlet.
- "Asbestos in Water — A hazard to health"? — a general information pamphlet.
- Poster Series — Asbestos Health Hints for the Workplace — 15" x 23"
 - Vacuum dust spills . . . never dry sweep!
 - When required, always use your respirator!
 - If you don't smoke now, don't start. If you do smoke, quit!
 - Report unsafe conditions immediately!
 - Repair broken bags immediately!
 - Use change rooms and lockers! Leave dusty clothes at work!
- Poster — Recommended Practices for Handling Asbestos Fiber — 11" x 14"



For further information:

Asbestos Information Association/North America
1835 K Street, N.W.
Washington, D.C. 20006

