

GEORGIA-PACIFIC
CORPORATION
BLOOMINGDALE ROAD • AKRON, NEW YORK 14001 • 716-542-5431

February 1, 1974

Mr. Chester C. Whiteside, Area Director
U. S. Department of Labor
Occupational Safety and Health Administration
203 Midtown Plaza
700 East Water Street
Syracuse, New York 14210

Subject: O. S. H. A. Citation - CSMO No. P-1568
Akron, New York Joint System

Dear Mr. Whiteside:

This is a follow-up report on my January 3, 1974 report regarding the above subject. At this time we would enter the following report.

At this time we are continuing our full asbestos employee protective program as outlined in my reports of 11-30-73 and 1-3-74.

Please be advised that our permanent engineering and administrative controls will be completed and in full use by 2-11-74. We will continue all of the employee protective measures until approved tests indicate we have met all requirements. Please advise who we can contact to run these tests that will be acceptable to your department.

If you or your staff require further information, please advise.

Very truly yours,

GEORGIA PACIFIC CORP.

J. D. Rauch
Plant Manager

cc: Mr. Alfred Barden
U. S. Department of Labor,
Occupational Safety & Health Adm.
1515 Broadway
1 Astor Plaza, Room 3445
New York, New York 10036

SGP 0007374

U. S. DEPARMENT OF LABOR
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
700 MIDTOWN PLAZA, ROOM 203
SYRACUSE, N. Y. 13210

February 6, 1974

Mr. J. D. Rauch
Plant Manager
Georgia-Pacific Corporation
Bloomingdale Road
Akron, New York 14001

Dear Mr. Rauch:

Your letter dated February 1, 1974 has been received and reviewed at this office. Please be advised that we are aware that your administrative controls and permanent engineering controls will be in full use by February 11, 1974 and that these controls are within the dry mixing and packout areas to prevent employee exposure to asbestos dust.

Your request for consultants to run tests acceptable to OSHA was also reviewed and to this end we are submitting a list of individuals and companies capable of performing asbestos dust sampling. However, the results would not be acceptable to determine OSHA compliance.

To determine if the permanent engineering controls are effective, one of our OSHA Industrial Hygienists will resample the workplace. It is anticipated that this sampling will be conducted on February 11, 1974 or within seven working days after this date. Based on the OSHA sampling results, you will be informed if the permanent engineering controls are adequate.

Meanwhile, temporary administrative controls (PPE) are to be conducted pending the outcome of our sampling.

Sincerely,

Chester C. Whitside
Area Director

Enclosure

Expertise

IH	Industrial Hygiene	OM	Occupational Medicine
IHL	Industrial Hygiene Laboratory	HP	Health Physics
TOX	Toxicology	ERG	Ergonomics
VE	Ventilation Engineering	AP	Air Pollution
NC	Noise Control	WP	Water Pollution
CH	Conservation of Hearing (Medical Responsibility)	WD	Waste Disposal
		SAF	Safety
AE	Audiometric Examination	PS	Product Safety
VC	Vibration Control	TRA	Training

Name and Address	Areas of Expertise As Shown Above	Other
Frank E. Adley, Manager Division of Environmental Health Northwest Health Services 805 Goethals Richland, Washington 99352 509/945-4100	IH, IHL, VE NC, CH, AE OM, AP, WP	Respirator testing; quantitative mask fitting laboratory
Walter H. Poppe Eco Engineering 7127 South Sunnycrest Road Seattle, Washington 98178 206/772-2855	IH, IHL, VE NC, HP, AP WP, WD, SAF PS, TRA	
Ted Hikel Safety Engineering Consultants, Inc. 941 White Henry Stuart Building Seattle, Washington 98101 206/682-3952	IH, TOX, VE NC, AE, VC HP, ERG, AP WP, WD, SAF PS, TRA	Develop and manage safety programs; plan and conduct safety seminars and conferences
David R. Showalter, President Human Resources Conservancy Post Office Box 11007 Tacoma, Washington 98411 206/752-4888	CH, AE, SAF TRA	Specialize in development and packaging of curricula - training and education for occupational health and safety personnel

1. Format for listing consultants and names of consultants from the Illinois area were prepared by the Chicago Section, American Industrial Hygiene Association (AIHA). However, the AIHA does not endorse, evaluate, or certify the advice or service of these consultants.

2. This list is merely for information purposes and is not endorsed by any official agency of the U.S. Government; neither does it imply a total listing of consultants, as new names will be added as they are identified.

3. Edited by Stanley J. Reno, National Institute for Occupational Safety and Health, U.S. Department of Health, Education, and Welfare, Region VIII, 9017 Federal Building, Denver 80202.

August 10, 1972

Name and Address	Areas of Expertise	Other
Dr. Irving R. Tabershaw or Dr. W. Clark Cooper Tabershaw-Cooper Associates 2180 Milvia Street Berkeley, California 94704 415/845-3355	IH, TOX, CH OM, SAF, PS TRA	Epidemiologic studies, medical records
Howard B. Spielman or Eugene A. Port Health Science Associates 10710 East Felson Circle Cerritos, California 90701 213/867-4100	IH, IHL, TOX* VE, NC, CH AE, OM, HP AP, WD, SAF TRA	*Research of literature only
Jerry Cohen or Joe Tinney Health and Safety Technology, Inc. Post Office Box 361 Livermore, California 94550 415/443-9234	IH, IHL, VE NC, HP, AP WD, SAF, TRA	
Werner Schwarz or David Claridge Trapelo/West Division of LFE Corporation 2030 Wright Avenue Richmond, California 94804 415/235-2633	IH, IHL, VE HP, AP, WP WD, TRA	Industrial hygiene services, environmental quality, total capabilities, particle analysis, radiochemistry
Richard F. Krug Industrial Noise Control Associates 2765 Julliard Street Boulder, Colorado 80303 303/494-0766	NC, CH, AE	
Donald J. Northey Audiological Consultants, Inc. 222 Milwaukee Street, Suite 109 Denver, Colorado 80206. 303/322-6930	NC, CH, AE	Sound level surveys and octave band analysis
J. D. Garber Johns-Manville Corporation Post Office Box 5108 Denver, Colorado 80217 303/770-1000 (Ext. 2270)	IH, IHL, TOX VE, NC, CH VC, ERG, AP WP, WD, TRA	
Robert Jurovich Juro's Hearing Conservation for Industry 521 - 24th Street, West Billings, Montana 59102 401/656-7850	NC, CH, AE VC	

Name and Address	Areas of Expertise	Other
K. M. Barthelmess, Gen. Mgr. Northwest Environmental Services Post Office Box 1243 Missoula, Montana 59801 406/549-9471	IH, IHL, VE NC, CH, AE AP, WP	
William S. Johnson, Sr. Vice President Eberline Instrument Corporation Post Office Box 2108 Santa Fe, New Mexico 87501 505/982-1881	IH, IHL, NC OM, HP, AP WP, WD, TRA	Environmental impact statements and implementing programs
John Welton Safety Consultant Services 1542 North Fourth Street Fargo, North Dakota 58102 701/232-6806	SAF, TRA	General walk-thru inspec., internal safety program guidance, recordkeeping program assistance
J. W. Bruns Hazard Specialists, Inc. 3209 South Prairie Avenue Sioux Falls, South Dakota 57105 605/339-2698	SAF, TRA	
Eddie Anderson Hearing Conservation Noise Control 1365 Peachtree Street, N.E. Atlanta, Georgia 30309 404/892-1140	NC, CH, AE	Office also located at 1716 Panama Street, Philadelphia 19103 215/735-7487
Dr. Richard D. Strunk Manager of Engineering Acoustics Bolt Beranek and Newman, Inc. 1740 Ogden, Downers Grove, Ill. 60515 312/969-6150	NC, VC	
Lyle A. Westrom, Vice President Bureau of Safety, Inc. 69 West Washington Chicago, Illinois 60602	WD, SAF	
Herman Comber, Ph.D., Professor Civil Engineering Department Northwestern University Evanston, Illinois 60201	HP	
George Harper, Professor Mechanical Engineering Department University of Illinois Urbana, Illinois 61801	SAF, PS, TRA	

Name and Address	Areas of Expertise	Other
Edward R. Hermann, Ph.D. Associate Professor, Environmental Health Engineering Northwestern University 627 Dartmouth Place Evanston, Illinois 60201	IH, NC, CH* AE, WP, WD TRA	*Consulting to medical practitioner or medical depts.
Bruce A. Hertig, Sc.D., Assoc. Prof. University of Illinois 119 M.E. Laboratory Urbana, Illinois 61801	VE, ERG	
Joseph C. Calandra, M.D., Pres. Industrial Bio-Test Labs, Inc. 1810 Frontage Road Northbrook, Illinois 60062	IH, IHL, TOX OM, AP, WP SAF	
Leon Kirschner, Director Industrial Hazard Analysts, Inc. 7650 Lavergno Avenue Skokie, Illinois 60076	IH, IHL, AP WP, PS	
Paul D. Halley, Vice President Lifestream Corporation 624 South Michigan Avenue Chicago, Illinois 60680	IH, TOX, VE NC, AP, WP	
Murrell G. Soldon, Jr., Manager Walter C. McCrone Associates, Inc. Environmental Systems Program 493 East 31st Street Chicago, Illinois 60616	IH, IHL, AP	
Robert W. Satterfield, Manager National Loss Control Service Corp. Environmental Sciences Div. 4750 Sheridan Road Chicago, Illinois 60640	IH, IHL, VE NC, AP, WD SAF	
Arthur A. Krawetz, Ph.D., Research Dir. Phoenix Chemical Lab, Inc. 3953 West Shakespeare Avenue Chicago, Illinois 60647	IH, AP, SAF	
Dennis M. Michaelson, Assoc. Chemist Polytechnic, Inc. 2600 South Michigan Avenue Chicago, Illinois 60616	TOX, NC, AP WP, SAF	