

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 8-12-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.	.	.	.	.	0	0.3	0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	.	.	.	.	.	.	.	0	0.1	0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	0	0	0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	0.4	0.3	0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.	.	.	.	.	.	.	0.1	0.2	0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	0	0	0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	0	0	0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	8	.	.	.	.	.	.	.	0	0	0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	.	.	.	.	.	.	.	0	0	0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	10	.	.	.	.	.	.	.	0.2	0	0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Flame On																									
Plant Air On																									

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #8, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Wellex Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-1-92

NAME																	Co									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	0	0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	.0	.0	0	.0	.0	.0	0	0	0	0	0	.0	
	3	0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	0	.0	.0	0	0	.0	
	4	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	0	.0	.0	.0	0	.0	.0	0	0	.0	
	5	0	0	0	0	.0	0	0	0	0	0	0	0	.0	.0	0	.0	.0	.0	.0	.0	.0	0	0	.0	
	6	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	
	7	0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	
	8	0	0	0	0	.0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	
	9	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	
	10	0	0	0	0	.0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-2-92

NAME <i>Tallie</i>																	<i>C</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

A

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-3-92

NAME																	m/s								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-4-92

NAME <i>Tallie</i>																	<i>MS</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.5	.5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169628

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-5-92

NAME																	MS								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-6-92

NAME <i>P.T.</i>																									<i>M-4</i>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600					
Stream No.	1	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>						
	2	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>						
	3	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>						
	4	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>						
	5	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>						
	6	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>						
	7	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>						
	8	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>						
	9	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>						
	10	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>						
Flame On		<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>						
Plant Air On		<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>						

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

AB.0001169630

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-7-92

NAME <i>DST</i>																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169631

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-8-92

NAME																	TALWA								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-9-92

NAME																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

4

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 1-10-92

NAME																		J.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 1-11-92

NAME <u>Co</u>																				<u>P.T.</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-12-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Wheel)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-13-92

NAME <i>ML</i>																				<i>DT</i>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	0	0	0	0	0	0	.0	.0	0	0	.0	0	0	0	0	0	0	0	0	0
	2	.0	.0	0	0	0	0	0	0	0	0	.0	.0	0	0	.0	0	0	0	0	0	0	0	0	0
	3	.0	.0	0	0	0	0	0	0	0	0	.0	.0	0	0	.0	0	0	0	0	0	0	0	0	0
	4	.0	.0	0	0	0	.0	0	0	0	0	.0	.0	0	0	.0	0	0	0	0	0	0	0	0	0
	5	.0	0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	.0	.0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	.0	.0	.0	0	0	0	0	0	0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	8	.0	.0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	.0	.0	0	0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 1-14-92

NAME <u>MS</u>																				<u>Co</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.
	2	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	0	.0	.	.	.
	3	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	0	0	.0	.0	.0	.	.	.
	4	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	0	.0	.0	.	.	.
	5	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.
	6	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	0	.0	.0	.	.	.
	7	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.
	8	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.
	9	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.
	10	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169638

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 1-15-92

NAME		<u>MR</u>																				<u>S</u>			
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-16-92

NAME																		6								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-17-92

NAME																	my								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-18-92

NAME <i>Taller</i>																	mk								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	✓	✓	/	/	✓	✓	✓	/	✓	✓	✓	✓	✓	✓	✓	/	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 1-19-92

NAME																		M.D								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.e	?	?	?	?	?	?	?	?	?	?	?	
	2	.0	.0	.0	.0	0	.0	.0	.0	?	.0	.0	.0	?	?	?	?	?	?	?	?	?	?	?	?	
	3	.0	.0	.0	.0	?	.0	.0	.0	.0	?	.0	?	?	?	?	?	?	?	?	?	?	?	?	?	
	4	.0	.0	.0	.0	?	.0	.0	.0	.0	.0	.0	.0	.?	?	?	?	?	?	?	?	?	?	?	?	
	5	.0	.0	.0	.0	?	.0	?	.0	.0	.0	.0	.0	.?	?	?	?	?	?	?	?	?	?	?	?	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.?	?	?	?	?	?	?	?	?	?	?	?	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.?	?	?	?	?	?	?	?	?	?	?	?	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.?	?	?	?	?	?	?	?	?	?	?	?	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.?	?	?	?	?	?	?	?	?	?	?	?	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.?	?	?	?	?	?	?	?	?	?	?	?	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #8, Blend Tanks, 1st Flr.
- Dryer Line #8, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-20-92

NAME																										
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

1-21-92

NAME <i>D.S.T.</i>									NAME <i>Tank Farm</i>																
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY
Circle one of the above Date 1-22-92

NAME																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-23-92

NAME									G								TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 1-24-92

NAME																		D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 1-25-92

NAME																			D.T.									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-26-92

NAME																		D.O.									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	0	.0	0	0	0	0	0	0	0	0	.0	.0	0	.0	.0	.0	0	0	0	.0	0	.0		
	2	.0	0	0	.0	.0	0	0	0	.0	0	0	0	.0	.0	0	.0	0	.0	.0	0	0	.0	0	.0		
	3	.0	.0	0	.0	0	0	0	0	0	0	0	0	.0	.0	0	.0	.0	.0	.0	0	0	.0	0	.0		
	4	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	0	.0	0	0	.0	0	0	0	0	0		
	5	.0	0	0	0	.0	0	0	0	0	0	0	0	.0	.0	0	.0	0	0	.0	0	0	0	0	0		
	6	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	0	.0	0	0	.0	0	0	.0	0	0		
	7	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	0	.0	0	0	.0	0	0	.0	0	0		
	8	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	0	.0	0	0	.0	0	0	.0	0	0		
	9	.0	.0	.0	.0	0	0	0	0	0	.0	0	0	0	.0	0	0	.0	0	0	0	0	.0	.0	0		
	10	.0	.0	0	.0	.0	0	0	0	0	0	0	0	0	.0	0	0	.0	.0	.0	0	0	.0	0	0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-27-92

NAME <u>MJ</u>																				<u>P.T.</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	0	0	0	0	0	0	0	.0	-0	0	.0	.0	0	0	0	0	.0	0	.0	0	0	0
	2	.0	0	0	0	.0	0	0	0	0	.0	0	0	.0	.0	0	0	0	0	0	0	.0	0	.0	0
	3	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	0	0	0	0	0	0	.0	0	.0	0
	4	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	0	0	0	0	0	0	.0	0	.0	0
	5	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	0	0	0	0	0	0	.0	0	.0	0
	6	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	0	0	0	0	0	0	.0	0	.0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	0	0	0	0	0	0	.0	0	.0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	0	0	0	0	0	0	.0	0	.0	0
	9	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	0	0	0	0	0	0	.0	0	.0	0
	10	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	0	0	0	0	0	0	.0	0	.0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

00001169651

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-28-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-29-92

NAME																		ED							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	0	0	.0	.0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	0	.0	.0	.0
	2	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	0	0	0	.0	.0
	3	.0	0	0	0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	0	.0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	0	.0	0	.0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	0	.0	.0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0
	9	.0	0	0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	0	0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0
	Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 1-30-92

NAME <u>Tallie</u>																								<u>Co</u>	
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

1-31-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

2-1-92

NAME																	Date								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-2-92

NAME																		Edwards								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓												
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓												

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

8-3-92

NAME									D.O.																T.H.I.C.															
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600															
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0															
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0															
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0															
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0															
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0															
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0															
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0															
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0															
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0															
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0															
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓															
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓															

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-4-92

NAME <i>E. Smith</i>																	<i>Tallie</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

2-5-92

NAME <i>D.O.</i>																	<i>TALLIE</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 2-6-92

NAME																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-7-92

NAME																	J.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-8-92

NAME																	JST								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-9-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE NEW REACTOR MODULE VCM TANK FARM LABORATORY UNIT
STREAM LOCATIONS STREAM LOCATIONS STREAM LOCATIONS STREAM LOCATIONS:

1. 401 VCM Receiver

2. Recovery System, 2nd Floor

3. Dump Sweco

4. 3rd Recovery Compressor

5. Incinerator

6. Middle Receiver

7. Bottom of D-300

8. Top of D-400

9. Bottom of D-500

10. Top of D-600
1. Bottom of 741

2. Top of 742

3. Bottom of 743

4. Top of 744

5. North of Dump Sweco

6. K. O. Tank Pumps, 1st Floor

7. Bottom of Middle VCM Receiver

8. Rec. VCM Transfer Pumps

9. Middle Rec. Comp., 2nd Floor

10. Fresh VCM Charge Pump
1. South Unloading Station

2. Middle Unloading Station

3. North Unloading Station

4. Compressor Shed

5. Process Control Room

6. VCM Storage Tanks - 201 & 202

7. Respirator Air Filter Outlet

8. Dryer Line #6, Blend Tanks, 1st Flr.

9. Dryer Line #6, Activ., 1st Floor

10. Respirator Air Filter Inlet
1. Vinyl Bagging Machines

2. Quality Control Lab

3. Compound Line I Blenders

4. Compound Line III Blenders

5. Development Lab

6. Welex Deck

7. Dry Blend Control Room

8. V-10 Blend Tank

9. Middle of East Warehouse

10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-10-92

NAME <i>M.E.</i>																				D.T.					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VAB.0001169665

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-11-92

NAME																	G									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-12-92

NAME																			E									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	0	.0	0	0	.0	0	0	.0	0	0.	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0			
	2	.0	0	.0	0	0	.0	0	0	0	0	0.	0.	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0			
	3	.0	0	0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0			
	4	.0	0	0	0	0	0	0	0	0	0	0	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	0	0	0	0	.0	0	0	0	0	0	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0			
	7	0	0.	.0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	0	0	0	.0	0	0	0	0	0	0	0	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	0	0	0	0	0	0.	0.	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	0	.0	0	0.	0	0.	0.	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-13-92

NAME																	6								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

A

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-14-92

NAME TALLIE																				MS					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Wheel)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-15-92

NAME																	mll								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 2-16-92

NAME																	ms								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	0	0	0	0	0	0	0	0	0	0	0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

2-17-92

NAME																		M.A.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 2-18-92

NAME <u>A.T.</u>																				<u>my</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-19-92

NAME																	TALL								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

310140

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-20-92

NAME																	T466c								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-21-92

NAME																	M								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

A

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULEOLD REACTOR MODULEVCM TANK FARMLABORATORY

Circle one of the above

Date

2-22-92

NAME									HOL																
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULESTREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULESTREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARMSTREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNITSTREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Wing)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-23-92

NAME													K2													
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 2-24-92

NAME														NEW														
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	0	.0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	.0	0			
	2	.0	0	.0	0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0			
	3	.0	0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0			
	4	.0	0	.0	0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0			
	5	0	0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0			
	6	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0			
	7	.0	0	0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	.0			
	8	.0	0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0			
	9	.0	0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	.0			
	10	.0	0	.0	0	0	0	.0	0	0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169679

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-25-92

NAME																		6							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Fir.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-26-92

NAME									MB										CP									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?	.0	?	.0	.0	.0	.0	?	?	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?			
	3	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?			
	4	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?	.0	.0	.0	.0	.0	.0	.0	.0	?	?	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?	.0	.0	.0	.0	.0	.0	.0	.0	?	?	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?	.0	.0	.0	.0	.0	.0	.0	.0	?	?	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?	.0	.0	.0	.0	.0	.0	.0	.0	?	?	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?	.0	.0	.0	.0	.0	.0	.0	?	?	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?	.0	.0	.0	.0	.0	.0	.0	?	?	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	?	?	.0	?	?	.0	.0	.0	.0	.0	.0	.0	?	?	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Swaco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Swaco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-27-92

NAME TALLC																				Go					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	1.3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 2-28-92

NAME <i>TALLIE</i>																	NAME <i>MJ</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169683

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 2-29-92

NAME																			mg									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169684

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-1-92

NAME																	MS								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169685

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-2-92

NAME																	M.J								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

3-3-92

NAME <i>P.T.</i>																	NAME <i>TALLIE</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date

3-4-92

NAME																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.1	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-5-92

NAME Co																	Tanner								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

3-7-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-7-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-8-92

NAME Co																	DT.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Walex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-9-92

NAME																		D.F.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY
Circle one of the above Date 3-10-92

NAME																			6									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-11-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-12-92

NAME																										
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Wellex Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 3-13-92

NAME																		MS							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0.	0.	0	0	0.	0	0	0	0	0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0.	0	0	0	0	0	0	0	0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0.	0	0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0.	0.	0.	0	0.	0.	0.
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0.	0	0	0.	0.	0	0.	0	0.
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0.	0.	0	0	0.	0.	0	0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0.	0.	0.	0	0	0	0.
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0.	0	0	0.	0.	0	0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0.	0.	0	0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0.	0.	0	0	0	0.	0.	0	0	0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Walex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-14-92

NAME																	MB								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date

3-15-92

NAME																		MEL								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-16-92

NAME																	M.S.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAR 0001169700

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

3-17-92

NAME <i>P.O.</i>																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	0	.0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	0	0	.0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	0	.0	.0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0
	4	.0	0	.0	0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	0	.0	0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	0	.0	0	.0	0	.0	0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	0	.0	0	.0	0	.0	0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	0	.0	0	.0	0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	0	.0	0	.0	0	.0	0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	0	.0	0	.0	0	.0	0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 3-18-92

NAME																		TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.6	.3	.2	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.5	.4	.3	1.1	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-19-92

NAME Co																	ME								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Warehouse)

VAB 0001169703

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-20-92

NAME Co																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM ~~LABORATORY~~

Circle one of the above

Date 3-21-92

NAME Co																	D.T.									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Wnse).

VAB 0001169705

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-22-92

NAME Co																	P.T.											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-23-92

NAME <i>MS</i>																				<i>JS</i>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	.0	0	.0	0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Wellex Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Warehouse)

VAR 0001169707

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-24-92

NAME																	S									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	0	0	0	0	0	0	0	0	0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-25-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	0	0	0	.0	.0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.8	.0	
	2	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	0	
	5	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	0	0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	
	8	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	0	0	.0	0	0	0	.0	.0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welx Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 3-26-92

NAME																	Co								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	10.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	.0	.0	.0	.0	.0	.0	.0	4.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	8	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	10	.0	.0	.0	.0	.0	.0	.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Flame On		/	/	/	/	/	/	/																	
Plant Air On		/	/	/	/	/	/	/																	

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Wellex Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 3-27-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Flame On																									
Plant Air On																									

Handwritten notes on log sheet:
 - "False" written above the NAME header.
 - "out of order" written diagonally across the first 10 stream rows.
 - "Maint." written in the 9th stream row.
 - "out of order" written diagonally across the 10th stream row.
 - "out" written in the 9th stream row.
 - "out of order" written diagonally across the 10th stream row.

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-28-92

NAME		TALLC																							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Flame On																									
Plant Air On																									

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-29-92

NAME																	B								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Flame On																									
Plant Air On																									

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-30-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	Out of order										.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.											.	.	.	.	.	.
	5	.	.	.	.	.	.	.	.											.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Flame On																									
Plant Air On																									

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 3-31-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Flame On																									
Plant Air On																									

OUT of order
Mar 31

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169715

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-1-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Flame On																									
Plant Air On																									

Out of order

OLD REACTOR MODULE
STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-3-92

NAME																	TALLIE									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

NS:	NEW REACTOR MODULE	OLD REACTOR MODULE
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

VCM TANK FARM

LABORATORY

Circle one of the above

Date _____

[illegible]

ACTOR MODULE

NEW REACTOR MODULE

VCM TANK FARM

LABORATORY UP

A LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATION

CM Receiver
ary System, 2nd Floor
Sweco
covery Compressor
rator
e Receiver
m of D-300
of D-400
m of D-500
of D-600

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

1. Vinyl Bagging Machine
2. Quality Control Lab
3. Compound Line I Blend
4. Compound Line III Blend
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East)

VAB.0001169718

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-5-92

NAME G																				D.T.					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-6-92

NAME																				D.T.					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Fir.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welax Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-7-92

NAME																	G									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-8-92

NAME																			E								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	0	0	0	.0	.0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	0	.0		
	2	.0	.0	.0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	0	.0		
	3	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0		
	5	.0	0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	0	0	.0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	0	0	.0	.0		
	8	.0	0	0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	.0		
	9	.0	.0	0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	0	0	.0		
	Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAR0001169722

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-9-92

NAME																	G								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-10-92

NAME																		NA								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Fir.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

A

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-11-92

NAME																		M								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.P	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-12-92

NAME																	ME								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-13-72

NAME																	M.S.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-14-92

NAME <i>D.T.</i>									NAME <i>Tallie</i>																
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Walex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-15-92

NAME																	TALLIC								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

4-16-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-17-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

YAB.0001169731

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date

4-18-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-19-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-20-92

NAME		M.S.																D.T.							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date

4-21-92

NAME																	G									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169735

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-22-92

NAME																	Co									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169736

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-23-92

NAME																	6								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

YAB.0001169737

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 4-24-92

NAME																		D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	.0	0	0	0	0	0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	.0	0	0	0	0	0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	.0	0	0	0	0	0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	.0	0	0	0	0	0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	.0	0	0	0	0	0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	.0	0	0	0	0	0	
	7	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	.0	0	0	0	0	0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	.0	0	0	0	0	0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	.0	0	0	0	0	0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	.0	0	0	0	0	0	
Flame On		/	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	/	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

YAB.0001169738

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-25-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		OUT	OUT	OUT	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-26-92

NAME																	MA								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #5, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-27-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY
Circle one of the above Date 4-28-92

NAME <i>P.O.</i>																	NAME <i>TALLIE</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	0	.0	0	0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.
	2	.0	.0	.0	.0	0	0	.0	0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.
	3	.0	.0	0	0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.
	4	.0	.0	0	0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	0	0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.
	6	.0	.0	0	0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	0	0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	0	0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	0	0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	0	.0	0	.0	0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 4-29-92

NAME																	TALLIE									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 4-30-92

NAME Co									NAME Tallie																	
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.5	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-1-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 5-2-92

NAME																	D.F.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse VAB.0001169746
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-3-92

NAME Co																	B.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169747

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-4-92

NAME <i>M.A.</i>																				D.T.					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	.0	0	.0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	.0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169748

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-5-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse VAB.0001169749
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-6-92

NAME																		G							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	0	0	0	0	.0	0	.0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	0	0	0	0	0	0	.0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	0	0	0	0	.0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	0	0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 5-7-92

NAME																		60								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	✓	/	/	/	/	/	/	/	/	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		/	/	/	/	/	✓	/	/	✓	/	/	/	✓	✓	✓	✓	/	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-8-92

NAME									TALLIE									MAY								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 5-9-92

NAME																		M4								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	0	0	0	0.	0	0.	0	0	.0	0	0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	0	0	0	.0	0	0	0.	0	0	0.	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	0	0	0	0	.0	0	0	0.	0	0.	0.	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	.0	0	0	0.	.0	0	0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	.0	0	0	0.	0	0	0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	.0	0	0	0.	0	0	0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	.0	0	0	0.	.0	0	0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	.0	0	.0	.0	0	0	0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	.0	0	.0	0.	0	0	0	
Flame On		/	/	✓	✓	/	✓	/	/	/	✓	✓	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	/	/	✓	✓	/	/	✓	/	✓	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 5-10-92

NAME																										
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

5-11-92

NAME																		M/A								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 5-12-92

NAME																	TALLIE									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

5-13-92

NAME <i>D.T.</i>									TALUE															
TIME	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

5-14-92

NAME																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

5-15-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	0	.0	0	0	.0	0	0	.0	0	0	0	0
	2	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	0	0	0	.0	0	0	0	.0	0	.0	0	0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0	0	0	0	.0	0	.0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	0	.0	0	0	.0	0	.0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	0	0	0	.0	0	.0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	0	.0	0	0	0	0	0	0	0	.0	0	.0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0	0	0	0	.0	0	.0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	.0	0	.0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	0	0	0	.0	0	.0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	.0	0	0	.0	0	.0	0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 5-16-92

NAME																	L.S.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

5-17-92

NAME																	J.F.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

5-18-92

NAME																	DT.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

5-7-92

NAME																			60							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	0	.0	.0	.0	
	3	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	
	4	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-20-92

NAME									MD										6									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	.0			
	2	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0			
	5	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0			
	8	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0			
	10	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

AB.0001169764

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-21-92

NAME																		6								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-22-92

NAME TALLIE																								DT	
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169766

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-23-92

NAME																										
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

LAB.0001169767

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-24-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169768

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-25-92

NAME									TE																
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169769

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date

5-26-92

NAME																	TALVE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-27-92

NAME																		TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-28-92

NAME <u>Go</u>																	<u>Tallie</u>									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	✓	✓	✓	-	-	✓	✓	-	-	-	-	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	✓	✓	✓	-	-	✓	✓	-	-	-	-	

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse)

YAB.0001169772

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-29-92

NAME <i>co / 72</i>																	<i>D.T.</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169773

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 5-30-92

NAME Co																	D.O.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	0	0	.0	.0	0	0	.0	0	.0	0	.0	.0	0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0	.0	.0	.0	0	0	.0	.0	0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	0	.0	.0	0	.0	0	.0	.0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	0	.0	.0	0	0	0	0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	0	.0	.0	0	0	0	0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	0	.0	.0	0	.0	0	.0	.0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	.0	0	.0	.0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	0	0	0	0	.0	0	0	.0	.0
	10	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	0	0	0	.0	.0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

YAB.0001169774

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

5-31-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-1-92

NAME																	D.O.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	.0	0	0	0	.0	0	0	0	0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	0	.0	.0	0	.0	0	0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	0	.0	.0	0	.0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	.0	0	.0	.0	0	.0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	.0	0	0	0	0	.0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	.0	0	0	.0	0	.0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	.0	0	0	.0	0	.0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	.0	0	0	.0	0	.0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	.0	0	0	.0	0	.0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

YAB.0001169776

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-2-92

NAME DT / TE																Co									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169777

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-3-92

NAME <u>TE</u>																				<u>6</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169778

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-4-92

NAME																									
Tallie									ADL																
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169779

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-15-92

NAME																		TALLIE									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169780

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above Date 6-16-92

NAME																		Co									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169781

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-17-92

NAME																	E								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169782

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-18-92

NAME																		Co							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	✓	✓	✓	✓	/	/	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		/	✓	✓	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VAB.0001169783

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-19-92

NAME																		M.D								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VAB.0001169784

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-20-92

NAME									Tally									MD								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

NEW REACTOR MODULE

VCM TANK FARM

LABORATORY UNIT

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS:

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Fir.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 6-21-92

NAME																		M-1								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY
Circle one of the above Date 6-23-92

NAME																	M.S.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-24-92

NAME																		N.H.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169789

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-25-92

NAME Co																	HA											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169790

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-26-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169791

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-27-92

NAME Co									FE																
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169792

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-28-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VAB.0001169793

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 6-29-92

NAME																			DT.									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Wellex Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VAB.0001169794

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 6-30-92

NAME																										
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-1-92

NAME <i>MM</i>																				<i>CO</i>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169796

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-2-97

NAME																	C								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169797

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-3-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Fir.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169798

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-4-92

NAME <i>Fuller</i>																	<i>G</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welex Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-5-92

NAME TACU																				B					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

7-6-92

NAME																	TALLIE									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Fir.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Wellex Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-7-92

NAME																	TALLIE											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 7-8-92

NAME									NAME								NAME									
D.T.									HDL								TALLIC									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-9-92

NAME																	TALLIE											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Wellex Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-10-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-11-92

NAME																	P.T.									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-12-92

NAME																	D.J.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	0	.0	0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	.0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	.0	.0	0	0	0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	4	.0	.0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	.0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	.0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	.0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	.0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-13-92

NAME		M.L												B.F.											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7.14.92

NAME		MA																CO							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	.0	.0	0	0	.0	0	0	0	0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0
	4	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	0	0	.0	.0	.0	.0	.0	.0
	5	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	.0
	6	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0
	7	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0
	8	.0	0	0	0	0	0	0	0	.0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0
	9	.0	.0	0	.0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0
	10	.0	0	0	0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 7-15-92

NAME <u>MB</u>																				<u>Co</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-16-92

NAME									TALL								6								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 7-17-92

NAME																		G								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-18-92

NAME TALLIE																								B	
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 7-19-92

NAME																	ME								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-20-90

NAME																		MS								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 7-21-92

NAME																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-22-92

NAME																		TALLIE									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	3	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	4	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7.23.92

NAME																		TALLCO									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

NEW REACTOR MODULE

VCM TANK FARM

LABORATORY UNIT

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS:

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Fir.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-24-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-25-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

NEW REACTOR MODULE

VCM TANK FARM

LABORATORY UNIT

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS:

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

7-26-92

NAME		60																D.T.							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 7-27-92

NAME																			DT.							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	0	0	0	.0	0	0	0.	0	0	0													
	2	.0	0	0	0	0	0	0	0	0	0	0	0													
	3	0	0	0	0	0	0	0	0	0	0	0	0													
	4	0	0	0	0	0	0	0	0	0	0	0	0													
	5	0	0	0	0	0	0	0	0	0	0	0	0													
	6	0	0	0	0	0	.0	.0	0	0	0	0	0													
	7	0	0	0	0	0	0	0	0	0	0	0	0													
	8	0	0	0	0	0	0	0	0	0	0	0	0													
	9	0	0	0	0	0	0	0	0	0	0	0	0													
	10	0	0	0	0	0	0	.0	0	0	0	0	0													
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date _____

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Flame On																									
Plant Air On																									

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-28-92

NAME																	40									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-29-92

NAME		MS																		G					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-30-92

NAME <i>RSP</i>																	Co								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.6	.0	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.6	.0	.6	.0	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.6	.0	.0	.0	.0	.0
	3	.0	.0	.6	.0	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.6	.6	.0	.0	.0	.0	.6	.0	.6	.6	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.6	.0	.0	.0	.0	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.6	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.6	.6	.0	.0	.0	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.6
	8	.0	.6	.0	.6	.0	.0	.0	.0	.0	.6	.6	.0	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.6	.6	.6	.0	.0	.0	.0	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.6	.0	.0	.0	.6	.0	.6	.6	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-31-92

NAME <u>R21</u>																	<u>MS</u>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-1-92

NAME R3																				ms					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

(A)

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-2-92

NAME																	M.A								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-3-92

NAME DT																	6								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-4-92

NAME <u>D.O.</u>																				<u>MA</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-5-92

NAME <u>D.T.</u>																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 8-6-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

8-7-92

NAME																		D.T.							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.	.	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.	.	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	Out of order	Out of order	Out of order	Out of order	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	Out of order	Out of order	Out of order	Out of order	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	Out of order	Out of order	Out of order	Out of order	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	Out of order	Out of order	Out of order	Out of order	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	Out of order	Out of order	Out of order	Out of order	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	Out of order	Out of order	Out of order	Out of order	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.	.	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-8-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY
Circle one of the above Date 8-9-92

NAME																	D.F.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	0	0	0	0	0	0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	0	.0	.0	.0	0	0	0	0	0
	3	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	0	0	0	0	.0	0	.0	0	0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	.0	0	.0	0	0	.0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	.0	0	0	0	0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	0	.0	.0	0	0	.0	.0	0	0	0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0	0	0	0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	0	0	0	0	0	0	0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	.0	0	0	0	0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	.0	0	0	0	0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VAB.0001169836

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY
Circle one of the above
Date 8-10-92

NAME																	J.T.									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-11-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-12-92

NAME <i>MS</i>																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	0	0	0	.0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0
	2	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0
	3	0	0	0	0	.0	0	0	0	.0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0
	4	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	0	.0	0	.0
	5	0	0	0	0	0	0	0	0	0	.0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	0	.0
	6	0	0	0	0	0	0	.0	0	0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0
	7	.0	0	0	0	0	0	0	0	0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0
	8	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0
	9	0	0	0	0	0	0	.0	0	0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0
	10	0	0	0	0	0	0	.0	0	.0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-13-92

NAME TALLIE																				Co					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-14-92

NAME																		NAME								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-15-92

NAME																	MS								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-16-92

NAME																	MD								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		off	off	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULEOLD REACTOR MODULEVCM TANK FARMLABORATORY

Circle one of the above

Date

8-17-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULESTREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULESTREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARMSTREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNITSTREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-18-92

NAME <i>P.O.</i>																				NAME <i>M.T.</i>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date

8-19-92

NAME																	NAME								
D.T.																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

A

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

8-20-92

NAME																		TALLIE									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	0	0	0	.0	.0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	0	.0	0	0	0	.0	.0	0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0		
	4	0	.0	.0	0	0	0	0	.0	.0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	0	.0	0	0	0	0	.0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0		
	8	0	0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	0	0	0	0	0	0	0	.0	0	.0	0	0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	0	0	.0	0	0	0	0	0	0	.0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-21-92

NAME <i>E. Smith</i>																	<i>D.T.</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY
Circle one of the above
Date 8-22-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-23-92

NAME																	IST.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Wellex Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse VAB.0001169850
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM

LABORATORY

Circle one of the above

Date 8-27-92

NAME <u>TALLIE</u>										<u>E. Smith</u>															
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 8-28-92

NAME																	MD								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 8-29-92

NAME																	ME								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse VAB.0001169853
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

8-30-92

NAME <i>Tallie</i>																								
TIME	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	✓	/	✓	✓	/	/	/	✓	/	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		/	✓	/	✓	✓	/	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169854

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-1-92

NAME																	T.M.C.									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-2-92

NAME <u>LS</u>																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-3-92

NAME																	TALLIE											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-4-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169858

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULEOLD REACTOR MODULEVCM TANK FARMLABORATORY

Circle one of the above

Date 9-5-92

NAME <u>Co</u>																								
TIME	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULESTREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULESTREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARMSTREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNITSTREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169859

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM

Circle one of the above

Date

LABORATORY
9-6-92

NAME																	L.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULESTREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULESTREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARMSTREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNITSTREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169860

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-7-92

NAME <u>M.D.</u>																				<u>L.T.</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	0	0.	0	0	0	0	0	0	0	0.	0.	0	0	0	0	0	0	0	0	0	0	0	0
	2	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-8-92

NAME																		B									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse.)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-9-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	0	.0	0	.0	0	0	0	0	0.	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.0	.0
	2	.0	.0	.0	.0	0	0	0	0	0	0	0.	0	.0	.0	0	.0	.0	.0	.0	.0	0	0	.0	.0
	3	0	.0	.0	.0	0	0	0.	0.	0	0	0.	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0
	4	0	.0	.0	.0	0	0	0.	0	0	0.	0.	0.	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	0	.0
	5	0	0	0	0	0	0	0.	0.	0	0	0.	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	0	.0	.0	0	0	0	0.	0	0	0	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	0	0	0	.0	0	0	0	0.	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	0	0	0	0	0	.0	0	0.	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	0	0	0	.0	0	0	0.	0.	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	0	0	0	0.	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-10-92

NAME																	CO								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY
Circle one of the above Date 9-11-92

NAME																		M2								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 9-12-92

NAME																	M								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

9-13-92

NAME																		M.S								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-14-92

NAME																	M.D.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-15-92

NAME																	TALU-0								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	f	o	o	.e	e	o	o	o	.o	o	o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o
	2	.0	o	o	e	.o	o	o	o	o	.o	.o	o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o
	3	.0	w	t	t	.o	.o	o	o	o	.e	o	o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o
	4	.0	e	.	.	.o	.o	e	o	o	.o	o	o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o
	5	.0	f	o	e	.o	o	.o	o	o	.o	o	o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o
	6	.0	f	f	f	.o	o	o	o	o	.o	o	o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o
	7	.0	i	o	o	.o	o	o	o	o	.o	o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o
	8	.0	l	y	y	.o	o	o	o	o	.o	o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o
	9	.0	u	d	t	.o	-	o	o	o	.o	o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o
	10	.0	y	e	e	.o	o	o	o	o	.o	o	o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o	.o
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-16-92

NAME <i>Dot</i>																	Tallies								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	
	2	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	
	3	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	
	4	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	
	5	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	
	6	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	
	7	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	
	8	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	
	9	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	
	10	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	
Flame On		<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	
Plant Air On		<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	

OLD REACTOR MODULE

NEW REACTOR MODULE

VCM TANK FARM

LABORATORY UNIT

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS:

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date

9/17/92

NAME <i>1582</i>																	TALLIC								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-18-92

NAME														HAZ													
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

AB.0001169872

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

9-19-92

NAME									TALUE									P.T.									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

9-20-92

NAME																	Date								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Wellex Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9.21.92

NAME									MB											DF							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2	.0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	3	.0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	4	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5	.0	0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6	.0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	.0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8	.0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 9-22-92

NAME <u>MD</u>													<u>ES</u>											
TIME	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 9-23-92

NAME <u>MS</u>										NAME <u>E.S.</u>															
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

9-24-92

NAME									C. Smith																
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2
	2	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2
	3	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2
	4	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2
	5	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2
	6	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2
	7	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2
	8	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2
	9	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2
	10	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2	.2
Flame On		out	out	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-25-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	✓	/	/	/	/	/	/	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		/	✓	/	✓	✓	/	/	/	/	/	/	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-26-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-27-92

NAME																		my								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 7-28-92

NAME																	M.S								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 9-29-92

NAME																TALLIE									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 9-30-98

NAME <i>D.O.</i>																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Wellex Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-1-92

NAME 6																	TALLIE											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

NEW REACTOR MODULE

VCM TANK FARM

LABORATORY UNIT

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS

STREAM LOCATIONS:

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Wellex Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-2-92

NAME																	TALLIC											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

10-3-92

NAME																								
TIME	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-4-92

NAME																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	0		0	.0	0	0	0	0	0	0	0	0
	2	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	0		0	.0	0	0	0	0	0	0	0	0
	3	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	+		0	.0	0	0	0	0	0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.		0	.0	0	0	0	0	0	0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0		0	.0	0	0	0	0	0	0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	+		0	.0	0	0	0	0	0	0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.		0	.0	0	0	0	0	0	0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0		0	.0	0	0	0	0	0	0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	+		0	.0	0	0	0	0	0	0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0		0	.0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 10-5-92

NAME																			DT.									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	2	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	3	.0	.0	.0	.0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	4	.0	.0	.0	.0	0	.0	0	.0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	5	.0	.0	.0	.0	0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	7	.0	.0	.0	.0	.0	.0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	8	.0	0	.0	.0	.0	.0	0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	10	.0	0	.0	0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welex Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-1

NAME									MA									6									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	0	.0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0		
	2	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	0	0	.0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	0	.0	.0	.0	.0	.0		
	4	.0	0	0	.0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	0	0	.0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0		
	6	.0	0	0	.0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	0	0	.0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	0	.0	0	0	0	0	0	.0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	0	0	.0	0	.0	.0	0	0	0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0		
	Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10.7.92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY
Circle one of the above Date 10-8-92

NAME																		Co									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	0	.0	0	0	.0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	0	.0	.0	.0	0	0	0	0	0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	0	0	.0	0	0	0	0	0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	0	0	.0	0	0	.0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	0	0	.0	0	0	0	.0	0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	0	0	.0	0	0	0	0	0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	0	.0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Walex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-9-92

NAME																	MK								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-10-92

NAME Co																	MS								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	0	.0	.0	.6	.0	0	.0	.0	.0	.0	.0	.	.	0	0	0	0	0	0	0	0	0
	2	.0	.0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	0	.	.	0	0	0	0	0	.0	0	0	0
	3	0	.0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.	.	.	0	0	0	0	0	0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.	.	0	0	0	0	0	0	0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	Flame out	Flame out	.	0	0	0	0	0	0	0	0
	6	.0	.0	0	.0	.0	.0	.0	0	.0	.0	.0	0	0	.	Flame out	Flame out	.	0	0	0	0	0	0	0
	7	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	.	Flame out	Flame out	.	0	0	0	0	0	0	0
	8	.0	.0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.	Flame out	Flame out	.	0	0	0	0	0	0	0
	9	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	0	.	.	.	0	0	0	0	0	0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.	.	.	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-11-92

NAME <u>TALLIE</u>																				NAME <u>ME</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date

10-12-92

NAME <i>De</i>																	<i>MJ</i>											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULESTREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULESTREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARMSTREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNITSTREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-13-92

NAME																	TALLU								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-14-92

NAME																TALUC									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-15-92

NAME Co																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

AB.0001169899

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-16-92

NAME																	TALL								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

10-17-92

NAME																	F.T.									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-18-92

NAME																	TST.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-19-92

NAME		MD								1								ST.							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	.0	.0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	.0	.0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Wellex Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse)

VAB.0001169903

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-20-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

AB.0001169904

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

A

Circle one of the above

Date 10-21-92

NAME																		Co									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-22-92

NAME																	B								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	out	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welex Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-23-92

NAME																	421								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	2	0	0	.0	0	0	0	0	0	0	0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	.0	0	0	0	0	0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	.0	0	0	0	0	0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	.0	0	0	0	0	0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	.0	0	0	0	0	0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	.0	0	0	0	0	0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	.0	0	0	0	.0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10.24.92

NAME																		NA								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

A

Circle one of the above

Date 10-25-92

NAME <u>Tallie</u>																				<u>MD</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Wellex Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-26-92

NAME																	MS									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-27-92

NAME																							Tallie									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600							
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0							
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0							
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0							
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0							
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0							
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0							
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0							
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0							
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0							
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0							
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

10-28-92

NAME <u>D-60</u>									TALLIE															
TIME	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

10-29-92

NAME																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

A

Circle one of the above

Date 10-30-92

NAME		<u>Co</u>										<u>True</u>													
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 10-31-92

NAME																	ISp								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 11-1-92

NAME																	D.O.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	0	.0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	0	0	0
	2	.0	.0	.0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	0	0	0
	3	.0	.0	.0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	0	0	0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	.0	0	0	0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 11-2-92

NAME																			Fto							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
	2	.0	Q	.Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
	3	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
	4	.0	Q	.Q	Q	Q	.Q	.Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
	5	.0	Q	Q	Q	Q	.Q	.Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
	6	.0	Q	.Q	Q	Q	.Q	Q	.Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
	7	.0	Q	.Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
	8	.0	Q	Q	Q	Q	Q	.Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
	9	.0	Q	Q	Q	Q	.Q	.Q	Q	Q	Q	.Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	.Q	
	10	.0	Q	Q	Q	Q	Q	.Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 11-3-92

NAME																		Co									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY A

Circle one of the above

Date 11-4-92

NAME		M-A												G											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welax Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-05-92

NAME																	Co								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-6-92

NAME <u>Tallie</u>																				<u>G</u>					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-7-92

NAME		TALLIE															C											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

11-8-92

NAME																		M								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

11-9-92

NAME																	M.S.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY
Circle one of the above
Date 11-10-92

NAME																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

11-11-92

NAME																	TABLE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VAB.0001169926

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-12-92

NAME																		TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

11-13-92

A

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 11-14-92

NAME																	D.F.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	0	.0	.0	.0	.0	0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-15-92

NAME																	D.S.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-16-92

NAME		<u>NEW</u>																							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-17-92

NAME																		Co									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-18-92

NAME																	S									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 11-19-92

NAME		M.D																G											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600				
Stream No.	1	.0	.0	0	0	0	0	.0	0.	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	2	0	0	0	0	0	0	0	0.	0	0	0.	0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	3	.0	0	0	0	0	0	0	0.	0	0	0.	.	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0				
	4	.0	0	0	0	0	0	0	0.	0	0.	0	0.	.0	.0	0	.0	.0	.0	0	.0	.0	.0	.0	0				
	5	0	0	0.	0.	0.	0	.0	0.	.0	0	0.	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	6	0	0	0	0	0	0	.0	0.	0	0	0.	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	7	0	0	0.	0	0.	.0	.0	0.	.0	0	0.	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	8	0	0	0.	0	0.	.0	.0	0.	.0	0	0.	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	9	0	0	0	0	0	0	0	0.	0	0	0.	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	10	0	0	0	0	0	0	0	0.	0	0	0.	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-20-92

NAME <u>TALLIE</u>																								
TIME	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 11-21-92

NAME																	ms								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-22-92

NAME																										
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

11-23-92

NAME																		M.J							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 11-24-92

NAME																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-25-92

NAME <i>Est.</i>																	NAME <i>TALLIE</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 11-26-92

NAME Co																				TALLIC					
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Walex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

11-27-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 11-28-92

NAME																	Date									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 11-29-92

NAME																	T.S.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	0	.0	0	0	0
	2	.0	.0	.0	.0	0	0	.0	.0	.0	.0	.0	0	.0	0	0	0	0	0	.0	0	.0	0	0	0
	3	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	0	.0	0	0	0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	.0	.0	0	0	0	0	0	.0	0	.0	0	0	0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	0	.0	0	0	0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	0	.0	0	0	0
	7	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	0	.0	0	0	0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	0	.0	0	0	0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	0	.0	0	0	0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	0	.0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Wellex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 11-30-92

NAME		<u>NEW</u>												<u>LAB.</u>											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

12-1-92

NAME																	CO									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-2-92

NAME																			6								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	0	0	0	.0	0	.0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0		
	4	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	0	0	0	0	.0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	0	0	0	0	.0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0		
	8	.0	0	0	0	.0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	0	0	0	0	.0	0	0	0	0	0	0	0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-3-92

NAME																	6								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

12-4-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-5-92

NAME																		ms								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VAB.0001169950

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-6-92

NAME									TALL-C									ms								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-7-92

NAME																	ME									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

12-8-92

NAME																		TALLIE											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600				
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-9-92

NAME																	TALUC											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welax Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-10-92

NAME <u>B</u>																								
TIME	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-11-92

NAME Co																	D.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

12-12-92

NAME																	F.T.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	0	.0	.0	.0	.0	.0	0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0
	2	.0	0	0	.0	.0	0	.0	.0	0	.0	.0	.0	.0	0	0	0	.0	0	0	0	.0	0	.0	0
	3	.0	.0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	.0	0
	4	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0	0	.0	.0	.0	0	.0	0
	5	.0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0	0	.0	.0	.0	0	.0	0
	6	.0	.0	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0	0	.0	0	.0	0	.0	0
	7	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0	0	.0	0	.0	0	.0	0
	8	0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	.0	0	.0	0	.0	0	.0	0
	9	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	.0	0	.0	0	.0	0
	10	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-13-92

NAME																	D.F.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 12-14-92

NAME																			LS									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600			
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date

12-15-92

NAME																	6									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-16-92

NAME																									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welox Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-17-92

NAME																		B								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE
STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Warehouse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-18-92

NAME																	DT.								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-19-92

NAME																	MS								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 12-20-92

NAME																		MCS											
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600				
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-21-92

NAME																	MCS									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-22-92

NAME																		TALC							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-23-92

NAME																	TALLIE								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse)

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 12-24-92

NAME														TALLC													
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Wellex Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 12-25-92

NAME <i>E. Smith</i>																	<i>DT</i>								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE
STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-26-92

NAME																			D.T.							
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
Stream No.	1	0	0	0	0	.0	.0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	0	0	.0	0	0	.0	0	0	0	0	0	0	0	0	0	.0	0	0	0	0	0	0	
	3	.0	0	0	0	.0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	0	0	0	0	.0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 12-28-92

NAME <u>CO</u>										TANK															
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

OLD REACTOR MODULE

STREAM LOCATIONS

- 401 VCM Receiver
- Recovery System, 2nd Floor
- Dump Sweco
- 3rd Recovery Compressor
- Incinerator
- Middle Receiver
- Bottom of D-300
- Top of D-400
- Bottom of D-500
- Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

- Bottom of 741
- Top of 742
- Bottom of 743
- Top of 744
- North of Dump Sweco
- K. O. Tank Pumps, 1st Floor
- Bottom of Middle VCM Receiver
- Rec. VCM Transfer Pumps
- Middle Rec. Comp., 2nd Floor
- Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

- South Unloading Station
- Middle Unloading Station
- North Unloading Station
- Compressor Shed
- Process Control Room
- VCM Storage Tanks - 201 & 202
- Respirator Air Filter Outlet
- Dryer Line #6, Blend Tanks, 1st Flr.
- Dryer Line #6, Activ., 1st Floor
- Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

- Vinyl Bagging Machines
- Quality Control Lab
- Compound Line I Blenders
- Compound Line III Blenders
- Development Lab
- Welex Deck
- Dry Blend Control Room
- V-10 Blend Tank
- Middle of East Warehouse
- Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

Circle one of the above

Date 12-29-92

NAME																		CO									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓		✓		✓		✓		✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓		✓		✓		✓		✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

LOCATIONS:

NEW REACTOR MODULE

OLD REACTOR MODULE

VCM TANK FARM

LABORATORY

A

Circle one of the above

Date 12-30-92

NAME																		G									
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600		
Stream No.	1	.0	.0	0	.0	0	0	0	.0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0		
	2	0	0	0	.0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	3	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	0	0	.0	.0	.0	0	0	0		
	4	0	0	0	.0	0	0	.0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	5	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0		
	6	.0	0	0	0	.0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	7	.0	0	0	0	.0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	8	.0	.0	0	0	0	0	0	0	.0	0	0	0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
	9	.0	0	0	0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	0	.0	.0	.0	.0	.0	.0	.0		
	10	.0	0	0	.0	0	0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Flame On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Plant Air On		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

OLD REACTOR MODULE

STREAM LOCATIONS

1. 401 VCM Receiver
2. Recovery System, 2nd Floor
3. Dump Sweco
4. 3rd Recovery Compressor
5. Incinerator
6. Middle Receiver
7. Bottom of D-300
8. Top of D-400
9. Bottom of D-500
10. Top of D-600

NEW REACTOR MODULE

STREAM LOCATIONS

1. Bottom of 741
2. Top of 742
3. Bottom of 743
4. Top of 744
5. North of Dump Sweco
6. K. O. Tank Pumps, 1st Floor
7. Bottom of Middle VCM Receiver
8. Rec. VCM Transfer Pumps
9. Middle Rec. Comp., 2nd Floor
10. Fresh VCM Charge Pump

VCM TANK FARM

STREAM LOCATIONS

1. South Unloading Station
2. Middle Unloading Station
3. North Unloading Station
4. Compressor Shed
5. Process Control Room
6. VCM Storage Tanks - 201 & 202
7. Respirator Air Filter Outlet
8. Dryer Line #6, Blend Tanks, 1st Flr.
9. Dryer Line #6, Activ., 1st Floor
10. Respirator Air Filter Inlet

LABORATORY UNIT

STREAM LOCATIONS:

1. Vinyl Bagging Machines
2. Quality Control Lab
3. Compound Line I Blenders
4. Compound Line III Blenders
5. Development Lab
6. Welox Deck
7. Dry Blend Control Room
8. V-10 Blend Tank
9. Middle of East Warehouse
10. Shrink Wrap Unit (East Whse).

VCM CONTINUOUS MONITORING LOG SHEET

A

LOCATIONS: NEW REACTOR MODULE OLD REACTOR MODULE VCM TANK FARM LABORATORY

Circle one of the above

Date 12-31-92

NAME																	6								
TIME		0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
Stream No.	1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Flame On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Plant Air On		/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

OLD REACTOR MODULE
STREAM LOCATIONS

- 1. 401 VCM Receiver
- 2. Recovery System, 2nd Floor
- 3. Dump Sweco
- 4. 3rd Recovery Compressor
- 5. Incinerator
- 6. Middle Receiver
- 7. Bottom of D-300
- 8. Top of D-400
- 9. Bottom of D-500
- 10. Top of D-600

NEW REACTOR MODULE
STREAM LOCATIONS

- 1. Bottom of 741
- 2. Top of 742
- 3. Bottom of 743
- 4. Top of 744
- 5. North of Dump Sweco
- 6. K. O. Tank Pumps, 1st Floor
- 7. Bottom of Middle VCM Receiver
- 8. Rec. VCM Transfer Pumps
- 9. Middle Rec. Comp., 2nd Floor
- 10. Fresh VCM Charge Pump

VCM TANK FARM
STREAM LOCATIONS

- 1. South Unloading Station
- 2. Middle Unloading Station
- 3. North Unloading Station
- 4. Compressor Shed
- 5. Process Control Room
- 6. VCM Storage Tanks - 201 & 202
- 7. Respirator Air Filter Outlet
- 8. Dryer Line #6, Blend Tanks, 1st Flr.
- 9. Dryer Line #6, Activ., 1st Floor
- 10. Respirator Air Filter Inlet

LABORATORY UNIT
STREAM LOCATIONS:

- 1. Vinyl Bagging Machines
- 2. Quality Control Lab
- 3. Compound Line I Blenders
- 4. Compound Line III Blenders
- 5. Development Lab
- 6. Welox Deck
- 7. Dry Blend Control Room
- 8. V-10 Blend Tank
- 9. Middle of East Warehouse
- 10. Shrink Wrap Unit (East Whse).