

Message

From: Bostick, Thomas [TBostick@dna.com]
Sent: 7/9/2018 12:48:19 PM
To: Beck, Nancy [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=168ecb5184ac44de95a913297f353745-Beck, Nancy]
CC: Keigwin, Richard [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=151baabb6a2246a3a312f12a706c0a05-Richard P Keigwin Jr]; McNally, Robert [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=efa5514317e34b9895687d73730fdde9-Robert McNally]; Mendelsohn, Mike [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=720b16e1b31742738a728d8d2814beef-Mendelsohn, Mike]; Shurdut, Brad [BShurdut@dna.com]; Bertrand, Charlotte [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=f044d768e05842e1b75321ff6010e1b8-Bertrand, Charlotte]
Subject: RE: Follow up
Attachments: ATT00001.txt; Oxitec Response_OX513A Mosquito EUP.PDF; Appendix 1_ Allergenonline letter.pdf
Flag: Flag for follow up

Dear Nancy, one follow up to my earlier email this morning. This second PDF attached (Appendix 1) provides the rationale for removal of the octacoral/ akane sequence from the Allergenonline database which you requested.

Let me know if you have any questions.

Best,
Tom

From: Bostick, Thomas
Sent: Monday, July 9, 2018 8:18 AM
To: 'Beck, Nancy'
Cc: 'Keigwin.Richard@epa.gov'; 'McNally.Robert@epa.gov'; 'Mendelsohn.Mike@epa.gov'; Shurdut, Brad
Subject: Follow up

Dear Nancy, trust that you have had a relaxing time away from DC.

Thank you again for taking the time for my call. As a follow up to our call, and in preparation for a call on 13 July (if we can align calendars), please see attached response.

Safe travels!

Best regards,
Tom

Thomas P Bostick, PhD, PE, NAE

Chief Operating Officer

intrexon

20374 Senaca Meadows Pkwy | Germantown, MD 20876

M: Ex. 6 | O: Ex. 6 | tbostick@dna.com



www.dna.com

CONFIDENTIAL TRANSMISSION - To the extent this electronic communication or any of its attachments contain information that is not in the public domain, such information is considered by Intrexon Corporation to be confidential and

proprietary. This communication is expected to be read and/or used only by the individual(s) for whom it is intended. If you have received this electronic communication in error, please reply to the sender advising of the error in transmission and delete the original message and any accompanying documents from your system immediately, without copying, reviewing or otherwise using them for any purpose. Thank you for your cooperation.