

FILE NAME: Superior Combustion Industries (SCI)

DATE: 1963

DOC#: SCI003

DOCUMENT DESCRIPTION: Field Activity Report

General ventilation  
 Personal hygiene  
 General ventilation  
 (See recommendations)  
 General ventilation  
 Water spray  
 Wet method  
 Warning lights  
 35 ft. roped-off area  
 Lead lined operator booth  
 Pocket dosimeter  
 General ventilation  
 Intermittent

PA STATE ARCHIVES  
 260 North Street, Harrisburg, PA 17120-4520  
 PA Historical & Museum Commission

FORM 100-1 (REV. 10-60)  
 COMMONWEALTH OF PENNSYLVANIA  
 DEPARTMENT OF HEALTH  
 OCCUPATIONAL HEALTH

FIELD ACTIVITY REPORT

EMPLOYER: Boiler Manufacturers  
 DATE: 2-27-61  
 ADDRESS: Frederick & Blackman Streets, Harrisburg  
 PERSON INTERVIEWED: Mr. Fitzgerald TITLE: Foreman  
 PURPOSE: INVEST. SURVEY, INSPECT, PRELIM. P.U. CONF. VISIT, AN  
 REASON: SELF-INIT. O.O. REP. COMPL. REQUEST, SOURCE

| SPECIFIC HAZARD OR<br>CONDITION | WORKERS<br>EXPOSED | RECOMMENDATIONS |        | ACCOMPLISHED |    |          |
|---------------------------------|--------------------|-----------------|--------|--------------|----|----------|
|                                 |                    | WRITTEN         | VERBAL | YES          | NO | IN PROG. |
|                                 |                    |                 |        |              |    |          |
|                                 |                    |                 |        |              |    |          |
|                                 |                    |                 |        |              |    |          |
|                                 |                    |                 |        |              |    |          |

SAMPLES COLLECTED: \_\_\_\_\_ TOTAL: \_\_\_\_\_  
 TESTS MADE: \_\_\_\_\_ TOTAL: \_\_\_\_\_  
 MEDICAL: \_\_\_\_\_ O.O. REPORTED, NO. & KIND: \_\_\_\_\_

REMARKS: This was a general inspection. Work slack (reduced from 100 to 35 employees). All  
employees were on reduced scale. Ear plugs available for men. Or men will use  
respirators. Safety Supervisor, Mr. Berg, ordered U.S. Bureau of Mines approved  
respirators while I was there. X-ray inspection done 2-13-61