

EPA-107 VCM Analysis Worksheet

Date:

12/27/00

Analyst:

Hof / A. B. B.

Shift:

Day Night

Lab Temperature (°C):	19	Barometric Pressure (in Hg):	30.2
Specification	Actual Concentration	Expiration Date	Bottle Pressure
5 ppm VCM in N ₂	5.2	9/18/01	10
50 ppm VCM in N ₂	49.4	5/22/01	30
500 ppm VCM in N ₂	502	5/22/01	55
1000 ppm VCM in N ₂	993	9/26/01	11

Carousel No	Sample ID	Date	Type	Sample Wt	LIMS ID	Area
	5 ppm Standard	xxx	xxx	xxx		
	5 ppm Standard	xxx	xxx	xxx		
	50 ppm Standard	xxx	xxx	xxx		
	500 ppm Standard	xxx	xxx	xxx		618002
	500 ppm Standard	xxx	xxx	xxx		620589
	500 ppm Standard	xxx	xxx	xxx		613622
	1000 ppm Standard	xxx	xxx	xxx		
	1000 ppm Standard	xxx	xxx	xxx		
5	15 67565		R S W C	4.47		16900
6	85 99950		R S W C	4.40		30188
1	15 258630		R S W C	3.63		149517
2	85 258626		R S W C	4.00		9092
1	15 581305		R S W C	4.17		47483
2	85 37556		R S W C	3.89		16599

226
409
2.347
132

418
4172